

Part-I

- 1) b 0,1
- 2) b 18
- 3) a 5
- 4) d n^r
- 5) a $\frac{1}{3}$
- 6) b 3
- 7) d $22^{\circ}30'$
- 8) b $\frac{5\pi}{24}$
- 9) b 2
- 10) b $f(x) = x^3 + 5$
- 11) a $-x^2$
- 12) b $|n_d| > 1$
- 13) b $n_d = \frac{AR}{AR-MR}$
- 14) a 91
- 15) b 11.25
- 16) b $\frac{1}{36}$
- 17) c, Independent
- 18) b, Negative
- 19) b, Income and Expenditure
- 20) a) $E_j - E_i = L_j - L_i = L_{ij}$

XI Business Maths

(Public Exam Answer Key)

S.VASUDEVAN, M.Sc, B.Ed, M.Phil,

Part-II

21) $A^{-1} = \frac{1}{|A|} \text{adj}A$

$|A| = \begin{vmatrix} 2 & 4 \\ -3 & 2 \end{vmatrix}$

$|A| = 16 \neq 0$

$\text{adj}A = \begin{bmatrix} 2 & -4 \\ 3 & 2 \end{bmatrix}$

$A^{-1} = \frac{1}{16} \begin{bmatrix} 2 & -4 \\ 3 & 2 \end{bmatrix}$

22) $n = 10$

$r = 4$

Required number = HP
= 10P₄

= $10 \times 9 \times 8 \times 7$

Required number = 5040

(Reduced portion)

23) OP = 3AP

OP² = 9AP²

$(x_1 - 0)^2 + (y_1 - 0)^2 = 9x_1^2$

$x_1^2 + y_1^2 = 9x_1^2$

$8x_1^2 - y_1^2 = 0$

24) $\cot 75^\circ$

$\tan 75^\circ = \frac{\sqrt{3} + 1}{\sqrt{3} - 1}$

$\cot 75^\circ = \frac{1}{\tan 75^\circ}$

$\frac{1}{\left(\frac{\sqrt{3} + 1}{\sqrt{3} - 1}\right)}$

$\cot 75^\circ = \frac{\sqrt{3} - 1}{\sqrt{3} + 1}$

25) $y = x^3 + 19$

$\frac{dy}{dx} = 3x^2$ — (1)

$\frac{dy}{dx} = 27$ — (2)

$3x^2 = 27$

$x^2 = \frac{27}{3}$

$x^2 = 9$ $x = \pm 3$

26,

Market Value = No of Shares x M.V of Shares

= 132×62

M.V = Rs 8,184

27) $P(A \cap B) = P(A) \times P(B)$

= $\frac{3}{5} \times \frac{1}{5}$

$P(A \cap B) = \frac{3}{25}$

28,

$r = \frac{NZxy - (Zx)(Zy)}{\sqrt{NZx^2 - (Zx)^2} \sqrt{NZy^2 - (Zy)^2}}$

= $10(115) - (50)(30)$

= $\frac{\sqrt{10(290) - (50)^2} \sqrt{10(300) - (30)^2}}$


= $\frac{-1150 + 1500}{\dots}$

= $\frac{350}{\sqrt{400} \sqrt{2100}}$

= $\frac{350}{\dots}$

$r = 0.3818$

29,



No. of ways = 25200

33,

$$\frac{\sin A - \sin C}{\cos C - \cos A} = \frac{2 \sin\left(\frac{A-C}{2}\right) \cos\left(\frac{A+C}{2}\right)}{2 \sin\left(\frac{A+C}{2}\right) \sin\left(\frac{A-C}{2}\right)}$$

$$= \frac{\cos\left(\frac{A+C}{2}\right)}{\sin\left(\frac{A+C}{2}\right)}$$

$$= \cot\left(\frac{A+C}{2}\right)$$

% of income = $\frac{100}{7}$

% of income = $14\frac{2}{7}\%$

37, Mean = $\frac{\sum x}{n}$
 $= \frac{22000}{5}$

Mean = 4400

X	D = (X - 4400)
4000	400
4200	200
4400	0
4600	200
4800	400
Σ D = 1200	

MD = $\frac{\sum |D|}{n} = \frac{1200}{5}$

MD = 240

Coefficient = $\frac{240}{4400}$

Coeff = 0.055

30, $x = \frac{1}{t}$ $y = \cos t$

$\frac{dx}{dt} = -\frac{1}{t^2} \frac{dy}{dt} = -\sin t$

$\frac{dy}{dx} = \frac{dy/dt}{dx/dt}$

$= \frac{-\sin t}{-\frac{1}{t^2}}$

$\frac{dy}{dx} = t^2 \sin t$

$\frac{\sin A - \sin C}{\cos C - \cos A} = \cot B$
 Hence proof

34,
 $\frac{dy}{dx} = \frac{(1+3x)(-3) - (1-3x)(3)}{(1+3x)^2}$

$\frac{dy}{dx} = \frac{-6}{(1+3x)^2}$

Part - III

31, $AB = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$

$BA = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$

$AB = BA = I$

35, $y = x^3 + 10x^2 - 48x + 8$

$\frac{dy}{dx} = 3x^2 + 20x - 48$

M.F is Twice the x.

$3x^2 + 20x - 48 = 2x$

$3x^2 + 20x - 2x - 48 = 0$

$3x^2 + 18x - 48 = 0$

$x^2 + 6x - 16 = 0$

$x = -8$ $x = 2$

38, R_x R_y $d = R_x - R_y$ d^2

1	6	-5	25
2	7	-5	25
3	5	-2	4
4	10	-6	36
5	3	2	4
6	9	-3	9
7	4	3	9
8	1	7	49
9	8	1	1
10	2	8	64
			Σd ² = 226

N = 10

$e = 1 - \frac{6 \sum d^2}{N(N^2 - 1)}$

$= 1 - \frac{6 \times 226}{10(100 - 1)}$

$= 1 - \frac{6 \times 226}{10 \times 99}$

$e = -0.37$

32, 3 consonant } = 7C_3
 from 7
 2 vowels } = 4C_2
 from 4

No. of ways = $5! \times {}^7C_3 \times {}^4C_2$
 $= 120 \times \frac{7 \times 6 \times 5}{1 \times 2 \times 3} \times \frac{4 \times 3}{2 \times 1}$

36, Face Value = 100

M.V = (100 - 17 + 1)

M.V = 84

% of income = $\frac{12 \times 100}{84}$

39, $B = \begin{bmatrix} 0.6 & 0.9 \\ 0.2 & 0.8 \end{bmatrix}$

$I - B = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} - \begin{bmatrix} 0.6 & 0.9 \\ 0.2 & 0.8 \end{bmatrix}$

$I - B = \begin{bmatrix} 0.4 & -0.9 \\ -0.2 & 0.2 \end{bmatrix}$

$|I - B| = \begin{vmatrix} 0.4 & -0.9 \\ -0.2 & 0.2 \end{vmatrix}$

$= 0.08 - 0.18$

$|I - B| = -0.1$

The system is not viable

40, $6x^2 + 6y^2 + 4x - 8y - 16 = 0$

G.F $x^2 + y^2 + 2gx + 2fy + c = 0$

$2g = 4 \quad 2f = -8 \quad c = -16$

$g = 2 \quad f = -4$

Centre $(-g, -f) = (-2, 4)$

radius $r = \sqrt{g^2 + f^2 - c}$

$= \sqrt{4 + 16 - (-16)}$

$= \sqrt{20 + 16}$

$= \sqrt{36}$

radius = 6 units

Part-IV

$(AB)^{-1} = B^{-1}A^{-1}$

$(AB)^{-1} = \frac{1}{|AB|} \text{adj} AB$

$[AB] = \begin{bmatrix} 1 & 2 \\ 1 & 1 \end{bmatrix} \begin{bmatrix} 0 & -1 \\ 1 & 2 \end{bmatrix}$

$AB = \begin{bmatrix} 2 & 3 \\ 1 & 1 \end{bmatrix}$

$|AB| = \begin{vmatrix} 2 & 3 \\ 1 & 1 \end{vmatrix}$

$|AB| = -1$

$\text{adj} AB = \begin{bmatrix} 1 & -3 \\ -1 & 2 \end{bmatrix}$

$(AB)^{-1} = \frac{1}{-1} \begin{bmatrix} 1 & -3 \\ -1 & 2 \end{bmatrix}$

$(AB)^{-1} = \begin{bmatrix} -1 & 3 \\ 1 & -2 \end{bmatrix} \text{--- (1)}$

RHS $B^{-1} = \frac{1}{|B|} \text{adj} B$

$|B| = \begin{vmatrix} 0 & -1 \\ 1 & 2 \end{vmatrix} = 1$

$\text{adj} B = \begin{bmatrix} 2 & 1 \\ -1 & 0 \end{bmatrix}$

$B^{-1} = \begin{bmatrix} 2 & 1 \\ -1 & 0 \end{bmatrix}$

$A^{-1} = \frac{1}{|A|} \text{adj} A$

$|A| = \begin{vmatrix} 1 & 2 \\ 1 & 1 \end{vmatrix} = -1$

$\text{adj} A = \begin{bmatrix} 1 & -2 \\ -1 & 1 \end{bmatrix}$

$A^{-1} = \begin{bmatrix} -1 & 2 \\ 1 & -1 \end{bmatrix}$

$BA = \begin{bmatrix} 2 & 1 \\ -1 & 0 \end{bmatrix} \begin{bmatrix} -1 & 2 \\ 1 & -1 \end{bmatrix}$

$BA^{-1} = \begin{bmatrix} -1 & 3 \\ 1 & -2 \end{bmatrix} \text{--- (2)}$

(1) = (2)

$(AB)^{-1} = B^{-1}A^{-1}$
Hence proof.

H1 (b)

LHS, $\sin(180+A) \cos(90-A)$
RHS, $\sec(270-A)$

$\frac{\sin(180+A) \cos(90-A)}{\sec(270-A)}$

$\frac{(-\sin A) (\sin A) (\cot A)}{(-\sec A) \cos A (-\sec A)}$

$\frac{-\sin A \sin A \cos A}{\sin A}$

$-\frac{1}{\cos A} \cos A \left(-\frac{1}{\cos A}\right)$

$= -\sin A \times \cos A \times \cos A$

$= -\sin A \cos^2 A$

$= \text{RHS}$

LHS = RHS

Hence proof.

H2 (a)

i) 3 bowler, 1 W.C, 7 O.P

${}^4C_3 \times 2c_1 \times 10c_7$
 $= {}^4C_3 \times 2C_1 \times 10C_7$
 $= \frac{4!}{1!1!1!} \times \frac{2!}{1!1!} \times \frac{10!}{9!1!}$
 $= 960 \text{ Ways}$

ii) 3 Bowl, 2 W.C, 6 O.P

${}^4C_1 \times 2c_2 \times 10c_6$
 $= {}^4C_1 \times 2C_2 \times 10C_6$
 $= \frac{4!}{1!3!} \times \frac{2!1!}{1!1!} \times \frac{10!}{9!1!}$
 $= 840 \text{ Ways}$

iii) 4 Bowl, 1 W.C, 6 O.P

${}^4C_4 \times 2c_1 \times 10c_6$
 $= {}^4C_4 \times 2C_1 \times 10C_6$
 $= \frac{4!}{4!0!0!0!} \times \frac{2!}{1!1!} \times \frac{10!}{9!1!}$
 $= 420 \text{ Ways}$

iv) 4 Bowl, 2 W.C, 5 O.P

${}^4C_4 \times 2c_2 \times 10c_5$
 $= {}^4C_4 \times 2C_2 \times 10C_5$

$$= \frac{4 \times 3 \times 2 \times 1}{1 \times 2 \times 3 \times 4} \times \frac{2 \times 1}{1 \times 2} + \frac{10 \times 9 \times 8 \times 7 \times 6}{6 \times 2 \times 3 \times 4 \times 5}$$

$$= 252 \text{ Ways.}$$

Total no. of Ways = 960 + 840 + 420 + 252

Total Ways = 2472

42 (b) E_1 : x speaks truth
 E_2 : x tells lie
 E : x reports a six

$P[E_1] = 4/5$ $P[E_2] = 1/5$

$P(E/E_1) = 1/6$ $P(E/E_2) = 5/6$

$$P(E/E) = \frac{P(E_1)P(E/E_1)}{P(E_1)P(E/E_1) + P(E_2)P(E/E_2)}$$

$$= \frac{4/5 \times 1/6}{(4/5 \times 1/6) + (1/5 \times 5/6)}$$

$P(E_1/E) = 4/9$

43 (a) (Reduced Position).

PA : PB = 2 : 1

$\frac{PA}{PB} = \frac{2}{1}$

PA = 2PB


PA² = 4PB²

$(x_1 - 2)^2 + (y_1 - 1)^2 = 4[(x_1 - 1)^2 + (y_1 - 2)^2]$

$x_1^2 - 4x_1 + 4 + y_1^2 - 2y_1 + 1 = 4[x_1^2 - 2x_1 + 1 + y_1^2 - 4y_1 + 4]$

$-3x_1^2 - 3y_1^2 + 4x_1 + 14y_1 + 15 = 0$

$3x_1^2 + 3y_1^2 - 4x_1 - 14y_1 + 15 = 0$



Critical path is

0 - 1 - 3 - 6 - 7

Project Completion time = 31 weeks.

44 (a)

$y = a \cos mx + b \sin mx$

$y_1 = a(-\sin mx) + b \cos mx$

$y_2 = -a m^2 \cos mx - b m^2 \sin mx$

$y_2 = -m^2 [a \cos mx + b \sin mx]$

$y_2 = -m^2 y$

$y_2 + m^2 y = 0$

Hence proof.

44 (b)

Put $n = 1$

$n^2 + n = 1^2 + 1$

= 2 even number.

$P(k)$ is true

Let $n = k$.

$k^2 + k = 2m$ — (1)

Let $n = k + 1$

$n^2 + n = (k + 1)^2 + (k + 1)$

$= k^2 + 2k + 1 + k + 1$

$= k^2 + k + 2k + 2$

In (1) $= 2m + 2(k + 1)$

$= 2(m + k + 1)$

$(k + 1)^2 + (k + 1)$ is even number.

$P(k + 1)$ is true where $P(k)$ is true.

$\therefore P(n)$ is true $\forall n \in \mathbb{N}$.

45 (a)

$f(x) = 2x^3 + 9x^2 + 12x + 1$

$f'(x) = 6x^2 + 18x + 12$

$= 6(x^2 + 3x + 2)$

$= 6(x + 2)(x + 1)$

$f'(x) = 0$

$6(x + 2)(x + 1) = 0$

$x = -2$ $x = -1$

Stationary Points Value $x = -2, -1$

Stationary Value } $x = -2, x = -1$

$x = -2$

$f(-2) = 2(-8) + 9(4) + 12(-2) + 1$

$f(-2) = -3$

$x = -1$

$f(-1) = 2(-1) + 9(1) + 12(-1) + 1$
 $= -4$

Stationary Points } $(-2, -3), (-1, -4)$

45 (b) $x_1(500) \quad y_1(6000)$

$x_2(1000) \quad y_2(9000)$

$\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$

$\frac{y - 6000}{9000 - 6000} = \frac{x - 500}{1000 - 500}$

$\frac{y - 6000}{3000} = \frac{x - 500}{500}$

$\frac{y - 6000}{6} = \frac{x - 500}{1}$

$y - 6000 = 6(x - 500)$

$y = 6x - 3000 + 6000$

$y = 6x + 3000$

46 (a) $C = 2x \left(\frac{x+5}{x+2} \right) + 7$

$= \frac{2x^2 + 10x}{x+2} + 7$

Marginal Cost

$MC = \frac{dc}{dx} = \frac{(x+2)(4x+10) - (2x^2+10x)}{(x+2)^2}$

$\frac{dc}{dx} = \frac{2(x^2 + 4x + 10)}{(x+2)^2}$
 $= 2 \left[\frac{(x+2)^2 + 6}{(x+2)^2} \right]$

$= 2 \left[\frac{(x+2)^2}{(x+2)^2} + \frac{6}{(x+2)^2} \right]$

$\frac{dc}{dx} = 2 \left[1 + \frac{6}{(x+2)^2} \right]$

x increase
 MC decrease
 Hence proof.

46 (b)

i) Investment = 96,000

Face Value = 100

Market Value = 80

No of Shares } = $\frac{\text{Investment}}{\text{M.V of one share}}$
 $= \frac{96,000}{80}$

No of Shares = 1200 shares.

ii) Total dividend } = $\text{No of share} \times \text{Rate of dividend}$
 $= 1200 \times \frac{18}{100} \times 100$

Total dividend = 21,600

iii) Dividend of 96000 = 21600

Percent = $\frac{21600}{96000} \times 100$
 $= 22.5$

Return share $y = 22.5\%$

47 (a)

C.I	f	CF
10-20	12	12
20-30	19	31
30-40	5	36
40-50	10	46
50-60	9	55
60-70	6	61
70-80	6	67

$N = 67$

$Q_1 =$ Size of $\left(\frac{N}{4}\right)^{\text{th}}$ value
 $=$ Size of $\left(\frac{67}{4}\right)^{\text{th}}$ value
 $= 16.75^{\text{th}}$ value.

$L = 20 \quad \frac{N}{4} = 16.75$

Pcf = 12 f = 19 C = 10

$Q_1 = L + \left(\frac{\frac{N}{4} - Pcf}{f} \right) \times C$
 $= 20 + \left(\frac{16.75 - 12}{19} \right) \times 10$

$Q_1 = 22.5$

$Q_3 =$ Size of $\left(\frac{3N}{4}\right)^{\text{th}}$ value
 $= 50.25^{\text{th}}$ value

$L = 50 \quad \frac{3N}{4} = 50.25$

Pcf = 46 f = 9 C = 10

$Q_3 = L + \left(\frac{\frac{3N}{4} - Pcf}{f} \right) \times C$
 $= 50 + \left(\frac{50.25 - 46}{9} \right) \times 10$

$Q_3 = 54.72$

$$QD = \frac{1}{2} (Q_3 - Q_1)$$

$$= \frac{54.72 - 22.5}{2}$$

$$QD = 16.11$$

47 (b)

x	dx = (x - 67)	dx ²
65	-2	4
66	-1	1
67	0	0
67	0	0
68	1	1
69	2	4
71	4	16
73	6	36

$$\sum x = 546 \quad \sum dx = 10 \quad \sum dx^2 = 62$$

y	dy = (y - 68)	dy ²	dx dy
67	-1	1	2
68	0	0	0
64	-4	16	0
68	0	0	0
72	4	16	4
70	2	4	4
69	1	1	4
70	2	4	12

$$\sum y = 548 \quad \sum dy = 4 \quad \sum dy^2 = 42 \quad \sum dx dy = 26$$

$$r = \frac{N \sum dx dy - (\sum dx)(\sum dy)}{\sqrt{N \sum dx^2 - (\sum dx)^2} \sqrt{N \sum dy^2 - (\sum dy)^2}}$$

$$= \frac{8 \times 26 - (10 \times 4)}{\sqrt{(8 \times 62) - (10)^2} \times \sqrt{8 \times 42 - (4)^2}}$$

$$= \frac{168}{\sqrt{396} \times \sqrt{320}}$$

$$= \frac{168}{355.98}$$

$$r = 0.472$$

Prepared by

S. VASUDEVAN, M.Sc., B.Ed., M.Phil.,
Emma Foulger Matric HSS,
Royapettah, Chennai-14.
9677972441.