

Standard 10
MATHEMATICS


Time: 3.00 Hrs.

Marks: 100

PART - I

Note: i) Answer ALL the questions. $14 \times 1 = 14$
ii) Choose the most appropriate answer from the given four alternatives and write the option code and the corresponding answer.

- 1) If $n(A \times B) = 6$ and $A = \{1, 3\}$ then $n(B)$ is
a) 1 b) 2 c) 3 d) 6
- 2) If there are 1024 relations from a set $A = \{1, 2, 3, 4, 5\}$ to set B, then the number of elements in B is
a) 3 b) 2 c) 4 d) 8
- 3) Using Euclid's division lemma, if the cube of any positive integer is divided by 9, then the possible remainders are
a) 0, 1, 8 b) 1, 4, 8 c) 0, 1, 3 d) 1, 3, 5
- 4) If $A = 2^{65}$ and $B = 2^{64} + 2^{63} + 2^{62} + \dots + 2^0$, which of the following is true?
a) B is 2^{64} more than A b) A and B are equal
c) B is larger than A by 1 d) A is larger than B by 1
- 5) $x^2 - 2x - 24$ and $x^2 - Kx - 6$ has the GCD $(x-6)$ then the value of K is
a) 3 b) 5 c) 6 d) 8
- 6) Graph of a linear equation is a
a) Straight line b) Circle c) Parabola d) Hyperbola
- 7) In a given figure $ST \parallel QR$, $PS = 2$ cm and $SQ = 3$ cm.
Then the ratio of the area of $\triangle PQR$ to the area of $\triangle PST$ is



- a) 25:4 b) 25:7 c) 25:11 d) 25:13
- 8) The area of triangle formed by the points $(-5, 0)$, $(0, -5)$ and $(5, 0)$ is
a) 0 sq.units b) 25 sq.units c) 5 sq.units d) None of these
- 9) The slope of the line joining $(12, 3)$, $(4, a)$ is $1/8$. The values of 'a' is
a) 1 b) -5 c) 4 d) 2
- 10) The ratio of the height of a tower and the length of its shadow is $\sqrt{3} : 1$, then the angle of elevation of the sun has measure.
a) 30° b) 45° c) 60° d) 90°
- 11) The value of $\sin^2 \theta + \frac{1}{1 + \tan^2 \theta}$ is equal to
a) $\tan^2 \theta$ b) 1 c) $\cot^2 \theta$ d) 0
- 12) The total surface area of a cylinder whose radius is $1/3$ of its height is
a) $\frac{9\pi h^2}{8}$ sq.units b) $24\pi h^2$ sq.units c) $\frac{8\pi h^2}{9}$ sq.units d) $\frac{56\pi h^2}{9}$ sq.units
- 13) If the standard deviation of x, y, z is p then the standard deviation of $3x+5, 3y+5, 3z+5$ is
a) $3p+5$ b) $3p$ c) $p+5$ d) $9p+5$
- 14) The probability of getting a job for a person is $x/3$. If the probability of not getting the job is $2/3$ then the value of x is
a) 2 b) 1 c) 3 d) 1.5

PART - II

Note: i) Answer any TEN questions. ii) Question No. 28 is compulsory. $10 \times 2 = 20$

- 15) Let $A = \{1, 2, 3, 7\}$ and $B = \{3, 0, -1, 7\}$ which of the following are relations from A to B? (i) $R_1 = \{(2, 1), (7, 1)\}$ (ii) $R_2 = \{(2, -1), (7, 7), (1, 3)\}$
- 16) If $f(x) = 2x-1$, $g(x) = \frac{x+1}{2}$, show that $fog = gof = x$.
- 17) If $13824 = 2^a \times 3^b$ then find a and b.
- 18) If $3+K, 18-K, 5K+1$ are in A.P then find K.
- 19) Find the excluded values of the expression $\frac{x^2 + 6x + 8}{x^2 + x - 2}$.

- 20) Find the values of x, y and z from the following:
$$\begin{pmatrix} x+y+z \\ x+z \\ y+z \end{pmatrix} = \begin{pmatrix} 9 \\ 5 \\ 7 \end{pmatrix}$$

V10M

2

- 21) In $\triangle ABC$, AD is the bisector of $\angle A$. If $BD = 4$ cm, $DC = 3$ cm and $AB = 6$ cm, find AC .
- 22) If the radii of two concentric circles are 4 cm and 5 cm then find the length of the chord of one circle which is a tangent to the other circle.
- 23) Show that the given points are collinear $(-3, -4)$, $(7, 2)$ and $(12, 5)$.
- 24) Find the intercepts made by the line $4x+3y+12 = 0$ on the Co-ordinate axes.
- 25) Prove that $\frac{\sin A}{1+\cos A} + \frac{\sin A}{1-\cos A} = 2 \operatorname{cosec} A$.
- 26) A die is rolled and a coin is tossed simultaneously. Find the probability that the die shows an odd number and the coin shows a head.
- 27) Find the standard deviation of first 21 Natural numbers.
- 28) If the total surface area of a cone of radius 7 cm is 704 cm^2 , then find its height.

**PART - III**

Note: i) Answer any TEN questions. ii) Question No. 42 is compulsory. $10 \times 5 = 50$

- 29) Let $A = \{6, 9, 15, 18, 21\}$: $B = \{1, 2, 3, 4, 5, 6\}$ and $f : A \rightarrow B$ be defined by $f(x) = \frac{x-3}{3}$. Represent f by (i) an arrow diagram (ii) a set of ordered pairs (iii) a table (iv) a graph.
- 30) If ℓ^{th} , m^{th} and n^{th} terms of an A.P are x , y , z respectively then show that
 (i) $x(m-n)+y(n-\ell)+z(\ell-m) = 0$ (ii) $(x-y)n+(y-z)\ell+(z-x)m = 0$.
- 31) In a G.P the product of three consecutive terms is 27 and the sum of the product of two terms taken at a time is $\frac{57}{2}$. Find the three terms.
- 32) Find the values of m and n if $36x^4-60x^3+61x^2-mx+n$ is a perfect square.
- 33) If $A = \begin{pmatrix} 3 & 1 \\ -1 & 2 \end{pmatrix}$ show that $A^2 - 5A + 7I_2 = 0$.
- 34) State and prove Thales Theorem.
- 35) The hypotenuse of a right triangle is 6m more than twice of the shortest side. If the third side is 2m less than the hypotenuse, find the sides of the triangle.
- 36) Find the area of the quadrilateral formed by the points $(8, 6)$, $(5, 11)$, $(-5, 12)$ and $(-4, 3)$.
- 37) Find the equation of the median of $\triangle ABC$ through A where the vertices are $A(6, 2)$, $B(-5, -1)$ and $C(1, 9)$.
- 38) From the top of tower 50m high, the angles of depression of the top and bottom of a tree are observed to be 30° and 45° respectively. Find the height of the tree. ($\sqrt{3} = 1.732$)
- 39) An industrial metallic bucket is in the shape of a frustum of a right circular cone whose top and bottom diameters are 10m and 4m and whose height is 4m. Find the curved and total surface area of the bucket.
- 40) The rainfall recorded in various places of five districts in a week are given below:

Rainfall in mm	45	50	55	60	65	70
Number of places	5	13	4	9	5	4

Find its standard deviation.

- 41) Two dice are rolled together. Find the probability of getting a doublet or sum of faces as 4.
- 42) Find x if $g f f(x) = f g g(x)$. Given $f(x) = 3x+1$ and $g(x) = x+3$.

PART - IV

Note: Answer the following questions.

2x8=16

- 43) Construct a $\triangle PQR$ in which $PQ = 8$ cm, $\angle R = 60^\circ$ and the median RG from R to PQ is 5.8 cm. Find the length of the altitude from R to PQ. **(OR)**
 Draw the two tangents from a point which is 5 cm away from the centre of a circle of diameter 6 cm. Also measure the lengths of the tangents.
- 44) The following table shows the data about the number of pipes and the time taken to fill the same tank.

Number of pipes (x)	2	3	6	9
Time taken (in min) (y)	45	30	15	10

Draw the graph for the above data and hence

- i) Find the time taken to fill the tank when five pipes are used.
 ii) Find the number of pipes when the time is 9 minutes. **(OR)**

Draw the graph of $y = x^2+x-2$ and hence solve $x^2+x-2 = 0$.

Common Half Yearly Examination - DEC 2022

Standard 10 MATHSPART - I

- ① c) 3 ⑦ a) $25:4$
 ② b) 2 ⑧ b) 25 sq. units
 ③ a) 0, 1, 8 ⑨ d) 2
 ④ d) A is larger than B by 1 ⑩ c) 60°
 ⑤ b) 5 ⑪ b) 1 ⑫ c) $\frac{8\pi h^2}{9} \text{ sq. m}$
 ⑥ a) straight line. ⑬ b) 3P ⑭ b) 1

PART - II

- ⑮ $(2,1), (7,1) \in A \times B \therefore R_1$ is not relation
 $R_2 \subseteq A \times B \therefore R_2$ is relation from A to B

$$\begin{aligned} ⑯ \quad f \circ g &= f\left(\frac{x+1}{2}\right) & g \circ f &= g(2x-1) \\ &= 2\left(\frac{x+1}{2}\right) - 1 & &= \frac{2x-1+1}{2} = x \\ &= x & &= x \end{aligned}$$

$$⑰ \quad 13824 = 2^9 \times 3^3 = 2^a \times 3^b \therefore a=9, b=3$$

$$\begin{aligned} ⑱ \quad t_2 - t_1 &= t_3 - t_2 \\ 18 - k - (3+k) &= 5k + 1 - (18 - 1k) \\ 15 - 2k &= 6k - 17 \end{aligned}$$

$$8k = 32$$

$1k = 4$


$$\begin{aligned} ⑲ \quad \frac{x^2 + 6x + 8}{x^2 + x - 2} &= \frac{(x+2)(x+4)}{(x+2)(x-1)} = \frac{x+4}{x-1} \\ (x-1) &= 0 ; x = 1 \end{aligned}$$

∴ The excluded value = 1

(20) $x+y+z=9$; $x+z=5$; $y+z=7$

$$\begin{array}{l} y+5=9 \quad | \\ \boxed{y=4} \end{array} \quad \begin{array}{l} x+3=5 \quad | \\ \boxed{x=2} \end{array} \quad \begin{array}{l} 4+z=7 \quad | \\ \boxed{z=3} \end{array}$$

(21) $\frac{AB}{AC} = \frac{BD}{DC}$ $4AC=18$
 $\frac{6}{AC} = \frac{4}{3}$ $AC=4.5\text{cm}$



(22) $OA = 5\text{cm}$; $OC = 4\text{cm}$ $AC^2 = 25 - 16$

$$\begin{array}{l} OA^2 = OC^2 + AC^2 \\ 5^2 = 4^2 + AC^2 \end{array} \quad \begin{array}{l} AC^2 = 9; AC = 3\text{cm} \\ \therefore AB = 3+3 = 6\text{cm} \end{array}$$

(23) $A(-3, -4)$; $B(7, 2)$; $C(12, 5)$.

$$\text{Slope of } AB = \frac{2+4}{7+3} = \frac{6}{10} = \frac{3}{5} \quad \textcircled{1}$$

$$\text{Slope of } BC = \frac{5-2}{12-7} = \frac{3}{5} \quad \textcircled{2}$$

$$\therefore \textcircled{1} = \textcircled{2}$$

(24) $4x+3y=12$ $\frac{4x}{-12} + \frac{3y}{-12} = \frac{-12}{-12}$

$$\frac{x}{-3} + \frac{y}{-4} = 1 \quad \therefore \boxed{a=-3}; \boxed{b=-4}$$

(25) $L.H.S = \frac{\sin A(1-\cos A) + \sin A(1+\cos A)}{1-\cos^2 A}$

$$= \frac{2\sin A}{\sin^2 A} = \frac{2}{\sin A} = 2 \csc A = R.H.S.$$


(26) $n(S) = 12$; $n(A) = 3$; $P(A) = \frac{3}{12} = \frac{1}{4}$

(27) $S.D G = \sqrt{\frac{n^2-1}{12}} = \sqrt{\frac{441-1}{12}} = \sqrt{36.6} \approx 6.05$

(28) TSA of a cone = 704 $l+r = 32$
 $\pi r(l+r) = 704$ $l = 25 \text{ cm}$
 $\frac{22}{7} \times r(l+r) = 704$ $l^2 = h^2 + r^2$
① $625 = h^2 + 49$
① $h = 24 \text{ cm}$


PART-III

(29) $A = \{6, 9, 15, 18, 21\}$; $B = \{1, 2, 3, 4, 5, 6\}$
 $f(x) = \frac{x-3}{3}$;
i) an arrow diagram



ii) a table

x	6	9	15	18	21
$f(x)$	1	2	3	4	5



(30) $t_l = x$; $t_m = y$, $t_n = z$ Example: 2.28

$$a + (l-1)d = x \quad i) \quad x(m-n) + y(n-l) + z(l-m) \\ = 0 \quad \text{--- } ②$$

$$a + (m-1)d = y \quad \text{--- } ①$$

$$a + (n-1)d = z \quad \text{--- } ③$$

$$x - y = (l-m)d \quad \text{--- } ④$$

$$y - z = (m-n)d \quad z - x = (n-l)d \quad \text{--- } ⑤$$

$$ii) \quad (x-y)n + (y-z)l + (z-x)m = 0$$

(4)

(31) Let the three terms are $\frac{9}{r}, a, ar$

$$\frac{a}{r} \times a \times ar = 27 \quad (ar \times \frac{9}{r}) + (ar \times a) + (ar \times ar) = \frac{57}{2}$$

$$a^3 = 27$$

$$a = 3 \quad \text{--- (1)}$$

$$\frac{1+r^2+r}{r} = \frac{19}{6}$$

$$(6r-a)(6r-4) = 0 \quad 6r^2 - 13r + 6 = 0 \quad \text{--- (2)}$$

$$r = \frac{3}{2}; r = \frac{2}{3} \quad \text{--- (3)}$$

∴ three terms are $a = 3, r = \frac{3}{2} = 2, 3, \frac{9}{2} \quad \text{--- (4)}$

$$a = 3, r = \frac{2}{3} = \frac{9}{2}, 3, 2 \quad \text{--- (5)}$$

(32)
$$\begin{array}{r} 6x^2 \\ \hline 36x^4 - 60x^3 + 61x^2 - mx + n \\ 36x^4 \\ \hline -60x^3 + 61x^2 \\ -60x^3 + 25x^2 \\ \hline 36x^2 - mx + n \\ 36x^2 - 36x + 9 \\ \hline \end{array}$$

$m = 30; \quad \text{--- (1)}$

$n = 9 \quad \text{--- (2)}$

(3)

(33) $A = \begin{pmatrix} 3 & 1 \\ -1 & 2 \end{pmatrix} \quad \text{--- (1)}$ $-5A = \begin{pmatrix} -15 & -5 \\ 5 & -10 \end{pmatrix} \quad \text{--- (1)}$

$$A^2 = \begin{pmatrix} 8 & 5 \\ -5 & 3 \end{pmatrix} \quad 7I_2 = \begin{pmatrix} 7 & 0 \\ 0 & 7 \end{pmatrix}$$

$$\therefore A^2 - 5A + 7I_2 = \begin{pmatrix} 8 & 5 \\ -5 & 3 \end{pmatrix} + \begin{pmatrix} -15 & -5 \\ 5 & -10 \end{pmatrix} + \begin{pmatrix} 7 & 0 \\ 0 & 7 \end{pmatrix} \quad \text{--- (2)}$$

$$= \begin{pmatrix} 0 & 0 \\ 0 & 0 \end{pmatrix}$$

$$= 0 \quad \text{--- (1)}$$

(34) State and prove Thales theorem

In $\triangle ABC$, $\angle A = 90^\circ$ Proof: — (3)

Proof: $AB^2 + AC^2 = BC^2$, draw AD \perp BC — (1)

(35) the shorter side = x

hypotenuse = $2x+6$ — (1)

the third side = $2x+4$

By Pythagoras theorem,

$$x^2 + (2x+4)^2 = (2x+6)^2 \quad \text{--- (2)}$$

$$x^2 - 8x - 24 = 0 \quad \therefore x = 10.8 - 2$$

\therefore the side of the triangle $x = 10.8 \text{ cm}$ — (1)

$$2x+4 = 24 \text{ cm} \quad \text{--- (1)}$$

$$2x+6 = 26 \text{ cm} \quad \text{--- (1)}$$

(36) Let A(8, 6); B(5, 11); C(-5, 12); D(-4, 3)

Area of the quadrilateral ABCD

$$= \frac{1}{2} \left| \begin{matrix} x_1 & x_2 & x_3 & x_4 & x_1 \\ y_1 & y_2 & y_3 & y_4 & y_1 \end{matrix} \right| \text{ sq. units.} \quad \text{--- (1)}$$

$$= \frac{1}{2} \left| \begin{matrix} 8 & 5 & -5 & -4 & 8 \\ 6 & 11 & 12 & 3 & 6 \end{matrix} \right| \quad \text{--- (1)}$$

$$= \frac{1}{2} [(88 + 60 - 15 - 24) - (30 - 55 - 48 + 24)] \quad \text{--- (1)}$$

$$= \frac{1}{2} \{109 + 49\}$$

$$= \frac{1}{2} (158) \quad \text{--- (1)}$$

$$= 79 \text{ sq. units.} \quad \text{--- (1)}$$

Area of the quadrilateral ABCD = 79 sq. units

(37) AD is median.

midpoint of BC

$$P = \left(\frac{-5+1}{2}, \frac{-1+9}{2} \right) = (-2, 4)$$

Equation of median

$$AD \text{ is } \frac{y-2}{4-2} = \frac{x-6}{-2-6}; \frac{y-2}{2} = \frac{x-6}{-8}$$

$$-8(y-2) = 2(x-6); \boxed{2x + 4y - 14 = 0} \quad \text{--- (3)}$$

(38) height of the tower AB = 50m

Let the height of the tree CD = y

$$BD = x$$

$$\tan 45^\circ = \frac{AB}{BD}$$


$$\therefore x = 50\text{m} \quad \text{--- (1)}$$

$$\tan 30^\circ = \frac{AM}{DM}$$

$$AM = \frac{50\sqrt{3}}{3} = 28.87; \therefore CD = AB - AM$$

$$= 50 - 28.87$$

$$= \boxed{21.13\text{ m}} \quad \text{--- (2)}$$



(39) diameter of the top = 10m; $\therefore R = 5\text{m}$

$$r = 2\text{m}; h = 4\text{m}; l = \sqrt{h^2 + (R-r)^2}$$

$$l = \sqrt{16 + 9} = 5\text{m}$$

$$CSA = \pi(R+r)l = \frac{22}{7}(5+2)5 = \boxed{110\text{m}^2} \quad \text{--- (2)}$$

$$TSA = \pi(R+r)l + \pi R^2 + \pi r^2 \text{ Sq. units.}$$

$$= \frac{22}{7}[(5+2)5 + 25 + 4] = \frac{1408}{7} = \boxed{201.14\text{m}^2} \quad \text{--- (2)}$$

$$(40) \quad A = 60 ; N = 40 ; \sum fd = -160 \quad \sum f d^2 = 3050$$

$$\begin{aligned} S.D &= \sqrt{\frac{\sum f d^2}{N} - \frac{\sum fd^2}{N}} \quad \text{--- (1)} \\ &= \sqrt{\frac{3050}{40} - \left(\frac{-160}{40}\right)^2} \quad \text{--- (1)} = \sqrt{76.25 - 16} \quad \text{--- (1)} \\ &= \sqrt{60.25} = 7.76 \quad \text{--- (1)} \\ \therefore S.D &\approx 7.76 \end{aligned}$$

$$(41) \quad n(S) = 36 ; \quad n(A) = 6 ; \quad n(B) = 3 ; \quad n(A \cap B) = 1.$$

$$P(A) = \frac{6}{36} ; \quad P(B) = \frac{3}{36} ; \quad P(A \cap B) = \frac{1}{36} \quad \text{--- (2)}$$

$$\begin{aligned} P(A \cup B) &= P(A) + P(B) - P(A \cap B) \\ &= \frac{6+3-1}{36} = \frac{8}{36} = \frac{2}{9} \quad \text{--- (2)} \end{aligned}$$

$$(42) \quad f(x) = 3x+1 ; \quad g(x) = x+3$$

$$g \circ f(x) = g \circ f(3x+1) = g(9x+7) = 9x+7 \quad \text{--- (1)}$$

$$f \circ g(x) = f \circ g(x+3) = f(x+6) = 3x+19 \quad \text{--- (1)}$$

$$g \circ f \circ f(x) = f \circ g \circ g(x)$$

$$9x+7 = 3x+19 \quad \text{--- (1)}$$

$$6x = 12$$

$$x = \frac{12}{6}$$

$$\boxed{x=2} \quad \text{--- (2)}$$

PART-IV(43) Given: $PQ = 8\text{cm}$

$$\angle P = 60^\circ$$

$$\text{median } PG = 5.8\text{cm}$$

Rough diagram — ①

Fair diagram — ⑥

The length of the altitude $PM = 3.8\text{cm}$

(OR)

Given: diameter = 6cm

Rough diagram — ①

$$r = 3\text{cm}$$

Fair diagram — ⑥

$$OP = 5\text{cm}$$

 \therefore the length of the tangents = 4cm . — ①

(44) type of variation = Inverse Variation — ①

$$xy = k \quad \therefore k = 2 \times 45 = 90 \quad \text{Graph} - ④$$

i) the time taken when five pipes are used = 18 min . — ①ii) No of pipes used is 10 when the time is $= 9\text{ min}$. — ①

(OR)

$$y = x^2 + x - 2$$

x	-3	-2	-1	0	1	2
y	4	0	-2	-2	0	4

— ②

The solution of the equation $x^2 + x - 2 = 0$ is $\{-2, 1\}$ — ②