



26-02-2024

Standard - 12

Time: 3.00 Hours

MATHEMATICS

Maximum Marks: 90

Part - I

Answer all the questions: Choose the most suitable answer from the given four alternatives and write the option code and corresponding answer: $20 \times 1 = 20$

- 1) The augmented matrix of a system of linear equations is $\begin{pmatrix} 1 & 2 & 7 & 3 \\ 0 & 1 & 4 & 6 \\ 0 & 0 & \lambda - 7 & \mu + 5 \end{pmatrix}$.
The system has infinitely many solutions if
a) $\lambda = 7, \mu \neq -5$ b) $\lambda = -7, \mu = 5$ c) $\lambda \neq 7, \mu \neq -5$ d) $\lambda = 7, \mu = -5$
- 2) The value of $\sum_{n=1}^{13} (i^n + i^{n-1})$ is
a) $1+i$ b) i c) 1 d) 0
- 3) If the rank of the matrix $\begin{pmatrix} \lambda & -1 & 0 \\ 0 & \lambda & -1 \\ -1 & 0 & \lambda \end{pmatrix}$ is 2 then λ is
a) 1 b) 2 c) -3 d) any real number
- 4) The value of $\left(\frac{1+\sqrt{3}i}{1-\sqrt{3}i}\right)^{10}$ is
a) $\text{cis } 2\pi/3$ b) $\text{cis } 4\pi/3$ c) $-\text{cis } 2\pi/3$ d) $-\text{cis } 4\pi/3$
- 5) If $\alpha, \beta,$ and γ are the zeros of x^3+px^2+qx+r then $\sum \frac{1}{\alpha}$ is
a) $-\frac{q}{r}$ b) $-\frac{p}{r}$ c) $\frac{q}{r}$ d) $-\frac{q}{p}$
- 6) If $\sin^{-1}x/5 + \text{cosec}^{-1}5/4 = \pi/2$ then the value of x is
a) 4 b) 5 c) 2 d) 3
- 7) The eccentricity of the ellipse $(x-3)^2+(y-4)^2 = \frac{y^2}{9}$ is
a) $\sqrt{3}/2$ b) $1/3$ c) $1/3\sqrt{2}$ d) $1/\sqrt{3}$
- 8) $16x^2-3y^2-32x-12y-44 = 0$ represents
a) an ellipse b) a circle c) a parabola d) a hyperbola
- 9) If the direction cosines of a line are $\frac{1}{c}, \frac{1}{c}, \frac{1}{c}$ then
a) $c = \pm 3$ b) $c = \pm \sqrt{3}$ c) $c > 0$ d) $0 < c < 1$
- 10) If the magnitude of moment about the point $\hat{j} + \hat{k}$ of a force $\hat{i} + a\hat{j} - \hat{k}$ acting through the point $\hat{i} + \hat{j}$ is $\sqrt{8}$ then the value of a is
a) 1 b) 2 c) 3 d) 4
- 11) The slope of a line normal to the curve $f(x) = 2 \cos 4x$ at $x = \pi/12$ is
a) $-4\sqrt{3}$ b) -4 c) $\sqrt{3}/12$ d) $4\sqrt{3}$

- 12) The number given by the Rolle's theorem for the function $x = 3x^2$, $x \in [0, 3]$ is
- a) 1 b) $\sqrt{2}$ c) $\frac{3}{2}$ d) 2
- 13) If $w(x, y) = x^y$, $x > 0$ then $\frac{\partial w}{\partial x}$ is
- a) $x^y \log x$ b) $y \log x$ c) yx^{y-1} d) $x \log x$
- 14) The value of $\int_{-\pi/2}^{\pi/2} \sin^2 x \cos x \, dx$ is
- a) $\frac{3}{2}$ b) $\frac{1}{2}$ c) 0 d) $\frac{2}{3}$
- 15) Integrating factor of the differential equation $\frac{dy}{dx} = \frac{x+y+1}{x+1}$ is
- a) $\frac{1}{x+1}$ b) $x+1$ c) $\frac{1}{\sqrt{x+1}}$ d) $\sqrt{x+1}$
- 16) The volume of the solid obtained by revolving $\frac{x^2}{9} + \frac{y^2}{16} = 1$ about the minor axis is
- a) 48π b) 64π c) 32π d) 128π
- 17) The order and degree of the differential equation are $\frac{d^2y}{dx^2} + x = \sqrt{y + \frac{dy}{dx}}$
- a) 2, 1 b) 1, 2 c) 2, $\frac{1}{2}$ d) 2, 2
- 18) The $P(X = 0) = 1 - P(X = 1)$. If $E(X) = 3\text{Var}(X)$ then $P(X = 0)$ is
- a) $\frac{2}{3}$ b) $\frac{2}{5}$ c) $\frac{1}{5}$ d) $\frac{1}{3}$
- 19) If $f(x) = \begin{cases} 2x & 0 \leq x \leq a \\ 0 & \text{otherwise} \end{cases}$ is a probability density function of a random variable then the value of a is
- a) 1 b) 2 c) 3 d) 4
- 20) Substraction is not a binary operation in
- a) \mathbb{R} b) \mathbb{Z} c) \mathbb{N} d) \mathbb{Q}

Part - II

Answer any Seven questions. Question No. 30 is compulsory.

7×2=14

- 21) Prove that $\begin{vmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{vmatrix}$ is orthogonal
- 22) If $|z| = 2$ show that $3 \leq |z+3+4i| \leq 7$
- 23) Is $\cos^{-1}(-x) = \pi - \cos^{-1}(x)$ true? Justify your answer.
- 24) Prove that the general equation of the circle whose diameter is the line segment joining the points $(-4, -2)$ & $(-1, -1)$ is $x^2 + y^2 + 5x + 3y + 6 = 0$
- 25) If the vectors $a\hat{i} + a\hat{j} + c\hat{k}$, $\hat{i} + \hat{k}$ & $c\hat{i} + c\hat{j} + b\hat{k}$ are coplanar. Prove that c is the geometric mean of a & b .

kindly send me your key Answers to our email id - padasalai.net@gmail.com

- 26) Evaluate: $\lim_{x \rightarrow \infty} e^{-x} \sqrt{x}$
- 27) Verify associative property under the binary operation * defined by $a*b = a^b$
 $\forall a, b \in \mathbb{N}$
- 28) An egg of a particular bird is very nearly spherical. If the radius to the inside of the shell is 5 mm & radius to the outside of the shell is 5.3 mm. Find the volume of the shell approximately.
- 29) A random variable X has the following probability mass function

x	1	2	3	4	5	6
f(x)	k	2k	6k	5k	6k	10k

find (i) k (ii) $P(X \leq 4)$

30) Evaluate: $\int_0^{\pi/2} \frac{\sin x}{1 + \cos^2 x} dx$

Part - III

Answer any Seven questions. Question No. 40 is compulsory.

7×3=21

- 31) Find the rank of the matrix $\begin{pmatrix} 4 & -2 & 6 & 8 \\ 1 & 1 & -3 & -1 \\ 15 & -3 & 9 & 21 \end{pmatrix}$
- 32) Show that the equation $z^3 + 2\bar{z} = 0$ has five solutions.
- 33) Prove that the length of the latus rectum of the hyperbola $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ is $\frac{2b^2}{a}$
- 34) Examine the concavity for the function $f(x) = x^4 - 4x^3$
- 35) Find the mean of the distribution $f(x) = \begin{cases} 3e^{-3x} & 0 < x < \infty \\ 0 & \text{elsewhere} \end{cases}$
- 36) If the two lines $\frac{x-1}{2} = \frac{y+1}{3} = \frac{z-1}{4}$ and $\frac{x-3}{1} = \frac{y-m}{2} = z$ intersect at a point find the value of m.
- 37) Form the differential equation of $y = e^{3x} (C \cos 2x + D \sin 2x)$ where C & D are arbitrary constants.
- 38) Construct the truth table for $\neg(p \wedge \neg q)$
- 39) Evaluate: $\int_0^1 x^3 e^{-2x} dx$
- 40) Find the domain of $f(x) = \sin^{-1} \sqrt{x-1}$

Part - IV

Answer all questions:

7×5=35

- 41) a] By using Gaussian elimination method balance the chemical reaction equation $C_2H_6 + O_2 \rightarrow H_2O + CO_2$
- (OR)
- b] In a binomial distribution consisting of 5 independent trials, the probability of 1 & 2 successes are 0.4096 and 0.2048 respectively. Find the mean and variance of the random variable.

kindly send me your key Answers to our email id - padasalai.net@gmail.com

42) a) If $u = \sec^{-1} \left(\frac{x^3 - y^3}{x+y} \right)$ show that $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} = 2 \cot u$

(OR)

b) Using integration find the area of the region bounded by triangle ABC whose vertices A, B & C are (-1, 1) (3, 2) & (0, 5) respectively.

43) a) If z_1, z_2 & z_3 are three complex numbers such that $|z_1| = 1, |z_2| = 2, |z_3| = 3$ & $|z_1 + z_2 + z_3| = 1$ show that $|9z_1z_2 + 4z_1z_3 + z_2z_3| = 6$

(OR)

b) If D is the midpoint of the side BC of a triangle ABC, show by vector

method that $|\overline{AB}|^2 + |\overline{AC}|^2 = 2(|\overline{AD}|^2 + |\overline{BD}|^2)$ *Sivakumar, M,
Sri Ram Matric HSS*

44) a) Solve $\cot^{-1}x - \cot^{-1}(x+2) = \frac{\pi}{12}, x > 0.$

(OR)

b) Solve $(x^2 + y^2)dy = xy dx$. It is given that $y(1) = 1$ & $y(x_0) = e$, find the value of x_0 . *Vallam-627809
Tenkasi Dist.*

45) a) Prove that among all the rectangles of the given area square has the least perimeter.

(OR)

b) Solve: $x^4 - 10x^3 + 26x^2 - 10x + 1 = 0.$

46) a) A rod of length 1.2 m moves with its ends always touching the coordinate axes. The locus of a point P on the rod which is 0.3 m, from the end in contact with x axis is an ellipse. Find the eccentricity.

(OR)

b) Verify (i) closure property (ii) commutative property (iii) associative property, (iv) existence of identity & (v) existence of inverse for the operation X_{11} on a subset $A = \{1, 3, 4, 5, 9\}$ of the set of remainders $\{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$

47) a) The growth of a population is proportional to the number present. If the population of a colony doubles in 50 years, in how many years will the population become triple?

(OR)

b) Find the parametric form of vector equation and Cartesian equation of the plane containing the line $\vec{r} = (\hat{i} - \hat{j} + 3\hat{k}) + t(2\hat{i} - \hat{j} + 4\hat{k})$ and perpendicular to plane $\vec{r} \cdot (\hat{i} + 2\hat{j} + \hat{k}) = 8$
