

Sivagangai Dt

COMMON FIRST REVISION TEST - 2020

Standard X

Reg No

--	--	--	--	--

LS

Time 3 00 hours

MATHEMATICS

Marks 100

Part - I

14 x 1 = 14

I. Choose the correct answer:

- If the ordered pairs $(a+2, 4)$ and $(5, 2a+b)$ are equal then (a, b) is
 a) $(2, -2)$ b) $(5, 1)$ c) $(2, 3)$ d) $(3, -2)$
- Let $f(x) = \sqrt{1+x^2}$, then
 a) $f(xy) = f(x) \cdot f(y)$ b) $f(xy) \geq f(x) \cdot f(y)$ c) $f(xy) \leq f(x) \cdot f(y)$ d) none of these
- The sum of the exponents of the prime factors in the prime factorization of 1729 is
 a) 1 b) 2 c) 3 d) 4
- The average of first 100 natural numbers is _____
 a) 50.8 b) 50.5 c) 40.5 d) 40.6
- If $(x-6)$ is the HCF of $x^2 - 2x - 24$ and $x^2 - kx - 6$ then the value of k is
 a) 3 b) 5 c) 6 d) 8
- Which of the following can be calculated from the given matrices $A = \begin{pmatrix} 1 & 2 \\ 3 & 4 \\ 5 & 6 \end{pmatrix}$
 $B = \begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{pmatrix}$ (i) A^2 (ii) B^2 (iii) AB (iv) BA
 a) (i) and (ii) only b) (ii) and (iii) only
 c) (ii) and (iv) only d) all of these
- In $\triangle LMN$, $\angle L = 60^\circ$, $\angle M = 50^\circ$. If $\triangle LMN \sim \triangle PQR$ then the value of $\angle R$ is
 a) 40° b) 70° c) 30° d) 110°
- The slope of the line which is perpendicular to a line joining the points $(0, 0)$ and $(-8, 8)$ is
 a) -1 b) 1 c) $\frac{1}{3}$ d) -8
- The point of intersection of $3x - y = 4$ and $x + y = 8$ is
 a) $(5, 3)$ b) $(2, 4)$ c) $(3, 5)$ d) $(4, 4)$
- $(1 + \tan\theta + \sec\theta)(1 + \cot\theta - \operatorname{cosec}\theta)$ is equal to
 a) 0 b) 1 c) 2 d) -1
- The total surface area of a cylinder whose radius is $\frac{1}{3}$ of its height is
 a) $\frac{9\pi h^2}{8}$ sq.units b) $24\pi h^2$ sq.units c) $\frac{8\pi h^2}{9}$ sq.units d) $\frac{56\pi h^2}{9}$ sq units
- A shuttle cock used for playing badminton has the shape of the combination of
 a) a cylinder and a sphere b) a hemisphere and a cone
 c) a sphere and a cone d) frustum of a cone and a hemisphere
- If the mean and coefficient of variation of a data are 4 and 87.5% then the standard deviation is
 a) 3.5 b) 3 c) 4.5 d) 2.5

(3)

X Maths

33. If the roots of the equation $(c^2 - ab)x^2 - 2(a^2 - bc)x + b^2 - ac = 0$ are real and equal prove that either $a = 0$ (or) $a^3 + b^3 + c^3 = 3abc$

34. If $A = \begin{pmatrix} 3 & 2 \\ 1 & 4 \end{pmatrix}$, $B = \begin{pmatrix} -2 & 5 \\ 6 & 7 \end{pmatrix}$ and $C = \begin{pmatrix} 1 & 1 \\ -5 & 3 \end{pmatrix}$. Verify that $A(B + C) = AB + AC$

35. State and prove Alternate segment theorem

36. Prove analytically that the line segment joining the mid-points of two sides of a triangle is parallel to the third side and is equal to half of its length.

37. If the points $P(-1, -4)$, $Q(b, c)$ and $R(5, -1)$ are collinear and if $2b + c = 4$, then find the values of b and c .

38. Two ships are sailing in the sea on either sides of a lighthouse. The angle of elevation of the top of the lighthouse as observed from the ships are 30° and 45° respectively. If the lighthouse is 200 m high, find the distance between the two ships

39. If the radii of the circular ends of a frustum which is 45 cm high are 28 cm and 7 cm, find the volume of the frustum

40. If the volume of a hollow sphere is $\frac{11352}{7} \text{ cm}^3$ and outer radius is 8 cm. Find inner radius of the sphere ($\pi = \frac{22}{7}$)

41. The marks scored by 10 students in a class test are 25, 29, 30, 33, 35, 37, 38, 40, 44, 48. Find the standard deviation.

42. If A, B, C are any three events such that probability of B is twice as that of probability of A and probability of C is thrice as that of probability of A and if $P(A \cap B) = \frac{1}{8}$, $P(B \cap C) = \frac{1}{4}$, $P(A \cap C) = \frac{1}{8}$, $P(A \cup B \cup C) = \frac{9}{10}$, $P(A \cap B \cap C) = \frac{1}{15}$, then find $P(A)$, $P(B)$ and $P(C)$?

Part - IV

IV. Answer both the questions choosing either of the alternative: $2 \times 8 = 16$

43. a) Construct a triangle similar to a given triangle ABC with its sides equal to $\frac{6}{5}$ of the corresponding sides of the triangle ABC. (Scale factor $\frac{6}{5}$)

(or)

b) Draw a circle of radius 4 cm. At a point L on it draw a tangent to the circle using the alternate segment.

44. a) Discuss the nature of solutions of the quadratic equation $x^2 + 2x - 12 = 0$

(or)

b) Draw the graph of $y = x^2 - 5x - 6$ and hence solve $x^2 - 5x - 14 = 0$

.....

Common Exam