

XII COMPUTER SCIENCE

LAB MANUAL

pavitech10@gmail.com

Kindly Send me Your Key Answer to Our email id - Padasalai.net@gmail.com

1(a) .Calculate Factorial

1(a) Write a program to calculate the factorial of the given number using for loop

Coding:

```
num = int(input("Enter a Number: "))
if (num==0):
    fact = 1
fact = 1
for i in range(1,num+1):
    fact = fact * i
print("Factorial of ", num, " is ", fact)
```

Output:

```
Enter a Number: 7
Factorial of 7 is 5040
```

1(b) . Sum of Series

1(b).Write a program to sum the series: $1/1 + 2^2/2 + 3^3/3 + \dots + n^n/n$

Coding:

```
n = int(input("Enter a value of n: "))
s=0.0
for i in range(1,n+1):
    a=float(i**i)/i
    s=s+a
print("The sum of the series is ", s)
```

Output:

```
Enter a value of n: 5
The sum of the series is 701.0
```

2(a) . Odd or Even

2 (a). Write a program using functions to check whether a number is even or odd

Coding:

```
def oddeven(a):
    if (a%2==0):
        return 1
    else:
        return 0
num = int(input("Enter a number: "))
if(oddeven(num)==1):
    print("The given number is Even")
elif (oddeven(num)==0):
    print("The given number is Odd")
```

Output:

```
Enter a number: 5
The given number is Odd

Enter a number: 8
The given number is Even
```

2(b) . Reverse the String

2(b). Write a program to create a mirror of the given string. For example,

“wel” = “lew“.

Coding:

```
def rev(str1):
    str2=''
    i=len(str1)-1
    while i>=0:
        str2+=str1[i]
        i-=1
    return str2
word = input("\n Enter a String: ")
print("\n The Mirror image of the given string is: ", rev(word))
```

Output:

```
Enter a String: won

The Mirror image of the given string is:  now
```

3.Generate values and remove odd numbers

3. Write a program to generate values from 1 to 10 and then remove all the odd numbers from the list

Coding:

```
num1=[]
for i in range(1,11):
    num1.append(i)
print("Numbers from 1 to 10.....\n",num1)
for j,i in enumerate(num1):
    if(i%2==1):
        del num1[j]
print("The values after removed odd numbers.....\n",num1)
```

Output:

```
Numbers from 1 to 10.....
[1, 2, 3, 4, 5, 6, 7, 8, 9, 10]
The values after removed odd numbers.....
[2, 4, 6, 8, 10]
```

4. Generate Prime numbers and Set Operations

4. Write a Program that generate a set of prime numbers and another set of odd numbers. Display the result of union, intersection, difference and symmetric difference operations

Coding:

```
odd=set([x*2+1 for x in range(0,5)])
primes=set()
for i in range(2,10):
    j=2
    f=0
    while j<=i/2:
        if i%j==0:
            f=1
            j+=1
    if f==0:
        primes.add(i)
print("Odd Numbers: ", odd)
print("Prime Numbers: ", primes)
print("Union: ", odd.union(primes))
print("Intersection: ", odd.intersection(primes))
print("Difference: ", odd.difference(primes))
print("Symmetric Difference: ", odd.symmetric_difference(primes))
```

Output:

```
Odd Numbers: {1, 3, 5, 7, 9}
Prime Numbers: {2, 3, 5, 7}
Union: {1, 2, 3, 5, 7, 9}
Intersection: {3, 5, 7}
Difference: {1, 9}
Symmetric Difference: {1, 2, 9}
```

5 .Display string elements – Using Class

5. Write a program to accept a string and print the number of uppercase, lowercase, vowels, consonants and spaces in the given string using Class

Coding:

```
class String:
    def __init__(self):
        self.uppercase=0
        self.lowercase=0
        self.vowels=0
        self.consonants=0
        self.spaces=0
        self.string=" "
    def getstr(self):
        self.string=str(input("Enter a String: "))
    def count_upper(self):
        for ch in self.string:
            if (ch.isupper()):
                self.uppercase+=1
    def count_lower(self):
        for ch in self.string:
            if (ch.islower()):
                self.lowercase+=1
    def count_vowels(self):
        for ch in self.string:
            if (ch in ('A', 'a', 'e', 'E', 'i', 'I', 'o', 'O', 'u', 'U')):
                self.vowels+=1
    def count_consonants(self):
        for ch in self.string:
            if (ch not in ('A', 'a', 'e', 'E', 'i', 'I', 'o', 'O', 'u', 'U')):
                self.consonants+=1
    def count_space(self):
        for ch in self.string:
            if (ch==" "):
                self.spaces+=1
    def execute(self):
        self.count_upper()
        self.count_lower()
        self.count_vowels()
        self.count_consonants()
        self.count_space()
```

```
def display(self):
    print("The given string contains...")
    print("%d Uppercase letters"%self.uppercase)
    print("%d Lowercase letters"%self.lowercase)
    print("%d Vowels"%self.vowels)
    print("%d Consonants"%self.consonants)
    print("%d Spaces"%self.spaces)

S = String()
S.getstr()
S.execute()
S.display()
```

Output:

```
Enter a String: Believe in Yourself
The given string contains...
2 Uppercase letters
15 Lowercase letters
8 Vowels
11 Consonants
2 Spaces
```

6. MySQL Employee Table

6. Create an Employee Table with the fields Empno, Empname, Desig, Dept, Age and Place. Enter five records into the table

- Add two more records to the table.
- Modify the table structure by adding one more field namely date of joining.
- Check for Null value in doj of any record.
- List the employees who joined after 2018/01/01.

SQL Queries and Output:**(i) Creating Table Employee:**

```
mysql>Create Database emp;
```

Database Created

```
mysql>Use emp;
```

Database Changed

```
mysql>Create table Employee (Empno integer(4) primary key,Empname
varchar(20), Desig varchar(10), Dept varchar(10),Age integer(2), Place
varchar(10));
```

Query OK,0 rows affected(0.19 Sec)

(ii) View Table Structure:

```
mysql> Desc Employee;
```

Field	Type	Null	Key	Default	Extra
Empno	int(4)	NO	PRI	NULL	
Empname	varchar(20)	YES		NULL	
Desig	varchar(10)	YES		NULL	
Dept	varchar(10)	YES		NULL	
Age	int(2)	YES		NULL	
Place	varchar(10)	YES		NULL	

6 rows in set (0.00 sec)

(iii) Inserting Data into Table:

```
mysql> Insert into employee values(1221, 'Sidharth', 'Officer', 'Accounts', 45,
'Salem');
```

Query OK,1 rows affected(0.03 Sec)

```
mysql> Insert into employee values(1222, 'Naveen', 'Manager', 'Admin', 32, 'Erode');
```

Query OK,1 rows affected(0.03 Sec)

```
mysql> Insert into employee values(1223, 'Ramesh', 'Clerk', 'Accounts', 33,
'Ambathur');
```

Query OK,1 rows affected(0.03 Sec)

```
mysql> Insert into employee values(1224, 'Abinaya', 'Manager', 'Admin', 28, 'Anna
Nagar');
```

Query OK,1 rows affected(0.03 Sec)


```
mysql> Insert into employee values(1225, 'Rahul', 'Officer', 'Accounts', 31, 'Anna
Nagar');
```

Query OK,1 rows affected(0.03 Sec)

(iv) Select all the record:

```
mysql> select * from Employee;
```

Empno	Empname	Desig	Dept	Age	Place
1221	Sidharth	Officer	Accounts	45	Salem
1222	Naveen	Manager	Admin	32	Erode
1223	Ramesh	Clerk	Accounts	33	Ambathur
1224	Abinaya	Manager	Admin	28	Anna Nagar
1225	Rahul	Officer	Accounts	31	Anna Nagar

5 rows in set (0.00 sec)

(v) Adding two more records:

```
mysql> Insert into employee values(3226, 'Sona', 'Manager', 'Accounts', 42, 'Erode');
```

Query OK,1 rows affected(0.03 Sec)

```
mysql> Insert into employee values(3227, 'Rekha', 'Officer', 'Admin', 34, 'Salem');
```

Query OK,1 rows affected(0.03 Sec)

```
mysql> select * from Employee;
```

Empno	Empname	Desig	Dept	Age	Place
1221	Sidharth	Officer	Accounts	45	Salem
1222	Naveen	Manager	Admin	32	Erode
1223	Ramesh	Clerk	Accounts	33	Ambathur
1224	Abinaya	Manager	Admin	28	Anna Nagar
1225	Rahul	Officer	Accounts	31	Anna Nagar
3226	Sona	Manager	Accounts	42	Erode
3227	Rekha	Officer	Admin	34	Salem

7 rows in set (0.00 sec)

(vi) Adding one more Field:

```
mysql> Alter table employee add(doj date);
```

Query OK,0 rows affected(0.49 Sec)

Records:0 Duplicates:0 Warnings:0

mysql> desc employee;

Field	Type	Null	Key	Default	Extra
Empno	int(4)	NO	PRI	NULL	
Empname	varchar(20)	YES		NULL	
Desig	varchar(10)	YES		NULL	
Dept	varchar(10)	YES		NULL	
Age	int(2)	YES		NULL	
Place	varchar(10)	YES		NULL	
doj	date	YES		NULL	

7 rows in set (0.00 sec)

(vii) Inserting date of joining to each employee:

mysql> update employee set doj = '21.03.2010' where empno=1221;

Query OK,1 rows affected(0.03 Sec)

Rows matched:1 Changed:1

mysql> update employee set doj = '13.05.2012' where empno=1222;

Query OK,1 rows affected(0.03 Sec)

Rows matched:1 Changed:1

mysql> update employee set doj = '25.10.2017' where empno=1223;

Query OK,1 rows affected(0.03 Sec)

Rows matched:1 Changed:1

mysql> update employee set doj = '17.06.2018' where empno=1224;

Query OK,1 rows affected(0.03 Sec)

Rows matched:1 Changed:1

mysql> update employee set doj = '02.01.2018' where empno=1225;

Query OK,1 rows affected(0.03 Sec)

Rows matched:1 Changed:1

mysql> update employee set doj = '31.12.2017' where empno=3226;

Query OK,1 rows affected(0.03 Sec)

Rows matched:1 Changed:1

mysql> update employee set doj = '16.08.2015' where empno=3227;

Query OK,1 rows affected(0.03 Sec)
Rows matched:1 Changed:1

mysql> select * from Employee;

Empno	Empname	Desig	Dept	Age	Place	doj
1221	Sidharth	Officer	Accounts	45	Salem	2010-03-21
1222	Naveen	Manager	Admin	32	Erode	2012-05-13
1223	Ramesh	Clerk	Accounts	33	Ambathur	2017-10-25
1224	Abinaya	Manager	Admin	28	Anna Nagar	2018-06-17
1225	Rahul	Officer	Accounts	31	Anna Nagar	2018-01-02
3226	Sona	Manager	Accounts	42	Erode	2017-12-31
3227	Rekha	Officer	Admin	34	Salem	2015-08-16

7 rows in set (0.00 sec)

(viii) Checking null value in doj

mysql> select * from emp where empno is null;
Empty set (0.00 sec)

(ix) List the employees who joined after 2018/01/01.

mysql> Select * from emp where doj > '01.01.2018';

Empno	Empname	Desig	Dept	Age	Place	doj
1224	Abinaya	Manager	Admin	28	Anna Nagar	2018-06-17
1225	Rahul	Officer	Accounts	31	Anna Nagar	2018-01-02

2 rows in set (0.00 sec)

7. MySQL Student Table

7. Create Student table with following fields and enter data as given in the table below:

Field	Type	Size
Reg_No	char	5
Sname	varchar	15
Age	int	2
Dept	varchar	10
Class	char	3

Data to be entered

Reg_No	Sname	Age	Dept	Class
M1001	Harish	19	ME	ME1
M1002	Akash	20	ME	ME2
C1001	Sneha	20	CSE	CS1
C1002	Lithya	19	CSE	CS2
E1001	Ravi	20	ECE	EC1
E1002	Leena	21	EEE	EE1
E1003	Rose	20	ECE	EC2

Then, query the followings:

- (i) List the students whose department is "CSE".
- (ii) List all the students of age 20 and more in ME department.
- (iii) List the students department wise.

- (iv) Modify the class M2 to M1.
 (v) Check for the uniqueness of Register no.

(1) Creating Table - Student

```
mysql>Create table Student(Reg_No char(5), Sname varchar(20), Age
integer(2),Dept varchar(10), Class char(3));
```

Query OK, 0 rows affected (0.19 sec)

View table structure:

```
mysql> desc Student;
```

Field	Type	Null	Key	Default	Extra
Reg_No	char(5)	YES		NULL	
Sname	varchar(20)	YES		NULL	
Age	int(2)	YES		NULL	
Dept	varchar(10)	YES		NULL	
Class	char(3)	YES		NULL	

5 rows in set (0.02 sec)

(2) Inserting Data into table:

```
mysql>Insert into Student values ('M1001', 'Harish', 19, 'ME', 'ME1');
```

Query OK,1 rows affected(0.03 Sec)

```
mysql>Insert into Student values ('M1002', 'Akash', 20, 'ME', 'ME2');
```

Query OK,1 rows affected(0.03 Sec)

```
mysql>Insert into Student values ('C1001', 'Sneha', 20, 'CSE', 'CS1');
```

Query OK,1 rows affected(0.03 Sec)

```
mysql>Insert into Student values ('C1002', 'Lithya', 19, 'CSE', 'CS2');
```

Query OK,1 rows affected(0.03 Sec)

```
mysql>Insert into Student values ('E1001', 'Ravi', 20, 'ECE', 'EC1');
```

Query OK,1 rows affected(0.03 Sec)

mysql>Insert into Student values ('E1002', 'Leena', 21, 'EEE', 'EE1');
Query OK,1 rows affected(0.03 Sec)

mysql>Insert into Student values ('E1003', 'Rose', 20, 'ECE', 'EC2');
Query OK,1 rows affected(0.03 Sec)

View all records:

mysql> select * from Student;

Reg_No	Sname	Age	Dept	Class
M1001	Harish	19	ME	ME1
M1002	Akash	20	ME	ME2
C1001	Sneha	20	CSE	CS1
C1002	Lithya	19	CSE	CS2

E1001	Ravi	20	ECE	EC1
E1002	Leena	21	EEE	EE1
E1003	Rose	20	ECE	EC2

7 rows in set (0.00 sec)

(3) Other Queries:

(i) List the students whose department is "CSE":

mysql> Select * from Student where Dept='CSE';

Reg_No	Sname	Age	Dept	Class
C1001	Sneha	20	CSE	CS1
C1002	Lithya	19	CSE	CS2

2 rows in set (0.03 sec)

(ii) List all the students of age 20 and more in ME department:

```
mysql> Select * from Student where Age >=20 and Dept='ME';
```

Reg_No	Sname	Age	Dept	Class
M1002	Akash	20	ME	ME2

1 row in set (0.02 sec)

(iii) List the students department wise:

```
mysql> Select * from Student Group by Dept Order by Sname;
```

Reg_No	Sname	Age	Dept	Class
M1001	Harish	19	ME	ME1
E1002	Leena	21	CSE	EE1
E1001	Ravi	20	ECE	EC1
C1001	Sneha	20	EEE	CS1

4 rows in set (0.00 sec)

(iv) Modify the class M2 to M1:

```
mysql> Update Student set Class='ME1' where Class='ME2';
```

Reg_No	Sname	Age	Dept	Class
M1001	Harish	19	ME	ME1
M1002	Akash	20	ME	ME2
C1001	Sneha	20	CSE	CS1
C1002	Lithya	19	CSE	CS2
E1001	Ravi	20	ECE	EC1
E1002	Leena	21	EEE	EE1
E1003	Rose	20	ECE	EC2

Query OK, 1 row affected (0.11 sec)

Rows matched: 1 Changed: 1 Warnings: 0

(v) Check for the uniqueness of Register no.

mysql> Select Distinct Reg_No from Student;

Reg_No
M1001
M1002
C1001
C1002
E1001
E1002
E1003

7 rows in set (0.02 sec)

8.Python with CSV

8. Write a program using python to get 10 players name and their score. Write the input in a csv file. Accept a player name using python. Read the csv file to display the name and the score. If the player name is not found give an appropriate message

Coding:

pavitech10@gmail.com

```
import csv
with open('E:\\pavithra\\player.csv','w') as f:
    w=csv.writer(f)
    n=1
    while(n<=10):
        name = input("Player Name?:" )
        score = int(input("Score: "))
        w.writerow([name,score])
        n+=1
print("Player File created")
f.close()
searchname=input("Enter the name to be searched ")
f=open('E:\\pavithra\\player.csv','r')
reader =csv.reader(f)
lst=[]
for row in reader:
    lst.append(row)
    q=0
for row in lst:
    if searchname in row:
        print(row)
        q+=1
    if(q==0):
        print("string not found")
f.close()
```

Output:

```
Player Name?:Dhoni
Score: 10
Player Name?:Virat
Score: 20
Player Name?:Dhoni
Score: 100
Player Name?:hardik
Score: 180
Player Name?:surya
Score: 210
Player Name?:Dhoni
Score: 240
Player Name?:Virat
Score: 150
Player Name?:Dinesh
Score: 100
Player Name?:ab de
Score: 360
Player Name?:ashwin
Score: 210
Player File created
Enter the name to be searched Dhoni
['Dhoni', '10']
['Dhoni', '100']
['Dhoni', '240']
```

PRACTICALLY VERIFIED
www.Padasalai.Net

9.Python with SQL

pavitech10@gmail.com

9. Create a sql table using python and accept 10 names and age sort in descending order of age and display

Coding:

```
import sqlite3
connection = sqlite3.connect("info.db")
cursor = connection.cursor()
#cursor.execute("DROP Table student")
cursor.execute("create table student(name, age)")
print("Enter 10 students names and their ages respectively:")
for i in range(10):
    who =[input("Enter Name:")]
    age =[int(input("Enter Age:"))]
    n =len(who)
    for i in range(n):
        cursor.execute("insert into student values (?, ?)", (who[i],age[i]))
        cursor.execute("select * from student order by age desc")
print("Displaying All the Records From student Table in Descending order of age")
print (*cursor.fetchall(),sep='\n' )
```

Output:

```
Enter 10 students names and their ages respectively:
Enter Name:Mark
Enter Age:15
Enter Name:Parag
Enter Age:17
Enter Name:Sundhar
Enter Age:19
Enter Name:Vijay
Enter Age:21
Enter Name:Salil
Enter Age:20
Enter Name:abdul
Enter Age:17
Enter Name:sathya
Enter Age:21
Enter Name:sunil
Enter Age:13
Enter Name:reed
Enter Age:19
Enter Name:nadella
Enter Age:20
Displaying All the Records From student Table in Descending order of age
('Vijay', 21)
('sathya', 21)
('Salil', 20)
('nadella', 20)
('Sundhar', 19)
('reed', 19)
('Parag', 17)
('abdul', 17)
('Mark', 15)
('sunil', 13)
```

10.Python Graphics with Pip

10.Write a program to get five marks using list and display the marks in pie

pavitech10@gmail.com


Chart.

Coding:

```
import matplotlib.pyplot as plt
marks=[]
i=0
subjects = ["Tamil", "English", "Maths", "Science", "Social"]
while i<5:
    marks.append(int(input("Enter Mark = ")))
    i+=1
for j in range(len(marks)):
    print("{}.{ } Mark = {}".format(j+1, subjects[j],marks[j]))
plt.pie (marks, labels = subjects, autopct = "%.2f ")
plt.axes().set_aspect ("equal")
plt.show()
```

Output:

```
Enter Mark = 67
Enter Mark = 31
Enter Mark = 45
Enter Mark = 89
Enter Mark = 73
1.Tamil Mark = 67
2.English Mark = 31
3.Maths Mark = 45
4.Science Mark = 89
5.Social Mark = 73
```



pavitech10@gmail.com