

COMMON QUARTERLY EXAMINATION - 2024

Standard X

Reg.No.

--	--	--	--	--

MATHEMATICS

Time : 3.00 hrs

Part - I

Marks : 100

14 x 1 = 14

I. Choose the correct answer:

1. $A = \{a, b, p\}$, $B = \{2, 3\}$, $C = \{p, q, r, s\}$ then $n[(A \cup C) \times B]$ is
 - a) 8
 - b) 20
 - c) 12
 - d) 16
2. If $f(x) = 2x^2$ and $g(x) = \frac{1}{3x}$, then $f \circ g$ is
 - a) $\frac{3}{2x^2}$
 - b) $\frac{2}{3x^2}$
 - c) $\frac{2}{9x^2}$
 - d) $\frac{1}{6x^2}$
3. A function $f : \mathbb{R} \rightarrow \mathbb{R}$ defined by $f(x) = ax^2 + bx + c$, ($a \neq 0$) is called a
 - a) constant function
 - b) cubic function
 - c) reciprocal function
 - d) quadratic function
4. $7^{4k} \equiv \underline{\hspace{2cm}} \pmod{100}$
 - a) 1
 - b) 2
 - c) 3
 - d) 4
5. The sum of first n natural numbers are also called _____.
 - a) Amicable numbers
 - b) Pyramidal numbers
 - c) Triangular numbers
 - d) Friendly numbers
6. The value of $(1^3 + 2^3 + 3^3 + \dots + 15^3) - (1 + 2 + 3 + \dots + 15)$ is
 - a) 14400
 - b) 14200
 - c) 14280
 - d) 14520
7. $\frac{3y-3}{y} \div \frac{7y-7}{3y^2}$ is
 - a) $\frac{9y}{7}$
 - b) $\frac{9y^3}{(21y-21)}$
 - c) $\frac{21y^2 - 42y + 21}{3y^3}$
 - d) $\frac{7(y^2 - 2y + 1)}{y^2}$
8. Graph of a linear equation is a _____.
 - a) straight line
 - b) circle
 - c) parabola
 - d) hyperbola
9. The square root of $\frac{256x^8y^4z^{10}}{25x^6y^6z^6}$ is equal to
 - a) $\frac{16}{5} \sqrt{\frac{x^2z^4}{y^2}}$
 - b) $16 \sqrt{\frac{y^2}{x^2z^4}}$
 - c) $\frac{16}{5} \sqrt{\frac{y}{xz^2}}$
 - d) $\frac{16}{5} \sqrt{\frac{xz^2}{y}}$

2

X Maths

10. If ΔABC is an isosceles triangle with $\angle C = 90^\circ$ and $AC = 5\text{cm}$, then AB is
 a) 2.5 cm b) 5 cm c) 10 cm d) $5\sqrt{2}$ cm.
11. In a ΔABC , AD is the bisector of $\angle BAC$. If $AB = 8$ cm, $BD = 6$ cm and $DC = 3$ cm. The length of the side AC is
 a) 6 cm b) 4 cm c) 3 cm d) 8 cm
12. The area of triangle formed by the points $(-5,0)$, $(0,-5)$ and $(5,0)$ is
 a) 0 sq.units b) 25 sq.units c) 5 sq.units d) none of these
13. The slope of the line joining $(12,3)$, $(4,a)$ is $\frac{1}{8}$. The value of 'a' is
 a) 1 b) 4 c) -5 d) 2
14. $\tan\theta \operatorname{cosec}^2\theta - \tan\theta$ is equal to
 a) $\sec\theta$ b) $\cot^2\theta$ c) $\sin\theta$ d) $\cot\theta$

Part - II

II. Answer any 10 questions. (Q.No.28 is compulsory) 10 x 2 = 20

15. A relation R is given by the set $\{(x,y) / y = x + 3, x \in \{0,1,2,3,4,5\}\}$. Determine its domain and range.
16. Given the function $f : x \rightarrow x^2 - 5x + 6$, evaluate
 i) $f(-1)$ ii) $f(2a)$
17. Find k if $f \circ f(k) = 5$ where $f(k) = 2k - 1$
18. Find the HCF of 252525 and 363636
19. What is the time 15 hours before 11 p.m?
20. Find the sum $3 + 1 + \frac{1}{3} + \dots \dots \dots \infty$
21. Subtract $\frac{1}{x^2 + 2}$ from $\frac{2x^3 + x^2 + 3}{(x^2 + 2)^2}$
22. Solve $x^2 + 2x - 2 = 0$ by formula method.
23. If ΔABC is similar to ΔDEF such that $BC = 3$ cm, $EF = 4$ cm and area of $\Delta ABC = 54 \text{ cm}^2$. Find the area of ΔDEF .
24. In ΔABC , D and E are points on the sides AB and AC respectively such that $DE \parallel BC$. If $\frac{AD}{DB} = \frac{3}{4}$ and $AC = 15$ cm, find AE .
25. Show that the points $(-2,5)$, $(6,-1)$ and $(2,2)$ are collinear.

26. Find the slope and y intercept of $\sqrt{3}x + (1 - \sqrt{3})y = 3$
27. Prove that $\sec\theta - \cos\theta = \tan\theta \sin\theta$
28. Find the excluded values of the following expression : $\frac{7P + 2}{8P^2 + 13P + 5}$

Part - III

III. Answer any 10 questions. (Q.No.42 is compulsory)

10 x 5 = 50

29. Let $A = \{x \in W / x < 2\}$ $B = \{x \in N / 1 < x \leq 4\}$ and $C = \{3,5\}$, verify that
 $A \times (B \cap C) = (A \times B) \cap (A \times C)$
30. Let $A = \{1,2,3,4\}$ and $B = \{2,5,8,11,14\}$ be two sets. Let $f : A \rightarrow B$ be a function given by $f(x) = 3x - 1$. Represent this function
- by arrow diagram
 - in a table form
 - as a set of ordered pairs
 - in a graphical form
31. A function $f : [-5, 9] \rightarrow R$ is defined as follows :
- $$f(x) = \begin{cases} 6x + 1 & ; -5 \leq x < 2 \\ 5x^2 - 1 & ; 2 \leq x < 6 \\ 3x - 4 & ; 6 \leq x \leq 9 \end{cases}$$
- Find
- $f(-3) + f(2)$
 - $f(7) - f(1)$
 - $2f(4) + f(8)$
 - $\frac{2f(-2) - f(6)}{f(4) + f(-2)}$
32. The sum of first n, 2n and 3n terms of an A.P are S_1, S_2 and S_3 respectively. Prove that $S_3 = 3(S_2 - S_1)$.
33. In a G.P the product of three consecutive term is 27 and the sum of the product of two terms taken at a time is $\frac{57}{2}$. Find the three terms.
34. Solve the following system of linear equations in three variables
 $3x - 2y + z = 2$, $2x + 3y - z = 5$, $x + y + z = 6$
35. If $9x^4 + 12x^3 + 28x^2 + ax + b$ is a perfect square, find the values of a and b.
36. If α, β are the roots of $7x^2 + ax + 2 = 0$ and if $\beta - \alpha = \frac{-13}{7}$, find the value of a.
37. State and prove Thales theorem.

38. Find the area of the quadrilateral formed by the points (8,6), (5,11), (-5,12) and (-4,3)
39. You are downloading a song. The percent y (in decimal form) of mega bytes remaining to get downloaded in x second is given by $y = -0.1x + 1$
- Find the total MB of the song
 - After how many seconds will 75% of the songs gets downloaded?
 - After how many seconds the song will be downloaded completely?
40. Find the equation of the perpendicular bisector of the line joining the points A(-4,2) and B(6,-4)
41. If $\cot\theta + \tan\theta = x$ and $\sec\theta - \cos\theta = y$, then prove that $(x^2y)^{2/3} - (xy^2)^{2/3} = 1$
42. Find the sum of $10^3 + 11^3 + 12^3 + \dots + 20^3$

Part - IV

IV. Answer all the questions.

2 x 8 = 16

43. a) Construct a triangle similar to a given triangle PQR with its sides equal to $\frac{7}{3}$ of the corresponding sides of the triangle PQR (Scale factor $\frac{7}{3} > 1$)

(OR)

- b) Construct a triangle ΔPQR such that $QR = 5$ cm, $\angle P = 30^\circ$ and the altitude from P to QR is of length 4.2 cm.

44. a) A bus is travelling at a uniform speed of 50 km/hr. Draw the distance-time graph and hence find
- The constant of variation
 - How far will it travel in 90 minutes?
 - The time required to cover a distance of 300 km from the graph.

(OR)

- b) Draw the graph of $xy = 24$, $x, y > 0$. Using the graph find,

- y when $x = 3$ and
- x when $y = 6$
