Class: 11

	_	-	-	-	the state of the state of	-
Register						
	Control of the Contro	S. A. Street, Street, Street,	Service Several Service	A STATE OF THE PARTY OF THE PAR	and the second	

COMMON QUARTERLY EXAMINATION-2024-25

Time Allowed: 3.00 Hours]

MATHEMATICS

|Max. Marks: 90

PART - I

(i) Answer All the questions.

20×1=20

(ii) Choose the most suitable answer from the given four alternatives and write the option code and the corresponding answer.

1. Cos 1º + Cos 2º + Cos 3º + + Cos 179º =

(a) 0

(b) 1

(c) -1

(d) 89

 $\cos 6x + 6 \cos 4x + 15 \cos 2x + 10$ is equal to $\cos 5x + 5\cos 3x + 10\cos x$

- (a) cos 2x
- (b) cos x
- (c) cos 3x

(d) 2 cos x

3. Which of the following is not true?

- (a) $\sin \theta = -\frac{1}{5}$ (b) $\cos \theta = 1$
- (c) $\tan \theta = 20$

(d) sec θ =

4. The number of 5 digit numbers all digits of which are odd is

(a) 25

(b) 5⁵

(c) 56

(d) 625

The product of r consecutive positive integers is divisible by

(a) r!

- (b) (r-1)!
- (c). (r+1)!

(d) r

6. 1+3+5+7+.....+21 is equal to

- (a) 121
- (b) 81

(c) 71

(d) 61

7. If a is the arithmetic mean and g is the geometric mean of two number, then

- (a) a ≤ g
- (b) $a \ge g$
- (c) a = g

(d) a > g

8. If a, 8, b are in AP, a, 4, b are in GP, and if a, x, b are in HP then x is

(a) 2

(b) 1

(c) 4

(d) 16

9. The value of the series $\frac{1}{2} + \frac{7}{4} + \frac{13}{8} + \frac{19}{16} + \dots$ is

(a) 14

(b) 7

(c) 4

(d) 6

10. Which of the following equation is the locus of (a $\cos \theta$, b $\sin \theta$)

- (a) $\frac{x^2}{a^2} \frac{y^2}{b^2} = 1$
- (b) $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ (c) $x^2 + y^2 = a^2$

(d) $y^2 = 4ax$

11. The image of the point (2,3) in the line y = -x is

- (a) (-3, -2)
- (b) (-3, 2)
- (c) (-2, -3)

(d) (3,2)

V/11/ Mat / 1

12. If one of the lines given by $6x^2 - xy + 4cy^2 = 0$ is 3x + 4y = 0, then c equals to (c) 3 (d) 1 (b) -113. If $A = \{(x,y) : y = e^x, x \in R\}$ and $B = \{(x,y); y = e^{-x}, x \in R\}$ then $n(A \cap B)$ is (d) 2 (b) 0 (a) Infinity If n((AxB) ∩ (AxC)) = 8 and n(B∩C) = 2; then n(A) is (d) 16 (b) 4 (a) 6 15. Let f:R→R be defined by f(x) = |x|+1, then the range of f is, (d) R (c) [1,\infty] (b) $(1, \infty)$ (a) $(-\infty, 1]$ 16. The function $f: [0,2\pi] \rightarrow [-1,1]$ defined by $f(x) = \sin x$ is d) Cannot be defined c) bijection a) one-to-one b) onto The value of log_{√3} 243 is 12 5 c) a) 10 b) 18 18. The number of solutions of $x^2 + |x-1| = 1$ is (d) 3 (c) 2(b) 0 (a) 1 19. The value of log₃11.log₁₁13.log₁₃15.log₁₅27.log₂₇81 is (d) 4 (c) 3 (b) 2 (a) 1

 $20. \ \frac{1}{\cos 80^{\circ}} - \frac{\sqrt{3}}{\sin 80^{\circ}} =$

(a) √2

(b) √3

(c) 2

(d) 4

PART - II

Answer any Seven questions. Question number 30 is compulsory.

7X2=14

21. If n(P(A)) = 1024, $n(A \cup B) = 15$ and n(P(B)) = 32, then find $n(A \cap B)$.

22. Find the domain of 1 - 2 cosx

23. From the curve y = sinx, draw y = sin|x|.

24. Prove: $\log \frac{a^2}{bc} + \log \frac{b^2}{ca} + \log \frac{c^2}{ab} = 0$.

25. Show that $\sin^2 \frac{\pi}{18} + \sin^2 \frac{\pi}{9} + \sin^2 \frac{7\pi}{18} + \sin^2 \frac{4\pi}{9} = 2$.

26. If $\frac{1}{8!} + \frac{1}{9!} = \frac{n}{10!}$, then find the value of n.

27. If "C12 = "C, find 21C,

V/11/Mat/2

28. Find the nearest point on the line 2x+y=5 from the origin.

29. Show that
$$\tan (45^{\circ}+A) = \frac{\cos A + \sin A}{\cos A - \sin A}$$

30. Construct a quadratic equation with roots 3 and -3.

Answer any seven questions. Question No.40 is compulsory.

7X3 = 21

- 31. If AxA has 16 elements, S = {(a,b) ∈A x A; a < b}; (-1, 2) and (0, 1) are two elements of S, then find the remaining elements of S.
- 32. In the set Z of integers, define mRn if m-n is divisible by 7. Prove that R is an equivalence relation.
- 33. Solve: $3x^2 + 5x 2 \le 0$.
- 34. Solve $x = \sqrt{x+20}$ for $x \in \mathbb{R}$.
- 35. Simplify: $\frac{\sin 75^{\circ} \sin 15^{\circ}}{\cos 75^{\circ} + \cos 15^{\circ}}$
- 36. A polygon has 90 diagonals. Find the number of its sides?
- 37. Write the first 6 terms of the sequences whose nth term a is given below.

$$a_n = \begin{cases} 1 & \text{if } n=1 \\ 2 & \text{if } n=2 \\ a_{n-1} + a_{n-2} & \text{if } n > 2 \end{cases}$$

- 38. If P(r,c) is mid point of a line segment between the axes, then show that $\frac{x}{r} + \frac{y}{c} = 2$.
- 39. Find the range of the function $\frac{1}{1 3\cos x}$.

40. Simplify:
$$\frac{1}{\sqrt{1}+\sqrt{2}} + \frac{1}{\sqrt{2}+\sqrt{3}} + \frac{1}{\sqrt{3}+\sqrt{4}} + \cdots + \frac{1}{\sqrt{80}+\sqrt{81}}$$

PART - IV

Answer All the questions.

7X5 = 35

41. (a) Prove that
$$32(\sqrt{3}) \sin \frac{\pi}{48} \cos \frac{\pi}{48} \cos \frac{\pi}{24} \cos \frac{\pi}{12} \cos \frac{\pi}{6} = 3$$
.

(OR)

(b) Show that the equation $4x^2 + 4xy + y^2 - 6x - 3y - 4 = 0$ represents a pair of parallel lines. Find the distance between them.

V/11/Mat/3

42. (a) If the letters of the word IITJEE are permuted in all possible ways and the strings thus formed ae arranged in the lexicographic order. Find the rank of the word ITJEE.

(OR)

- (b) State and prove Napier Formula.
- 43. (a) Prove that $\sqrt[3]{x^3+7} \sqrt[3]{x^3+4}$ is approximately equal to $1/\sqrt[3]{x^2}$ when x is sufficiently large.

(OR)

- (b) Determine the region in the plane determined by the inequalities: $2x+y\geq 8$, $x+2y\geq 8$, $x+y\leq 6$.
- 44. (a) Write the values of f at -3, 5, 2, -1, 0 if f(x) = $\begin{cases} x^2 + x 5 & \text{if} & x \in (-\infty, 0) \\ x^2 + 3x 2 & \text{if} & x \in (3, \infty) \\ x^2 & \text{if} & x \in (0, 2) \\ x^2 3 & \text{otherwise} \end{cases}$
 - (b) Show that the points (1,3), (2,1) and (1/2,4) are collinear, by using (i) concept of slope (ii) using a straight line and (iii) any other method.

(OR)

45. (a) Find ³√1001 approximately (two decimal places).

(OR)

- (b) If f, g: R→R are defined by f(x) = |x| + x and g(x) = |x| x, find gof and fog.
- 46. (a) If A + B + C = 180°, prove that $\tan \frac{A}{2} \tan \frac{B}{2} + \tan \frac{C}{2} \tan \frac{C}{2} + \tan \frac{A}{2} = 1$. (OR)
 - (b) By the principle of mathematical induction, prove that, for all integers n≥1.

$$1^2 + 2^2 + 3^2 + \dots + n^2 = \frac{n(n+1)(2n+1)}{6}$$

47. (a) Resolve into partial fractions. $\frac{x+1}{x^2(x-1)}$

(OR)

(b) Express the equation √3x-y+4=0 in the following equivalent form (i) Slope and Intercept from (ii) Intercept form (iii) Normal form

V/11/Mat/4