

OF THE STUDENTS...!

BY THE STUDENTS...!

FOR THE STUDENTS...!



PRIT EDUCATION

Practice ! Perform ! Perfect !

CLICK TO GET OUR FREE MATERIALS (2024-25)



MATHS

**COMPULSORY
QUESTIONS**

**COLLECTED FROM PREVIOUS YEAR QN
PAPERS**

MR. SS PRITHVI

Getting in:

- It gives me great pride and pleasure in bringing to you, this wonderful booklet.
- The compulsory questions are collected from almost all the available previous years' question papers, which will give an idea about to study the topics which will help them to tackle these compulsory questions.

- SS PRITHVI, FOUNDER- PRIT~EDUCATION.

FIRST MID TERM

1	Write in polar form of the following complex number $3 - i\sqrt{3}$
2	Find rank by reducing to row echelon form. $\begin{bmatrix} 2 & -2 & 4 & 3 \\ -3 & 4 & -2 & -1 \\ 6 & 2 & -1 & 7 \end{bmatrix}$
3	If $\text{adj } A = \begin{bmatrix} -1 & 2 & 2 \\ 1 & 1 & 2 \\ 2 & 2 & 1 \end{bmatrix}$, find A^{-1} .
4	State and prove triangular inequality of complex number.
5	Construct a cubic equation whose roots are 1, 1, -2
6	Show that the equation $z^3 + 2z$ has five roots
7	Discuss the nature of roots for this equation. $1950x^{26} + 15x^8 + 26x^6 + 2020 = 0$
8	Solve: $x^4 - 10x^3 + 26x^2 - 10x + 1 = 0$
9	Solve: $\sin^2 x - 5 \sin x + 4 = 0$
10	Find the square root of $-7 + 24i$.
11	Let $A = \{a + \sqrt{5}b : a, b \in \mathbb{Z}\}$. Check whether the usual multiplication is a binary operation on A.
12	Find the angle between the straight line with the coordinate axes. $\frac{x+3}{2} = \frac{y-1}{2} = -z$
13	Find a polynomial equation of minimum degree with rational coefficients, having $2 - \sqrt{3}i$ as a root.

14	Find the polynomial equation with integer coefficients $\sqrt{\frac{\sqrt{2}}{\sqrt{3}}}$ as a root.
15	Show that the equation has at least 6 imaginary solutions. $x^9 - 5x^5 + 4x^4 + 2x^2 + 1 = 0$
16	Find the sum of squares of the equation $2x^4 - 8x^3 + 6x^2 - 3 = 0$.
17	Solve using matrix inversion method $2x - y = 3, 5x + y = 4$
18	Find the square root of $5 - 12i$.
19	If A is a non-singular matrix of odd order, prove that $ \text{adj } A $ is positive.
20	If k is real, discuss the nature of roots of the polynomial $2x^2 + kx + k = 0$
21	Determine the no of positive and negative roots of the eqn. $x^9 - 5x^8 - 14x^7 = 0$.
22	Solve the equation if the product of roots is 1. $3x^3 - 16x^2 + 23x - 6 = 0$
23	Solve using Cramer's rule. $2x + 3y = 10, x + 6y = 4$
24	For any vector, prove that $\hat{i} \times (\hat{a} \times \hat{i}) + \hat{j} \times (\hat{a} \times \hat{j}) + \hat{k} \times (\hat{a} \times \hat{k}) = 2\hat{a}$.
25	Find the point of intersection of the lines $\frac{x-1}{2} = \frac{y-2}{3} = \frac{z-3}{4}$ and $\frac{x-4}{5} = \frac{y-1}{2} = z$.

QUARTERLY

1	If the system of linear equation $x+2ay+az = 0$, $x+3by+bz = 0$, $x+4cy+cz = 0$ has a non-trivial solution then show that a, b, c are in H.P.
2	Prove that $\tan\left(\frac{\pi}{4} + \frac{1}{2}\cos^{-1}\left(\frac{a}{b}\right)\right) + \tan\left(\frac{\pi}{4} - \frac{1}{2}\cos^{-1}\left(\frac{a}{b}\right)\right) = \frac{2b}{a}$
3	Find the volume of the parallelopiped whose coterminus edges are given by the vectors $2\vec{i} - 3\vec{j} - 4\vec{k}$, $\vec{i} + 2\vec{j} - \vec{k}$ and $3\vec{i} - \vec{j} + 2\vec{k}$
4	A particle acted on by constant forces $8\vec{i} + 2\vec{j} - 6\vec{k}$ and $6\vec{i} + 2\vec{j} - 2\vec{k}$ is displaced from the point (1, 2, 3) to the point (5, 4, 1). Find the total work done by the forces.
5	Find the angle between the planes $\vec{r} \cdot (\hat{i} + \hat{j} - 2\hat{k}) = 3$ and $2x - 2y + z = 2$
6	Find the equation of the ellipse with foci $(\pm 2, 0)$ and vertices $(\pm 3, 0)$
7	Show that the points (2, 3, 4), (-1, 4, 5) and (8, 1, 2) are collinear.

8	Show that $\vec{r} = (6\hat{i} + \hat{j} + 2\hat{k}) + s(\hat{i} + 2\hat{j} - 3\hat{k})$ and $\vec{r} = (3\hat{i} + 2\hat{j} - 2\hat{k}) + t(2\hat{i} + 4\hat{j} - 5\hat{k})$ are skew lines.
9	If $2\hat{i} - \hat{j} + 3\hat{k}$, $3\hat{i} + 2\hat{j} + \hat{k}$, $\hat{i} + m\hat{j} + 4\hat{k}$ are coplanar, find the value of m.
10	If $ z = 2$ show that $3 \leq z + 3 + 4i \leq 7$.
11	Find the value of $\tan^{-1}(\sqrt{3}) - \sec^{-1}(-2)$.
12	Prove that the point of intersection of the tangents at t_1 and t_2 on the parabola $y^2 = 4ax$ is $(at_1 t_2, a(t_1 + t_2))$
13	If $\omega \neq 1$ is complex cubic root of unity prove that $(2 - \omega)(2 - \omega^2)(2 - \omega^{10})(2 - \omega^{11}) = 49$
14	If e_1 and e_2 are the eccentricities of the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$, ($a^2 > b^2$) and the hyperbola $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ then prove that $e_1^2 + e_2^2 = 2$.
15	Show that the points $(2, 3, 4)$, $(-1, 4, 5)$ and $(8, 1, 2)$ are collinear

16	Show that $ 3z - 5 + i = 4$ represents a circle and find its centre and radius.
17	If $z = (2 + 3i)(1 - i)$ find z^{-1} .
18	For any vector \vec{a} , prove that $\hat{i} \times (\vec{a} \times \hat{i}) + \hat{j} \times (\vec{a} \times \hat{j}) + \hat{k} \times (\vec{a} \times \hat{k}) = 2\vec{a}$.
19	Prove by vector method that the parallelograms on the same base and between the same parallels are equal in area.
20	Find the angle between the line $\vec{r} = (2\hat{i} - \hat{j} + \hat{k}) + t(\hat{i} + 2\hat{j} - 2\hat{k})$ and the plane $\vec{r} \cdot (6\hat{i} + 3\hat{j} + 2\hat{k}) = 8$
21	Determine whether the three vectors $2\vec{i} + 3\vec{j} + \vec{k}$, and $\vec{i} - 2\vec{j} + 2\vec{k}$ and $3\vec{i} + \vec{j} + 3\vec{k}$ are coplanar.
22	The volume of the parallelepiped whose co terminous edges are $7\vec{i} + \lambda\vec{j} - 3\vec{k}$, $\vec{i} + 2\vec{j} - \vec{k}$, $-3\vec{i} + 7\vec{j} + 5\vec{k}$ is 90 cu.units. Find the value of λ

23	Find the volume of the parallelopiped with its edges represented by the vectors $\hat{i} + \hat{j}$, $\hat{i} + 2\hat{j}$, $\hat{i} + \hat{j} + \pi\hat{k}$
24	If α and β are the roots of $x^2+x+1 = 0$ then find the value of $\alpha^{2020} + \beta^{2020}$.
25	If z is a complex number of unit modulus and argument θ . Find the value of $\arg\left(\frac{1+z}{1+z}\right)$.
26	If $\vec{a} = 2\hat{i} + 3\hat{j} - 5\hat{k}$, $\vec{b} = -\hat{i} + \hat{j} + 2\hat{k}$ and $\vec{c} = 4\hat{i} - 2\hat{j} + 3\hat{k}$, show that $(\vec{a} \times \vec{b}) \times \vec{c} \neq \vec{a} \times (\vec{b} \times \vec{c})$
27	Find the square root of $7-24i$.
28	A ball is thrown vertically upwards, moves according to the law $S = 13.8t - 4.9t^2$ where S is in metres and t is in seconds. (i) Find the velocity at $t = 1$ (ii) Find the acceleration at $t = 1$ (iii) Find the maximum height reached by the ball?
29	If $\vec{a} = \hat{i} - \hat{k}$, $\vec{b} = \hat{j} - \hat{k}$, $\vec{c} = \hat{i} + \hat{j} + \hat{k}$ find $\vec{a} \cdot (\vec{b} \times \vec{c})$ {blurred content is $[\vec{b} \times \vec{c}]$ }

30	Find the inverse of the non - singular matrix $A = \begin{bmatrix} 0 & 5 \\ -1 & 6 \end{bmatrix}$ by Gaws - Jordan method.
31	obtain the polar form of $1 + itan\alpha$. where α is an acute angle
32	Solve the equation $x^3 - 9x^2 + 26x - 24 = 0$.
33	Find the acute angle between the planes $\vec{r} \cdot (2\hat{i} + 2\hat{j} + 2\hat{k}) = 11$ and $4x - 2y + 2z = 15$
34	Prove that $\tan^{-1}\left(\frac{1}{2}\right) + \tan^{-1}\left(\frac{1}{3}\right) = \frac{\pi}{4}$
35	Find the length of latus rectum of parabola $y^2 = 4ax$
36	Prove that $ z_1 + z_2 \leq z_1 + z_2 $.
37	If z is a complex number of unit modulus and argument θ . Find the value of $\arg\left(\frac{1+z}{1+z}\right)$.
38	

If $P = \begin{pmatrix} 1 & \alpha & 3 \\ 1 & 3 & 3 \\ 2 & 4 & 4 \end{pmatrix}$ is the adjoint of a 3×3 matrix A and $|A|=4$. Find the value of α .

SECOND MID TERM

1

If $U(x, y, z) = \log(x^3 + y^3 + z^3)$, find $\frac{\partial U}{\partial x} + \frac{\partial U}{\partial y} + \frac{\partial U}{\partial z}$.

2

Determine whether $*$ is a binary operation on \mathbb{R} defined by $a * b = a\sqrt{b}$.

3

Assuming $\log_{10} e = 0.4343$ find an approximate value of $\log_{10} 1003$.

4

Prove that in an algebraic structure the Identity element (If exists) must be unique.

5

Let $A = \begin{bmatrix} 1 & 0 & 1 & 0 \\ 0 & 1 & 0 & 1 \\ 1 & 0 & 0 & 1 \end{bmatrix}$, $B = \begin{bmatrix} 0 & 1 & 0 & 1 \\ 1 & 0 & 1 & 0 \\ 1 & 0 & 0 & 1 \end{bmatrix}$, $C = \begin{bmatrix} 1 & 1 & 0 & 1 \\ 0 & 1 & 1 & 0 \\ 1 & 1 & 1 & 1 \end{bmatrix}$ be any three boolean matrices of the same type. Find (i) $A \wedge B$ (ii) $(A \wedge B) \vee C$

6

Let $A = \begin{bmatrix} 0 & 1 \\ 1 & 1 \end{bmatrix}$, $B = \begin{bmatrix} 1 & 1 \\ 0 & 1 \end{bmatrix}$ be any two boolean matrices of the same type
Find $A \vee B$ and $A \wedge B$.

7

State and prove commutatives laws of conjunction and disjunction by using Truth table

8

Prove that the function $f(x) = x^3$ is strictly increasing on $(-\infty, \infty)$.

9	Evaluate : $\lim_{x \rightarrow 0} x ^{\sin x}$
10	Evaluate: $\int_0^1 x^5(1-x^2)^5 dx$
11	If $g(x, y) = 3x^2 - 5y + 2y^2$, $x(t) = e^t$ and $y(t) = \cos t$, then $\frac{dg}{dt}$ is equal to
12	Prove that the function $f(x) = x^2 - 2x - 3$ is strictly increasing in $(2, \infty)$
13	Show that the percentage error in the n^{th} root of a number is approximately $\frac{1}{n}$ times the percentage error in the number.
14	Check whether the statement $p \rightarrow (q \rightarrow p)$ is a tautology or a contradiction.
15	Let $U(x, y, z) = x^2 - xy + 3 \sin x$, $x, y, z \in \mathbb{R}$. Find the linear approximation for u at $(2, -1, 0)$.
16	If X is the random variable with distribution function $F(x)$ given by $F(x) = \begin{cases} 0 & x < 0 \\ x & 0 \leq x < 1 \\ 1 & 1 \leq x \end{cases}$ then find (i) the probability density function (ii) $P(0.2 \leq x \leq 0.7)$

17	Evaluate $\int_0^5 x - 5 dx$
HALF – YEARLY	
1	Write the Maclaurin series expansion of e^{-x} .
2	Draw the Geometrical diagram for the sum of two complex numbers Z_1 and Z_2 and verify the result.
3	In the set Q define $a \odot b = a + b + ab$. For what value of y , $3 \odot (y \odot 5) = 7$?
4	Evaluate: $\int_{\pi/6}^{\pi/3} \frac{dx}{1 + \sqrt{\cot x}}$
5	Solve $2x^3 - 9x^2 + 10x - 3 = 0$
6	If $A = \begin{bmatrix} 5 & 3 \\ -1 & -2 \end{bmatrix}$ show that $A^2 - 3A - 7I_2 = 0$ then find A^{-1} .
7	Find the differential equation of the curve represented by $xy = ae^x + be^{-x} + x^2$
8	

	If $A = \begin{bmatrix} -3 & -2 \\ \lambda & -2 \end{bmatrix}$, find the value of λ so that $A^2 = \lambda A - 2I$
9	If $\omega \neq 1$ is complex cubic root of unity from a quadratic equation with roots 2ω and $2\omega^2$.
10	Evaluate $\int_0^1 \log\left(\frac{1-x}{x}\right) dx$
11	Prove that the function $f(x) = x^2 - 2x - 3$ is strictly increasing in $(2, \infty)$.
12	Evaluate $\int_{\frac{\pi}{6}}^{\frac{\pi}{3}} \frac{dx}{1 + \sqrt{\tan x}}$
13	Evaluate: $\sin(\sin^{-1}(16))$
14	Evaluate: $\int_0^{\frac{\pi}{2}} \log(\tan x) dx$
15	If $ z - 2 + i \leq 2$, then find the greatest value of $ z $

16	The line PP' is a focal chord of the parabola $y^2 = 8x$ and if the coordinates of P are $(18, 12)$ then find the coordinates of P'														
17	Find polynomial equation of minimum degree with rational coefficients, having $2 + \sqrt{3}i$ as a root.														
18	Evaluate : $\int_2^3 \frac{\sqrt{x}}{\sqrt{5-x} + \sqrt{x}} dx$														
19	Suppose that $f(x)$ given below represents a probability mass function. <table style="margin-left: auto; margin-right: auto;"> <tr> <td>x</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> </tr> <tr> <td>$f(x)$</td> <td>k^2</td> <td>$2k^2$</td> <td>$3k^2$</td> <td>$4k^2$</td> <td>k</td> <td>$2k$</td> </tr> </table> Find the value of K .	x	1	2	3	4	5	6	$f(x)$	k^2	$2k^2$	$3k^2$	$4k^2$	k	$2k$
x	1	2	3	4	5	6									
$f(x)$	k^2	$2k^2$	$3k^2$	$4k^2$	k	$2k$									
20	Establish the equivalence property connecting the bi-conditional with conditional: $p \leftrightarrow q = (p \rightarrow q) \wedge (q \rightarrow p)$														
21	If $ z - 2 + i \leq 2$, then find the greatest value of $ z $														
22	The line PP' is a focal chord of the parabola $y^2 = 8x$ and if the coordinates of P are $(18, 12)$ then find the coordinates of P'														
23	Evaluate: $\int_0^{2\pi} \sin^7\left(\frac{x}{4}\right) dx$														
24	Find the distance between the planes $x + 2y + 3z + 7 = 0$ and $2x + 4y + 6z + 7 = 0$														

25	Find the modulus and amplitude of $\frac{1+2i}{1-(1-i)^2}$.
26	If $A = \begin{pmatrix} 1 & 3 & 4 \\ 1 & 4 & 5 \\ 2 & 5 & 7 \end{pmatrix}$, find A^{-1} .
27	If $u(x,y,z) = \log(e^x + e^y + e^z)$, find $\frac{\partial u}{\partial x} + \frac{\partial u}{\partial y} + \frac{\partial u}{\partial z}$
28	Verify $(AB)^{-1} = B^{-1}A^{-1}$ with $A = \begin{bmatrix} 4 & 0 \\ -1 & 2 \end{bmatrix}$, $B = \begin{bmatrix} -4 & -2 \\ 1 & -1 \end{bmatrix}$
29	Find df for $f(x) = x^2 + 3x$ for $x = 3$ and $dx = 0.002$
30	Evaluate: $\sin\left[\sin^{-1}\left(\frac{3}{5}\right) + \sec^{-1}\left(\frac{5}{4}\right)\right]$
31	Find polynomial equation of minimum degree with rational coefficients, having $2 + \sqrt{3}i$ as a root.
32	Evaluate: $\int_2^3 \frac{\sqrt{x}}{\sqrt{5-x} + \sqrt{x}} dx$

HALF YEARLY 2023

1	A sphere is made of ice having radius 5 cm. Its radius decreases from 5 cm to 4.7 cm, Find the change in the volume approximation.?
2	Prove, using mean value theorem, $ \sin \alpha - \sin \beta \leq \alpha - \beta , \alpha, \beta \in \mathbb{R}$
3	Find the angle between the lines $\frac{x-4}{2} = \frac{y}{1} = \frac{z+1}{-2}$ and $\frac{x-1}{4} = \frac{y+1}{-4} = \frac{z-2}{2}$
4	Verify (i) closure property (ii) commutative property of the following operation on the given set $a * b = a^b \forall a, b \in \mathbb{N}$.
5	Decrypt the received encoded message (10 1) (6 1) with encryption matrix $\begin{pmatrix} -1 & 1 \\ 2 & 1 \end{pmatrix}$ and the decryption matrix as its inverse, where the system of codes is described by the numbers 1-26 to the letters A-Z respectively, and the number 0 to a blank space.
6	The Earth is revolving around the Sun in elliptical orbit when Sun is located at one of the focus. If the distance between Sun and the other focus is 575×10^5 km and eccentricity is $1/2$ then find the maximum and minimum distance between the earth and sun in earth's orbit.

7	Solve : $\frac{dy}{dx} + y \cot x = 2 \cos x$
8	Find the value of $\tan\left(2 \tan^{-1}\left(\frac{1}{5}\right) - \frac{\pi}{4}\right)$
9	Compute $P(X = k)$ for the binomial distribution, Where $B(n, p)$ $n = 10, p = \frac{1}{5}, k = 4$
10	Show that the number given by the Rolle's theorem for the function $x^3 - 3x^2, x \in [0, 3]$ is 2.
11	If $u(x, y, z) = \log(e^{2x} + e^{2y} + e^{2z})$, find $\frac{\partial u}{\partial x} + \frac{\partial u}{\partial y} + \frac{\partial u}{\partial z}$
12	Write the Maclaurin series expansion of the following functions: $\tan^{-1}(x); -1 \leq x \leq 1$
13	Evaluate : $\int_{-1}^1 \log\left(\frac{5-x}{5+x}\right) dx$

14	For which values of m , the vectors $\vec{a} = i + j + m\hat{k}$, $\vec{b} = i + j + (m + 1)\hat{k}$, $\vec{c} = i - j + m\hat{k}$ are coplanar.
15	Give your own example of a matrix of rank 1 of order 3×3 .
16	Test the point of inflection of the curve $y = x^4$.
17	Solve: $(1 + x) \frac{dy}{dx} = 1 + y$
18	The mean and standard deviation of a binomial variate X are respectively 4 and 1 Find (i) the probability mass function (ii) $P(X = 2)$
19	Solve: $\frac{dy}{dx} = \frac{x + y}{x}$
20	Find the value of $\left[\frac{1+i}{\sqrt{2}} \right]^8 + \left[\frac{1-i}{\sqrt{2}} \right]^8$
21	Find the critical point of the function $f(x) = x-17 $

22	Find the area of the circle of radius r .
23	Find the asymptotes of the curve $f(x) = \frac{x^2}{x+1}$
24	Form the differential equation by eliminating the arbitrary constants A and B from $y = A \cos x + B \sin x$
REVISION 1 & 2	
1	If the radius of a sphere, with radius 10cm, has to decrease by 0.1 cm, approximately how much will its volume decrease.
2	If $x + y \geq 0$ prove $\cos^{-1}x + \cos^{-1}y = \cos^{-1}(xy - \sqrt{1-x^2}\sqrt{1-y^2})$
3	Prove that $q \rightarrow p \equiv \neg p \rightarrow \neg q$
4	Establish the equivalence property connecting the bi-conditional $p \leftrightarrow q \equiv (p \rightarrow q) \wedge (q \rightarrow p)$
5	

	If $w = x + 2y + z^2$ and $x = \cos t$, $y = \sin t$, $z = t$, find $\frac{dw}{dt}$
6	Two balls are chosen randomly from an urn containing 6 red and 8 black balls. Suppose that we win 15 for each red ball selected and we lose 10 for each black ball selected. X denotes the winning amount, then find the value of x and number of points in its reverse images.
7	State Rolle's Theorem.
8	Find the distance between the parallel planes $x + 2y - 2z + 1 = 0$ and $2x + 4y - 4z + 5 = 0$
9	The probability density function of X is given by $f(x) = \begin{cases} k x e^{-2x} & \text{for } x > 0 \\ 0 & \text{for } x \leq 0 \end{cases}$. Find the value of k
10	If μ and σ^2 are the mean and variance of the discrete random variable X , and $E(X + 3) = 10$ and $E(X + 3)^2 = 116$, find μ and σ^2 .
11	Find the length of the perpendicular from the point $(1, -2, 3)$ to the plane $x - y + z = 5$
12	Solve $(1 + x^2) \frac{dy}{dx} = 1 + y^2$.
13	

	Construct truth table for $(p \vee q) \vee \neg q$
14	If $A = \begin{bmatrix} 8 & -4 \\ -5 & 3 \end{bmatrix}$ verify that $A(\text{adj}A) = (\text{adj}A)A = A I_2$
15	Find the volume of the solid formed by revolving the the region bounded by the parabola $y = x^2$, x -axis, ordinates $x = 0$ and $x = 1$ about the x -axis.
16	Find the values in the interval $(\frac{1}{2}, 2)$ satisfied by the Rolle's theorem for the function $f(x) = x + \frac{1}{x}, x \in [\frac{1}{2}, 2]$.
17	Write the Properties of cumulative distribution function
18	$G = \{1, -1, i, -i\}$ Verify (i) Closure Property (ii) Identity property (iii) Inverse property with respect to complex number Multiplication on G
19	Write the statements in words corresponding to $\sim p, q \vee \sim p$, where p is 'it is cold' and q is it is raining.
20	If $A = \begin{bmatrix} 8 & -4 \\ -5 & 3 \end{bmatrix}$ verify that $A(\text{adj}A) = (\text{adj}A)A = A I_2$
21	

	Express $[\bar{a} + \bar{b} + \bar{c}, \bar{a} - \bar{b}, \bar{c}]$ in terms of $[\bar{a}, \bar{b}, \bar{c}]$
22	Construct the truth table for $(\sim p \vee q) \rightarrow (q \wedge p)$
23	Find the equation of tangent to the curve $y = x^2 - x^4$ at $(1, 0)$.
24	Obtain the equation of circle for which $(3, 4)$ and $(2, -7)$ are the end of a diameter.
25	If $z_1 = 3, z_2 = -7i, z_3 = 5 + 4i$ show that $z_1(z_2 z_3) = (z_1 z_2)z_3$.
26	If $A = \begin{pmatrix} 5 & 2 \\ 7 & 3 \end{pmatrix}$ and $B = \begin{pmatrix} 2 & -1 \\ -1 & 1 \end{pmatrix}$ then verify $(AB)^{-1} = B^{-1}A^{-1}$.
27	On Z , define \otimes by $(m \otimes n) = m^n + n^m : \forall m, n \in Z$. Is \otimes binary on Z ?
28	If $\bar{a}, \bar{b}, \bar{c}$ are three vectors prove that $[\bar{a} + \bar{b}, \bar{b} + \bar{c}, \bar{c} + \bar{a}] = 2[\bar{a}, \bar{b}, \bar{c}]$
29	Find a polynomial equation of minimum degree with rational coefficients having $2 - \sqrt{3}$ as a root.

30	Determine whether the pair of straight lines $\vec{r} = (2\hat{i} + 6\hat{j} + 3\hat{k}) + t(2\hat{i} + 3\hat{j} + 4\hat{k})$, $\vec{r} = (2\hat{j} - 3\hat{k}) + s(\hat{i} + 2\hat{j} + 3\hat{k})$ are parallel. Find the shortest distance between them.
31	The probability density function of X is given by $f(x) = \begin{cases} k x e^{-2x} & \text{for } x > 0 \\ 0 & \text{for } x \leq 0 \end{cases}$ Find the value of k
32	Prove De Morgan's law by using Truth table.
33	Find the 'local extrema of the function $f(x) = x^4 + 32x$.
34	Find the length of the perpendicular from the point $(1, -2, 3)$ to the plane $x - y + z = 5$
35	Construct the truth table for the following statements. $\neg(p \wedge \neg q)$
36	If $f(x, y) = \frac{1}{\sqrt{x^2 + y^2}}$ then, prove that $x \frac{\partial f}{\partial x} + y \frac{\partial f}{\partial y} = -f$.
37	If $A = \begin{vmatrix} \cos \theta & \sin \theta \\ -\sin \theta & \cos \theta \end{vmatrix}$ find A^{-1}

38	<p>The time T, taken for a complete oscillation of a single pendulum with length l, is given by the equation $T = 2\pi \sqrt{\frac{l}{g}}$, where g is a constant. Find the approximate percentage error in the calculated value of T corresponding to an error of 2 percent in the value of l.</p>
39	<p>Form the differential equation obtained by eliminating a and b from $y = ae^{3x} + be^{-3x}$ is</p>
40	<p>Evaluate: $\int_0^3 \frac{\sqrt{x} dx}{\sqrt{x} + \sqrt{3-x}}$.</p>
41	<p>Show that $\left(\frac{1+i}{1-i}\right)^3 - \left(\frac{1-i}{1+i}\right) = -2i$.</p>
42	<p>Which one of the points $10 - 8i$, $11 + 6i$ is closest to $1 + i$.</p>
43	<p>Let $A = \begin{bmatrix} 1 & 0 & 1 & 0 \\ 0 & 1 & 0 & 1 \\ 1 & 0 & 0 & 1 \end{bmatrix}$, $B = \begin{bmatrix} 0 & 1 & 0 & 1 \\ 1 & 0 & 1 & 0 \\ 1 & 0 & 0 & 1 \end{bmatrix}$ are the boolean matrices. Find i) $A \cup B$ ii) $A \cap B$</p>
44	<p>Compute $P(X = k)$ for the binomial distribution, $B(n, p)$ when $n = 9$, $p = \frac{1}{2}$, $k = 7$</p>
45	

	<p>Show that the points $1, -\frac{1}{2} + i\frac{\sqrt{3}}{2}$ and $-\frac{1}{2} - i\frac{\sqrt{3}}{2}$ are the vertices of an equilateral triangle.</p>
46	<p>Determine whether the three vectors $2\hat{i} + 3\hat{j} + \hat{k}$, $\hat{i} - 2\hat{j} + 2\hat{k}$ and $3\hat{i} + \hat{j} + 3\hat{k}$ are coplanar.</p>
47	<p>A binary operation $*$ is defined on Q by $a * b = \frac{a+b}{2}$, $\forall a, b \in Q$ verify whether $*$ satisfies closure property, commutative property and associative property.</p>
48	<p>Find the inverse of the non-singular matrix $A = \begin{bmatrix} 0 & -5 \\ -1 & -6 \end{bmatrix}$, by Gauss-Jordan method.</p>
49	<p>Verify $(AB)^T = B^T A^T$ with $A = \begin{bmatrix} -4 & 1 \\ 1 & 3 \end{bmatrix}$, $B = \begin{bmatrix} 4 & -3 \\ 3 & 0 \end{bmatrix}$.</p>
50	<p>Find differential dy for the function $y = (3 + \sin 2x)^2$</p>
51	<p>If the straight lines $\frac{x-5}{5m+2} = \frac{2-y}{5} = \frac{1-z}{-1}$ and $x = \frac{2y+1}{4m} = \frac{1-z}{-3}$ are perpendicular to each other. Find the value of m.</p>
52	

	Determine whether * is a binary operation on \mathbb{R} , defined by $a * b = a\sqrt{b}$
53	Find the value of $\cos^{-1}(\cos \frac{\pi}{7} \cos \frac{\pi}{17} - \sin \frac{\pi}{7} \sin \frac{\pi}{17})$
54	Show that $\sim(p \wedge q) \equiv \sim p \vee \sim q$
55	Prove that $ \vec{a} \times \vec{b}, \vec{b} \times \vec{c}, \vec{c} \times \vec{a} = \vec{a}, \vec{b}, \vec{c} $
2024 JANUARY REVISION 1 AND 2	
1	Verify associative property of the following operation * defined by $a * b = a^b$, $\forall a, b \in \mathbb{N}$
2	Find the rank of the matrix $\begin{bmatrix} 1 & 1 & 1 & 3 \\ 2 & -1 & 3 & 4 \\ 5 & -1 & 7 & 11 \end{bmatrix}$
3	Prove that, In an algebraic structure the identity element (if exists) must be unique.
4	

	Find the torque of the resultant of the three forces represented by $-3\hat{i} + 6\hat{j} - 3\hat{k}$, $4\hat{i} - 10\hat{j} + 12\hat{k}$ and $4\hat{i} + 7\hat{j}$ acting at the point with position vector $8\hat{i} - 6\hat{j} - 4\hat{k}$ about the point with position vector $18\hat{i} + 3\hat{j} - 9\hat{k}$.
5	Express $[\bar{a} + \bar{b} + \bar{c}, \bar{a} - \bar{b}, \bar{c}]$ in terms of $[\bar{a} \ \bar{b} \ \bar{c}]$.
6	Evaluate: $\lim_{x \rightarrow \infty} \frac{\frac{1}{x^2} - 2 \tan^{-1}\left(\frac{1}{x}\right)}{\frac{1}{x}}$
7	Let $M = \left\{ \begin{pmatrix} x & x \\ x & x \end{pmatrix} : x \in \mathbb{R} - \{0\} \right\}$ and let \cdot be the matrix multiplication. M is closed under \cdot . If so, examine the existence of identity, existence of inverse properties for the operation \cdot on M . (x 12-1) (9)
8	Solve by determinant method : $5x + 2y = 17, 3x + 7y = 31$
9	Find the value of $\cot^{-1}(-1)$
10	From the differential equation by eliminating the arbitrary constants A and B from $y = A \cos 5x + B \sin 5x$
11	

	Show that $p \rightarrow q$ and $q \rightarrow p$ are not equivalent.
12	The probability that a certain kind of component will survive a electrical test is $\frac{3}{4}$. Find the probability that exactly 5 components tested survive.
13	Identify the type of the conic for the following equations. $4x^2 + 4xy + y^2 + 4x + 32y + 16 = 0$ (x 5)
14	Evaluate: $\lim_{x \rightarrow 0} \frac{\sin mx}{\sin nx}$
15	$w \neq 1$ is a cube root of unity and $(1 + w)^7 = A + Bw$ then find A and B.
16	Solve $\frac{dy}{dx} = \frac{-(1+y^2)}{\sqrt{1+x^2}}$
17	In a newly developed city, it is estimated that the voting population (in thousands) will increase according to $V(t) = 30 + 12t^2 - t^3, 0 \leq t \leq 8$ where t is the time in years. Find the approximate change in voters for the time change from 4 to $4\frac{1}{6}$ year. $\cdot 4 \cdot 2 \quad \frac{4 \cdot dt}{2}$
18	If α and β are the roots of the quadratic equation $2x^2 - 7x + 13 = 0$, then find the value of $\alpha^2 + \beta^2 + 3\alpha\beta$.

19	Find the torque of the force $3\hat{i} + 2\hat{j} - 4\hat{k}$ about the point $(2, -1, 3)$ acting through the point $(1, -1, 2)$
20	The volume of the parallelepiped whose coterminus edges are $7\hat{i} + \lambda\hat{j} - 3\hat{k}$, $\hat{i} + 2\hat{j} - \hat{k}$, $-3\hat{i} + 7\hat{j} + 5\hat{k}$ is 90 cubic units. Find the value of λ .
21	Evaluate: $[2\hat{i} \ \hat{j} \ \hat{k}] + [\hat{i} \ \hat{k} \ \hat{j}] + [\hat{k} \ \hat{j} \ 2\hat{i}]$
22	Find the area of the region bounded by the line $5x + 3y = 15$, x-axis and the lines $x = -1$ and $x = 2$.
23	Find A^{-1} if $\text{adj } A = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 2 & 0 & 0 \\ 0 & 0 & 2 & 0 \\ 0 & 0 & 0 & 2 \end{bmatrix}$
24	Prove De Morgan's law by using Truth table
25	Find the local extrema of the function $f(x) = x^4 + 32x$.

PUBLIC, COMMON AND PTA.

1	Let * be a binary operation on the set Q of rational numbers defined as $a*b = \frac{ab}{8}$. Write the identity for *, if any.
2	A fair coin is tossed a fixed number of times. If the probability of getting seven heads is equal to that of getting nine heads, find the probability of getting exactly two heads.
3	If the system of linear equation $x+2ay+az=0$, $x+3by+bz=0$, $x+4cy+cz=0$ has a non-trivial solution then show that a,b,c are in HP.
4	Prove that $\tan\left(\frac{\pi}{4} + \frac{1}{2} \cos^{-1}\left(\frac{a}{b}\right)\right) + \tan\left(\frac{\pi}{4} - \frac{1}{2} \cos^{-1}\left(\frac{a}{b}\right)\right) = \frac{2b}{a}$
5	Write the maclaurin series expansion e^{-x} .
6	Draw the geometrical diagram for the sum of two complex numbers Z_1 and Z_2 and verify the result.
7	Find the equation of the parabola if the curve is open leftward, vertex is (2,1) and passing through the point (1,3).
8	If the lines $\frac{x-x_1}{l_1} = \frac{y-y_1}{m_1} = \frac{z-z_1}{n_1}$ and $\frac{x-x_2}{l_2} = \frac{y-y_2}{m_2} = \frac{z-z_2}{n_2}$ lie on the same plane, then write the number of ways to find the Cartesian equation of the above plane and explain in detail.
9	Show that if $x=r \cos\theta$, $y=r \sin\theta$, then $\frac{\partial r}{\partial x}$ is equal to $\cos\theta$
10	Show that $((\neg q) \wedge p) \wedge q$ is a contradiction.
11	

	Show that the differential equation corresponding to $y = A \sin x$, where A is an arbitrary constant, is $y = y' \tan x$.
12	Show that $\int_0^1 \frac{\sqrt{x}}{\sqrt{1-x} + \sqrt{x}} dx = \frac{1}{2}$.
13	Find the equation of the tangent to the parabola $y^2 = 4ax$ at $(at^2, 2at)$.
14	If $\vec{a}, \vec{b}, \vec{c}$ are three vectors then prove that $[\vec{a} + \vec{b}, \vec{b} + \vec{c}, \vec{c} + \vec{a}] = 2[\vec{a} \vec{b} \vec{c}]$.
15	Show that the distance from the origin to the plane $3x + 6y + 2z + 7 = 0$ is 1.
16	Prove that the general equation of the circle whose diameter is the line segment joining the points $(-4, -2)$ and $(-1, -1)$, is $x^2 + y^2 + 5x + 3y + 6 = 0$.
17	Form the differential equation of the curve $y = ax^2 + bx + c$ where a, b and c are arbitrary constants.
18	Prove that $\int_0^1 x e^x dx = 1$
19	Express $e^{\cos\theta + i \sin\theta}$ in $a + ib$ form. Express $e^{\cos\theta}$
20	If $a + b + c = 0$ and a, b, c are rational numbers then, prove that the roots of the equation $(b + c - a)x^2 + (c + a - b)x + (a + b - c) = 0$ are rational numbers.

22	Show that the polynomial equation $9x^9 + 2x^5 - x^4 - 7x^2 + 2 = 0$ has at least six imaginary roots.
23	Evaluate $\lim_{x \rightarrow 0} \frac{xe^x - \sin x}{x}$
24	If $\vec{a}, \vec{b}, \vec{c}$ are three vectors prove that $ \vec{a} + \vec{b}, \vec{b} + \vec{c}, \vec{c} + \vec{a} = 2 \vec{a}, \vec{b}, \vec{c} $
25	Evaluate : $\int_0^{\frac{\pi}{2}} \frac{\sin x}{1 + \cos^2 x} dx$
26	If $A = \begin{bmatrix} 3 & -2 \\ \lambda & -2 \end{bmatrix}$, find the value of λ so that $A^2 = \lambda A - 2I$.
27	If $A = \begin{bmatrix} 2 & 3 \\ 1 & 2 \end{bmatrix}, B = \begin{bmatrix} 4 & 0 \\ 2 & 5 \end{bmatrix}$, find $adj(AB)$.
28	Find the magnitude and direction cosines of the moment about the point $(0, -2, 3)$ of a force $\hat{i} + \hat{j} + \hat{k}$ whose line of action passes through the origin.
29	If $\omega \neq 1$ is a cubic root of unity and $(1 + \omega)^7 = A + B\omega$, then find A and B .
30	

	The population of a city grows at the rate of 5 % per year. Calculate the time taken for the population doubles. [Given $\log 2 = 0.6912$]
31	Find the vector equation of the plane passing through the point (2,2,3) having 3,4,3 as direction ratios of the normal to the plane
32	If $x + iy = \sqrt{\frac{a+ib}{c+id}}$, prove that $x^2 + y^2 = \sqrt{\frac{a^2 + b^2}{c^2 + d^2}}$
33	Find the value of $\cos^{-1}\left(\frac{1}{2}\right) - 2\sin^{-1}\left(-\frac{1}{2}\right)$
34	Find the equation of the tangent to the curve $x^2y - x = y^3 - 8$ at $x = 0$
PTA 2023-24	
1	Show that the solution of the differential equation $\frac{dy}{dx} = 2xy$ is $\log y = x^2 + c$.
2	A force given by $3\hat{i} + 2\hat{j} - 4\hat{k}$ is applied at the point (1,-1,2). Find the moment of force about the point (2,-1,3)
3	

	Show that the integrating factor of the differential equation $\frac{dy}{dx} = \frac{x+y+1}{x+1}$ is $\frac{1}{x+1}$.
4	Find the direction cosines and torque of the force $2\hat{i} + \hat{j} - \hat{k}$ if it acts about the point $(2, 0, -1)$ and through the origin.
5	Find the value of $\sin^{-1}\left(-\frac{1}{2}\right) + \sec^{-1}(2)$.
6	Evaluate $\int_2^3 \frac{\sqrt{x}}{\sqrt{5-x} + \sqrt{x}} dx$.
7	Prove that $\sum_{n=1}^{204} (i^{n+1} - i^{n+2}) = 0$.
8	Show that the differential equation for the function $y^2 = 4ax$, where a is arbitrary, is $y = 2y'x$.
9	If $f(x, y) = \frac{x^2 + y^2 + xy}{x^2 - y^2}$ then show that $x \frac{\partial f}{\partial x} + y \frac{\partial f}{\partial y} = 0$.
10	Show that the area of the region bounded by $y = \sin x$, $x = 0$ and $x = \pi$ is 2
11	

	Find the value of $\tan^{-1}(-1) + \cos^{-1}\left(\frac{1}{2}\right) + \sec^{-1}(-2)$.
12	Find the equation of the parabola with focus $(-1, -2)$ and the directrix is $x - 2y + 3 = 0$

-o0o-

WITH REGARDS,
SS PRITHVI,
PRIT-EDUCATION



PRIT EDUCATION

Practice ! Perform ! Perfect !

Batch 2024-25

Dear Student,

I am delighted to present to you a Ready Reckoner and an amazing material to guide you for your exams. 'Core-pdf' is fully aligned with the culture, the mission, and the vision of PRIT-EDUCATION and therefore it gives me immense pleasure and joy to share this material with you.

**-SS PRITHVI, XII STD(2024-2025)
FOUNDER, PRIT-EDUCATION,
COVAI.**

- *Our prominent material, " the CORE pdf ", for the year 2024-25 was revised and updated with latest question papers – march 24 and june 24 exams.*
- *Further, new materials like 1 marks, quick recap, formulae & theorems, and compulsory questions pdf's are also updated for this year newly. Don't miss this opportunity.*
- *Join us on the following platforms to utilize the valuable materials:*
 - **Whatsapp channel: [CLICK HERE](#)**
 - **Telegram channel: [CLICK HERE](#)**
- *We don't get any monetary benefits....*

SHARE TO ATMOST, WHICH WILL HELP MORE STUDENTS...!

OF THE STUDENTS!!

BY THE STUDENTS!!

AND FOR THE STUDENTS!!

Kindly Send Me Your Key Answer to Our email id - Padasalai.net@gmail.com