Test Booklet Code

RIGUD

This Booklet contains 32 pages, including Rough Page. Do not open this Test Booklet until you are asked to do so.

Important Instructions:

 The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with blue/black ball point pen only.
 The test is of 3 hours 20 minutes duration and the Test Booklet contains 200 multiple-choice questions (four options with a single correct answer) from Physics, Chemistry and Riole. (Declary and Zoology). (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology).

50 questions with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology)
50 questions in each subject are divided into two Sections (A and B) as per details given below:
(a) Section A shall consist of 35 (Thirty-five) Questions in each subject (Question Nos - 1 to 35,
51 to 85, 101 to 135 and 151 to 185). All questions are compulsory.
(b) Section B shall consist of 15 (Fifteen) questions in each subject (Question Nos - 36 to 50, 86 to 100,
136 to 150 and 186 to 200). In Section B, a condidate needs to attempt a condition out of 136 to 150 and 186 to 200). In Section B, a candidate needs to attempt any 10 (Ten) questions out of 15 (Fifteen) in each subject.

Candidates are advised to read all 15 questions in each subject of Section B before they start attempting the question paper. In the event of a candidate attempting more than ten questions, the first ten questions answered by the candidate shall be evaluated.

Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.

Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses on 5.

Rough work is to be done in the space provided for this purpose in the Test Booklet only.

- On completion of the test, the candidate must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- The CODE for this Booklet is Q4. Make sure that the CODE printed on the Original Copy of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the

The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/

Use of white fluid for correction is **NOT** permissible on the Answer Sheet. 10. Each candidate must show on-demand his/her Admit Card to the Invigilator.

11. No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.


12. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt 13. Use of Electronic/Manual Calculator is prohibited.

14. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of 15. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.


15. No part of the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the


17. Compensatory time of one hour five minutes will be provided for the examination of three hours

Scribe or not	(making a physical limitation to write) uses the facility of	
Name of the Candidate (in Capitals): KRI	SHANAKANT	
Roll Number: In figures 390,50,40	180,0	
: In words Three hundred	ninely Course life. Lakh look to	
Centre of Examination (in Capitals):	PUBLIC SCHOOL POSTY thousand eighty o	L
Continue Signature: (K) Jush.	Invio:	
Facsimile signature stamp of Centre Superintender	n Signature	
Q4_English]	41 11	
	Contd	



A thin spherical shell is charged by some source. The potential difference between the two points $HL^2 = 12x29C$ and P (in V) shown in the figure is:






- 3 × 105 (3) 0.5×10^5
- (2) 1×10^5

(4) zero

- The output (Y) of the given logic gate is similar 2
- to the output of an/a:



- NAND gate
- (2) NOR gate
- OR gate
- (A) AND gate
- If the monochromatic source in Young's double 3 slit experiment is replaced by white light, then
 - (1) interference pattern will disappear.
 - (2) there will be a central dark fringe surrounded by a few coloured fringes.
 - (3) there will be a central bright white fringe surrounded by a few coloured fringes.
 - (4) all bright fringes will be of equal width.
- In a vernier calipers, (N+1) divisions of vernier 4 scale coincide with N divisions of main scale. If 1 MSD represents 0.1 mm, the vernier constant (in cm) is:
- (3) 100N

Q4_English 1

(4) 10(N+1) (N+1) = N (MSD)

The maximum elongation of a steel wire of 1 m length if the elastic limit of steel and its Young's modulus, respectively, are 8 × 108 N m⁻² and $2 \times 10^{11} \text{ N m}^{-2}$, is:

- (1) 4 mm
- (2) 0.4 mm
- (3) 40 mm

6

117 X

9

(4) 8 mm

The moment of inertia of a thin rod about an axis passing through its mid point and perpendicular to the rod is 2400 g cm^2 . The length of the 400 g^{-12} rod is nearly:

- (1) 8.5 cm
- (2) 17.5 cm
- (3) 20.7 cm
- (4) 72.0 cm

A tightly wound 100 turns coil of radius 7 10 cm carries a current of 7 A. The magnitude of the magnetic field at the centre of the coil is (Take

MnIA permeability of free space as $4\pi \times 10^{-7}$ SI units):

- (1) 44 mT
- (2) 4.4 T
- (3) 4.4 mT 417 X10 T X100 X T X 10 4T X 10 7 7

8 At any instant of time t, the displacement of any particle is given by 2t-1 (SI unit) under the influence of force of 5N. The value of instantaneous power is (in SI unit): $\rho = \omega$


- (H) 10


 $V_{1} \Rightarrow V_{1} = 0$ (2) 5 R = FS $V_{1} \Rightarrow V_{2} = 0$ $V_{1} \Rightarrow V_{2} = 0$ $V_{3} \Rightarrow V_{4} = 0$ (3) 7Two bodies A and B of same mass undergo


completely inelastic one dimensional collision. The body A moves with velocity v_1 while body B is at rest before collision. The velocity of the system after collision is v_2 . The ratio $v_1 : v_2$ is :

- (H) 1:2
- (2) 2:1
- (3) 4:1
- (4) 1:4


A horizontal force 10 N is applied to a block A as 10 shown in figure. The mass of blocks A and B are 2 kg and 3 kg, respectively. The blocks slide over a frictionless surface. The force exerted by block A on block B is:







- its diameter is half that of the earth. The acceleration due to gravity on that planet is: (1) 19.6 m s⁻²
- (2) 9.8 m s⁻² (3) 4.9 m s⁻² 3.92 m s⁻²
- Consider the following statements A and B and 12 identify the correct answer: A-TI




- For a solar-cell, the I-V characteristics lies in the IV quadrant of the given graph.
- In a reverse biased pn junction diode, the current measured in (μA) , is due to majority charge carriers.

(1) A is correct but B is incorrect... (2) A is incorrect but B is correct.

(3) Both A and B are correct. (4) Both A and B are incorrect.

A light ray enters through a right angled prism at point P with the angle of incidence 30° as shown in figure. It travels through the prism parallel to its base BC and emerges along the face AC. The refractive index of the prism is:






Given below are two statements: 14 Statement 1: Aloms are electrically neutral as they contain equal number of positive and negative charges.

Statement II: Along of each element are stable and emit their characteristic spectrum. In the light of the above statements, choose the

most appropriate answer from the options given below:

- 00 (1) Both Statement I and Statement II are correct.
- (2) Both Statement I and Statement II are incorrect.
- Statement I is correct but Statement II is incorrect.
- (4) Statement I is incorrect but Statement II is correct.

15 A thin flat circular disc of radius 4.5 cm is placed gently over the surface of water. If surface tension of water is 0.07 Nm⁻¹, then the excess force required to take it away from the surface is:



In the above diagram, a strong bar magnet is moving towards solenoid-2 from solenoid-1. The direction of induced current in solenoid-1 and that in solenoid-2, respectively, are through the directions:

- (1) AB and DC
- (2) BA and CD
- (4) BA and DC(3) AB and CD

A particle moving with uniform speed in a circular path maintains:

(1) constant velocity.

3 -

- (2) constant acceleration.
- (3) constant velocity but varying acceleration,
- (3) constant
 (4) varying velocity and varying acceleration.

[Contd...

(1)

13

18 Match List I with List II.

List I

(Spectral Lines of (Wavelengths (nm))

Hydrogen for

transitions from)

A.
$$n_2 = 3$$
 to $n_1 = 2$ 1. 410.2

B.
$$n_2 = 4$$
 to $n_1 = 2$ II. 434.1

C.
$$n_2 = 5$$
 to $n_1 = 2$ III. 656.3

D.
$$n_2 = 6$$
 to $n_1 = 2$ IV. 486.1

Choose the correct answer from the options given below:

- (1) A-II, B-I, C-IV, D-III
- (2) A-III, B-IV, C-II, D-I
- (3) A-IV, B-III, C-I, D-II
- (4) A-I, B-II, C-III, D-IV
- 19 The quantities which have the same dimensions as those of solid angle are:
 - (1) strain and angle
 - (2) stress and angle
 - (3) strain and arc
 - (4) angular speed and stress
- An unpolarised light beam strikes a glass surface at Brewster's angle. Then
 - (1) the reflected light will be partially polarised.
 - (2) the refracted light will be completely polarised.
 - (3) both the reflected and refracted light will be completely polarised.
 - the reflected light will be completely polarised but the refracted light will be partially polarised.

Q4_English]

21 Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: The potential (V) at any axial point, at 2 m distance(r) from the centre of the dipole of dipole moment vector \overrightarrow{P} of magnitude, 4×10^{-6} C m, is $\pm 9 \times 10^{3}$ V.

A logic following

The exp

If cist

statem

D.

E.

Cho

belo

(1)

(2)

(3)

(4)

A b

tens

whi

(1)

27


(Take
$$\frac{1}{4\pi \epsilon_0} = 9 \times 10^9$$
 SI units)

Reason R:
$$V = \pm \frac{2P}{4\pi \in {}_{0}r^{2}}$$
, where r is the 25

distance of any axial point, situated at 2 m from the centre of the dipole.

In the light of the above statements, choose the *correct* answer from the options given below:

- Both A and R are true and R is the correct explanation of A.
- (2) Both A and R are true and R is NOT the correct explanation of A.
- (3) A is true but R is false.
- (4) A is false but R is true.
- 22 A wheel of a bullock cart is rolling on a level road as shown in the figure below. If its linear speed is v in the direction shown, which one of the following options is correct (P and Q are any highest and lowest points on the wheel, 26 respectively)?



- (1) Point P moves slower than point Q.
- (2) Point P moves faster than point Q.
- (3) Both the points P and Q move with equal speed.
- (4) Point P has zero speed.

23 If
$$x = 5\sin\left(\pi t + \frac{\pi}{3}\right)m$$
 represents the motion of a particle executing simple harmonic motion, the amplitude and time period of motion, respectively,

- are:
 (1) 5 cm, 2 s
- (2) 5 m, 2 s
- (3) 5 cm, 1 s
- (4) 5 m, 1 s

A logic circuit provides the output Y as per the 24 following truth table:

_		
A	B	Y
0	0	1
0	1	0
1	0	1
1	1	0


The expression for the output Y is:

- $(1) \quad A.B + \overline{A}$
- (2) $A.\overline{B} + \overline{A}$
- (3)
- 25 If c is the velocity of light in free space, the correct statements about photon among the following are:
 - A. The energy of a photon is E = hv.
 - The velocity of a photon is c.
 - The momentum of a photon, $p = \frac{hv}{c}$.
 - In a photon-electron collision, both total energy and total momentum are conserved.
 - Photon possesses positive charge.

Choose the correct answer from the options given below:

- (1) A and B only
- (2) A, B, C and D only
- (3) A, C and D only
- (4) A, B, D and E only
- A bob is whirled in a horizontal plane by means 26 of a string with an initial speed of ω rpm. The tension in the string is T. If speed becomes 2ω while keeping the same radius, the tension in the string becomes:
 - (1) T

- (4) $\sqrt{2}T$
- The terminal voltage of the battery, whose emf is 27 10V and internal resistance 1Ω , when connected through an external resistance of 4Ω as shown in the figure is:



Q4_English]

In a uniform magnetic field of 0.049 T, a magnetic needle performing in needle performs 20 complete oscillations in 5 seconds as share 20 complete oscillations 5 seconds as shown. The moment of inertia of the needle is 9.8 v.n. The moment of inertia of the magnetic more. The moment of inertial of magnetic more. 10-6 kg m². If the magnitude of magnetic more. magnetic m_{0ment} of the needle is $x \times 10^{-5}$ Am²; then the value of 'x' is:



- (2) $128 \pi^2$
- (3) $50 \pi^2$
- (4) $1280 \pi^2$
- A wire of length 'l' and resistance 100Ω is 29 divided into 10 equal parts. The first 5 parts are connected in series while the next 5 parts are connected in parallel. The two combinations are again connected in series. The resistance of this final combination is:
 - (1) 26Ω
- (2) 52 Ω
- (3) 55Ω .
- (4) 60Ω
- Match List-I with List-II. 30

List-I List-II (Susceptibility (χ)) (Material)

- A. Diamagnetic
- $\chi = 0$ I.
- B. Ferromagnetic
- $0 > \chi \ge -1$ II.
- Paramagnetic C.
- III. $\chi >> 1$
- D. Non-magnetic ·
- IV. $0 < \chi < \varepsilon$ (a small positive number)


Choose the correct answer from the options given below:


- (1) A-II, B-III, C-IV, D-I
- (2) A-II, B-I, C-III, D-IV
- (3) A-III, B-II, C-I, D-IV
- (4) A-IV, B-III, C-II, D-I


number and atomic number of the product O respectively, are:


- (1) 280,81
- (2) 286, 80
- (3) 288, 82
- (4) 286, 81

The graph which shows the variation of 32 and its kinetic energy. E is (where & is de Broglie wavelength of a free particle):









In an ideal transformer, the turns ratio is $\frac{Np}{N_a} = \frac{1}{2}$. The ratio V_s : V_p is equal to (the symbols carry


their usual meaning): (X) 1:2

(2) 2:1

(3) 1:1

(4) 1:4 LO

34 A thermodynamic system is taken through the cycle abcda. The work done by the gas along the path bc is:




20

Q


19

 ∞ (2) 30 J

In the following circuit, the equivalent capacitance between terminal A and terminal B is:



- Physics: Section-B (Q. No. 36 to 50) If the plates of a parallel plate capacitor connected If the plates or a para...
 to a battery are moved close to each other, then
 the charge stored in it, intreases, then 36
 - the charge stored in it, increases,
 - the energy stored in it, decreases,
 - its capacitance increases C.
 - the ratio of charge to its potential remains
 - the product of charge and voltage increase; E. the product appropriate answer from the E.
 - (1) A, B and E only (2) A, C and E only
 - (3) B, D and E only (4) A, B and Conly
- A 10 μF capacitor is connected to a 210 V, 50 Hz 37 source as shown in figure. The peak current in the circuit is nearly $(\pi = 3.14)$:




- (1) 0.58 A
- (2) 0.93 A
- (3) 1.20 A
- (4) 035 A
- A force defined by $F = \alpha t^2 + \beta t$ acts on a particle 38 at a given time t. The factor which is dimensionless, if \alpha and \beta are constants, is:

- The following graph represents the T-V curves of an ideal gas (where T is the temperature and V39 the volume) at three pressures P_1 , P_2 and P_3 compared with those of Charles's law represented as dotted lines.






Then the correct relation is: (2) $P_1 > P_3 > P_2$ (4) $P_1 > P_2 > P_3$





- An iron bar of length L has magnetic moment M. 40 It is bent at the middle of its length such that the two arms make an angle 60° with each other. The magnetic moment of this new magnet is:
 - (1) M




- (3) 2 M
- 41 A parallel plate capacitor is charged by connecting it to a battery through a resistor. If I is the current in the circuit, then in the gap between the plates:
 - there is no current.
 - (2) displacement current of magnitude equal to I flows in the same direction as I.
 - (3) displacement current of magnitude equal to I flows in a direction opposite to that of I.
 - (4) displacement current of magnitude greater than I flows but can be in any direction.
- 42 A metallic bar of Young's modulus, $0.5 \times 10^{11} \, \text{N m}^{-2}$ and coefficient of linear thermal expansion 10-5 °C-1, length 1 m and area of cross-section 10⁻³ m² is heated from 0°C to 100°C without expansion or bending. The compressive force developed in it is:
 - (1) $5 \times 10^3 \,\text{N}$
- (2) $50 \times 10^3 \text{ N}$
- (3) $100 \times 10^3 \,\mathrm{N}$
- $(4) \cdot 2 \times 10^3 \,\mathrm{N}$
- Choose the correct circuit which can achieve the 43 bridge balance.













The velocity (v) - time (1) plot of the motion of a body is shown below:




The acceleration (a) – time (t) graph that best suits this motion is:









- A small telescope has an objective of focal length 45 140 cm and an eye piece of focal length 5.0 cm. The magnifying power of telescope for viewing a distant object is:
 - (1) 34
- (2) 28
- (3) 17
- (4) 32
- The minimum energy required to launch a satellite 46 of mass m from the surface of earth of mass M and radius R in a circular orbit at an altitude of 2R from the surface of the earth is:

7.

If the mass of the bob in a simple pendulum is increased to thrice its oriois simple pendulum is 47 increased to thrice its original mass and its length is made half its original length, then the new time

period of oscillation is times its original time period. Then the value of x is:

- (1) $\sqrt{3}$
- (3) $2\sqrt{3}$
- A sheet is placed on a horizontal surface in front 48 of a strong magnetic pole. A force is needed to:
 - hold the sheet there if it is magnetic. A.
 - hold the sheet there if it is non-magnetic. B.
 - move the sheet away from the pole with uniform velocity if it is conducting.
 - move the sheet away from the pole with uniform velocity if it is both, non-conducting and non-polar.

Choose the correct statement(s) from the options given below: (1)

00

- (1) B and D only
- (2) A and C only
- (3) A, C and D only
- (4) Conly
- 49 Two heaters A and B have power rating of 1 kW and 2 kW, respectively. Those two are first connected in series and then in parallel to a fixed power source. The ratio of power outputs for these two cases is:
 - (1) 1:1
- 2:9
- (3) 1:2
- 2:3
- The property which is not of an electromagnetic 50 wave travelling in free space is that:
 - (1) they are transverse in nature.
 - (2) the energy density in electric field is equal to energy density in magnetic field,
 - they travel with a speed equal to $\frac{1}{\sqrt{\mu_0 \in 0}}$.
 - (4) they originate from charges moving with uniform speed.

Chemistry: Section-A (Q. No. 51 to 85)

- Among Group 16 elements, which one does NO 51 show -2 oxidation state?
 - (1) O
- (3) Te
- 52 Match List I with List II.

· List I

List II

(Number and types of (Molecule) bond/s between two carbon atoms)

- one σ -bond and two π-bonds
- C. carbon
- II. fwo π-bonds III. one \sigma-bond

molecule, C2 D. ethyne

IV. One σ-bond and one π-bond

Choose the correct answer from the options give below:

- (1) A-I, B-IV, C-II, D-III
- (2) A-IV, B-III, C-II, D-I
- (3) A-III, B-IV, C-II, D-17
 - (4) A-III, B-IV, C-I, D-II)
- 53 Fehling's solution 'A' is
 - aqueous copper sulphate
 - (2) alkaline copper sulphate
 - alkaline solution of sodium potassium tartrate (Rochelle's salt)
 - aqueous sodium citrate
- Match List I with List II. 54

List I (Conversion) List II

(Number of Faraday required)

- A. 1 mol of H_2O to O_2 \bigcirc I.
 - 3F
- B. 1 mol of MnO₄ to Mn²⁺
- 2F
- C. 1.5 mol of Ca from
- 1F III.
- molten CaCl₂ D. 1 mol of FeO to Fe₂O₃ Choose the correct answer from the options giver below:
 - (1) A-II, B-IV, C-I, D-III
 - (2) A-III, B-IV, C-I, D-II
 - (3) A-II, B-III, C-I, D-IV
 - (4) A-III, B-IV, C-II, D-I

55 Identify the correct reagents that would bring about the following transformation.

$$CH_2 - CH = CH_2 \rightarrow CH_2 - CH_2 - CH_2$$

- (1) (i) H₂O/H⁺
 - (ii) CrO₃
- (2) (i) BH₃
 - (ii) $H_{2}O_{2}/OH$
 - (iii) PCC
- (3) (i) BH₃
 - (ii) H₂O₂/OH
 - (iii) alk. KMnO₄
 - (iv) H₃O[⊕]
- (4) (i) H₂O/H⁺
 - (ii) PCC
- 56 Intramolecular hydrogen bonding is present in

- (4) HF (x)
- 57 Activation energy of any chemical reaction can be calculated if one knows the value of
 - (1) rate constant at standard temperature.
 - (2) probability of collision.
 - (3) orientation of reactant molecules during collision
 - (4) rate constant at two different temperatures.

Match List I with List II.

List I (Complex)

List II (Type of isomerism)

- A. $\left[\text{Co} \left(\text{NH}_3 \right)_5 \left(\text{NO}_2^{1/3} \right) \right] \text{CI}_2$
- I. Solvate

isomerism

- B. $\left[\operatorname{Co}\left(\operatorname{NH}_{3}\right)_{5}\left(\operatorname{SO}_{4}\right)\right]_{\mathrm{Br}}$
- II. Linkage

isomerism

- C. $\left[\text{Co(NH}_3)_6\right]\left[\text{Cr(CN)}_6\right]$
- III. Ionization

isomerism

- D. $\left[\text{Co} \left(\text{H}_2 \text{O} \right)_6 \right] \text{Cl}_3$
- IV. Coordination
 - isomerism

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (2) A-I, B-III, C-IV, D-II
- (3) A-I, B-IV, Q-III, D-II
- (4) A-II, B-IV, C-III, D-I
- 59 1 gram of sodium hydroxide was treated with 25 mL of 0.75 M HCl solution, the mass of sodium hydroxide left unreacted is equal to
 - (1) 750 mg
- (2) 250 mg
- (3) Zero mg (4) 200 mg
- Arrange the following elements in increasing order of electronegativity:

N, O, F, C, Si

Choose the correct answer from the options given below:

- (1) Si < C < N < O < F
- (2) $si < C < O \le N < F$
- (4) F<0<N<C<Si

Contd.

Match List I with List II,

List I (Process)

61

List II

(Conditions)

- A. Isothermal process
- I. No heat exchange
- B. Isochoric process
- II. Carried out at constant temperature
- C. Isobaric process
- III. Carried out at constant volume
- D. Adiabatic process
- IV. Carried out at constant pressure

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-IV, B-II, C-III, D-I
- (3) A-I, B-II, C-III, D-IV
- (4) A-II, B-III, C-IV, D-I
- Which one of the following alcohols reacts instantaneously with Lucas reagent?
 - (1) $CH_3 CH_2 CH_2 CH_2OH$
 - (2) $CH_3 CH_2 CH OH$ CH_3
 - (3) $CH_3 CH CH_2OH$ CH_3
 - CH₃ (4) CH₃-C-OH CH₃
- 63 The energy of an electron in the ground state (n = 1) for He⁺ ion is -x J, then that for an electron in n = 2 state for Be³⁺ ion in J is:
 - (1) -x
- (2) $-\frac{x}{9}$
- (3) -4x
- (4) $-\frac{4}{9}x$

Q4_English]

1


64 The compound that will undergo S_N¹ reaction with the fastest rate is


(1) OBr


(2) \(\rightarrow B


(3) Br

- (4) CH₃
- 65 The Henry's law constant (K_H) values of three gases (A, B, C) in water are 145, 2×10⁻⁵ and 35 kbar, respectively. The solubility of these gases in water follow the order:
 - (1) B>A>C
- (2) B>C>A
- (3) A > C > B
- (4) A>B>C
- 66 Which plot of $\ln k$ vs $\frac{1}{T}$ is consistent with Arrhenius equation?









In which of the following equilibria, K_p and K_c are **NOT** equal?

$$(1)^{r}$$
 $PCl_{5(g)} \rightleftharpoons PCl_{3(g)} + Cl_{2(g)}$

- (2) $H_{2(g)} + I_{2(g)} \rightleftharpoons 2 HI_{(g)}$
- (3) $CO_{(g)} + H_2O_{(g)} \rightleftharpoons CO_{2(g)} + H_{2(g)}$
- (4) $2 \operatorname{BrCl}_{(g)} \rightleftharpoons \operatorname{Br}_{2(g)} + \operatorname{Cl}_{2(g)}$

Given below are two statements: 68

Statement I: The boiling point of three isomeric pentanes follows the order

n-pentane > isopentane > neopentane

Statement II: When branching increases, the molecule attains a shape of sphere. This results in smaller surface area for contact, due to which the intermolecular forces between the spherical molecules are weak, thereby lowering the boiling point.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct.
- (2) Both Statement I and Statement II are incorrect.
- (3) Statement I is correct but Statement II is incorrect.
- (4) Statement I is incorrect but Statement II is correct.
- 69 The reagents with which glucose does not react to give the corresponding tests/products are
 - Tollen's reagent
 - B. Schiff's reagent
 - C. **HCN**
 - D. NH₂OH
 - NaHSO₃

Choose the correct options from the given below:

- (1) B and C
- (2) A and D
- (3) B and E
- E and D
- In which of the following processes entropy 70 increases?
 - A. A liquid evaporates to vapour.
 - B. Temperature of a crystalline solid lowered from 130 K to 0 K.
 - C. $2 \text{ NaHCO}_{3(s)} \rightarrow \text{Na}_2\text{CO}_{3(s)} + \text{CO}_{2(g)} + \text{H}_2\text{O}_{(g)}$
 - D. $Cl_{2(g)} \rightarrow 2 Cl_{(g)}$

Choose the correct answer from the options given below:

- (1) A and C
- (2) A, B and D

11

- (3) A, C and D
- (4) C and D

Q4 English]

Match List I with List II. List I (Reaction)

List II (Reagents/ Condition)

- II. CrO₃
- III. KMnO₄/ KOH, ∆

D.
$$\bigcirc CH_2CH_3 \rightarrow COOK$$

- IV. (i) O₃
 - (ii) Zn-H₂O

Choose the correct answer from the options given below:

- (1) A-IV, B-I, C-III, D-II
- (2) A-III, B-I, C-II, D-IV
- (3) A-IV, B-I, C-II, D-III
- (4) A-I, B-IV, C-II, D-III
- Given below are twb statements:

Statement I: The boiling point of hydrides of Group 16 elements follow the order

 $H_2O > H_2Te > H_2Se > H_2S$.

Statement II: On the basis of molecular mass, H2O is expected to have lower boiling point than the other members of the group but due to the presence of extensive H-bonding in H2O, it has higher boiling point.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement II are true.
- (2) Both Statement Land Statement II are false.
- (3) Statement I is true but Statement II is false.
- (4) Statement I is false but Statement II is true.
- For the reaction $2A \rightleftharpoons B+C$, $K_c = 4 \times 10^{-3}$. At a 73 given time, the composition of reaction mixture

is: $[A] = [B] = [C] = 2 \times 10^{-3} M$. Then, which of the following is correct?

(1) Reaction is at equilibrium.

- (2) Reaction has a tendency to go in forward direction.
 - (3) Reaction has a tendency to go in backward direction.
 - (4) Reaction has gone to completion in forward direction.

Match List I with List II.

List I Quantum Number	List II	
A. m_l	Information provid	ed
- AND - CONTRACT OF THE PARTY O	Shann C hital	
B. <i>m_s</i> C. <i>l</i>	3170 a C 1 140	-
C. 1	orientation of	
D "	Orbital	111-11-11
D. <i>n</i>	IV. orientation of s	pin
Choose the correct a	Ofelectron	
Choose the correct a	IISWer from a	-:-

from the options given below:

- (1) A-I, B-III, C-II, D-IV
- (2) A-III, B-IV, C-I, D-II
- (3) A-III, B-IV, C-II, D-I
 - (4) A-II, B-I, C-IV, D-III
- A compound with a molecular formula of C₆H₁₄ has two tertiary carbons. Its IUPAC name is:
 - (1) n-hexane
 - (2) 2-methylpentane
 - (3) 2,3-dimethylbutane
 - (4) 2,2-dimethylbutane
- On heating, some solid substances change from 76 solid to vapour state without passing through liquid state. The technique used for the purification of such solid substances based on the above principle is known as
 - (1) Crystallization
 - (2) Sublimation
 - (3) Distillation
 - (4) Chromatography
- 77 The most stable carbocation among the following

(2)
$$CH_3$$
 CH_2
 CH_3
 CH_3
 CH_3
 CH_3
 CH_3



Given below are two statements: 78

Statement I: Aniline does not undergo Fried Crafts alkylation reaction.

Statement II: Aniline cannot be prepared through Gabriel synthesis.

In the light of the above statements, choose t correct answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both Statement I and Statement II are fals
- (3) Statement I is correct but Statement II false.
- (4) Statement I is incorrect but Statement II true.
- Which reaction is NOT a redox reaction? 79
 - (1) $Zn + CuSO_4 \rightarrow ZnSO_4 + Cu$
 - (2) $2 \text{ KCIO}_3 + I_2 \rightarrow 2 \text{ KIO}_3 + \text{CI}_2$
 - (3) $H_2 + Cl_2 \rightarrow 2 HCl$
 - (4) $BaCl_2 + Na_2SO_4 \rightarrow BaSO_4 + 2 NaCl$
- 80 Match List I with List II.

T :-4 T

(Compound) (Shape/geometry) A. NH ₃ I. Trigonal Pyramida	List I			List II	
A. NH ₃ I. Trigonal Pyramida	(Compound)		(Shape/geometry)		
	A. NH ₃		I.	Trigonal Pyramidal	
B. BrF ₅ II. Square Planar	B. BrF ₅		II.	Square Planar	
C. XeF ₄ III. Octahedral	C. XeF ₄		III.	Octahedral	
D. SF ₆ IV. Square Pyramidal	D. SF ₆		IV.	-	

Choose the correct answer from the options give below:

- (1) A-I, B-IV, C-II, D-III
- (2) A-II, B-IV, C-III, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-II, B-III, C-IV, D-I
- Arrange the following elements in increasing 81 order of first ionization enthalpy:
 - Li, Be, B, C, N

Choose the correct answer from the options give below:

- (1) Li < Be < B < C < N
- (2) Li < B < Be < C < N
- (3) Li < Be < C < B < N
- (4) Li < Be < N < B < C

[Contd.

- 'Spin only' magnetic moment is same for which 82 of the following ions?
 - Ti3+
- C. Mn2+
- Fe²⁺
- Sc3+

Choose the most appropriate answer from the options given below:

- (1) B and D only
- (2) A and E only
- (3) B and C only
- (4) A and D only
- The E° value for the Mn3+/Mn2+ couple is more 83 positive than that of Cr3+/Cr2+ or Fe3+/Fe2+ due to change of
 - (1) d⁵ to d⁴ configuration
 - (2) d⁵ to d² configuration
 - (3) d⁴ to d⁵ configuration
 - (4) d³ to d⁵ configuration
- 84 The highest number of helium atoms is in
 - (1) 4 mol of helium
 - (2) 4 u of helium
 - (3) 4 g of helium
 - (4) 2.271098 L of helium at STP
- 85 Given below are two statements:

Statement I : Both $\left[\text{Co} \left(\text{NH}_3 \right)_6 \right]^{3+}$ and $\left[\text{CoF}_6 \right]^{3-}$

complexes are octahedral but differ in their magnetic behaviour.

Statement II : $\left[\text{Co}(\text{NH}_3)_6 \right]^{3+}$ is diamagnetic

whereas $\left[\text{CoF}_{6} \right]^{3-}$ is paramagnetic.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are true.
- (2) Both Statement I and Statement II are false.
- (3) Statement I is true but Statement II is false.
- Statement I is false but Statement II is true.

- Chemistry: Section-B (Q. No. 86 to 100)
- The pair of lanthanoid ions which are diamagnetic
 - (1) Ce^{4+} and Yb^{2+}
 - (2) Ce^{3+} and Eu^{2+}
 - (3) Gd^{3+} and Eu^{3+}
 - Pm3+ and Sm3+
- Given below are certain cations. Using inorganic qualitative analysis, arrange them in increasing group number from 0 to VI.
 - A13+
- Ba²⁺ C.
- D. Co²⁺
- Mg2+

Choose the correct answer from the options given below:

- (1) B, A, D, C, E
- (2) B, C, A, D, E
- (3) E, C, D, B, A
- (4) E, A, B, C, D
- Major products A and B formed in the following 88 reaction sequence, are

$$H_3C \xrightarrow{OH} \xrightarrow{PBr_3} A \xrightarrow{alc. KOH} B \text{ (major)}$$

The work done during reversible isothermal 89 expansion of one mole of hydrogen gas at 25°C from pressure of 20 atmosphere to 10 atmosphere is:

(Given R = 2.0 cal K_1^{-1} mol-1) PV =

- (1) 0 calorie
- (2) -413.14 calories
- (3) 413.14 calories
- (4) 100 calories (7)
- Identify the major product C formed in the 90 following reaction sequence:

$$CH_3 - CH_2 - CH_2 - I \xrightarrow{NaCN} A$$

 $\frac{\text{OH}^{-}}{\text{Partial hydrolysis}} \rightarrow B \frac{\text{NaOH}}{\text{Br}_{2}}$

- (1) propylamine (1)
- (2) butylamine
- butanamide
- α bromobutanoic acid
- 91 The products A and B obtained in the following reactions, respectively, are

10

$$3ROH + PCI_3 \rightarrow 3RCI + A$$

 $ROH + PCI_5 \rightarrow RCI + HCI + B$

- (1) POCI₃ and H₃PO₃
- (2) POCl₃ and H₃PO₄
- (3) H₃PO₄ and POCl₃
- (4) H₃PO₃ and POCl₃
- 92 Mass in grams of copper deposited by passing 9.6487 A current through a voltmeter containing copper sulphate solution for 100 seconds is:

(Given: Molar mass of Cu: 63 g mol-1, $1F = 96487 \, \text{C}$

- (1) 3.15 g
- 00(2) 0.315 g
- (3) 31.5 g
- (4) 0.0315 g

Q4_English]

- A compound X contains 32% of A, 20% of B 93 remaining percentage of C. Then, the empirical (Given atomic masses of A = 64; B = 40; C = 32
- (2) ABC₃
- (3) AB_2C_2 \bigcirc
- (4) ABC₄
- During the preparation of Mohr's salt solution 94 (Ferrous ammonium sulphate), which of the following acid is added to prevent hydrolysis Fe2+ ion?
 - (1) dilute hydrochloric acid
 - (2) concentrated sulphuric acid
 - (3) dilute nitric acid
 - (4) dilute sulphuric acid
- TIP 95 Identify the correct answer.
 - (1) Three resonance structures can be drawn for ozone.
 - (2) BF₃ has non-zero dipole moment.
 - (3) Dipole moment of NF3 is greater than the of NH₃. (7)
 - (4) Three canonical forms can be drawn for CO₃²⁻ ion!
- The rate of a reaction quadruples whe 96 temperature changes from 27°C to 57°C Calculate the energy of activation.

Given $R = 8.314 \text{ J K}^{-1} \text{ mol}^{-1}$, $\log 4 = 0.6021$

- (1) 38.04 kJ/mol
- (2) 380.4 kJ/mol
- (3) 3.80 kJ/m61¹
- (4) 3804 kJ/mol
- For the given reaction: 97

$$\bigcirc -C = CH \xrightarrow{KMnO_4/H^+} \xrightarrow{P'} (major product)$$

'P' is

[Contd.

98 The plot of osmotic pressure (Π) vs concentration (mol L-1) for a solution gives a straight line with slope 25.73 L bar mol-1. The temperature at which the osmotic pressure measurement is done is:

(Use $R = 0.083 L bar mol^{-1} K^{-1}$)

- (1) 37°C
- (2) 310°C
- (3) 25.73°C
- (4) 12.05°C
- 99 Given below are two statements:

Statement I: $\left[\text{Co}(\text{NH}_3)_6 \right]^{3+}$ is a homoleptic complex whereas $\left[\text{Co}(\text{NH}_3)_4 \text{Cl}_2 \right]^+$ is a heteroleptic complex.

Statement II: Complex $\left[\text{Co(NH}_3)_6\right]^{3+}$ has only one kind of ligands but $\left[\operatorname{Co}(\operatorname{NH}_3)_4\operatorname{Cl}_2\right]^+$ has more than one kind of ligands.

In the light of the above statements, choose the correct answer from the options given below:

- Both Statement I and Statement II are true.
- (2) Both Statement I and Statement II are false.
- Statement I is true but Statement II is false.
- (4) Statement I is false but Statement II is true.
- Consider the following reaction in a sealed vessel 100 at equilibrium with concentrations of

$$N_2 = 3.0 \times 10^{-3} \text{ M}, O_2 = 4.2 \times 10^{-3} \text{ M} \text{ and}$$

 $NO = 2.8 \times 10^{-3} \text{ M}.$

$$2NO_{(g)} \rightleftharpoons N_{2(g)} + O_{2(g)}$$

If 0.1 mol L-1 of NO(g) is taken in a closed vessel, what will be degree of dissociation (α) of NO_(g) at equilibrium?

- (1) 0.00889
- (2) 0.0889
- (3) 0.8889
- (4) 0.717

Q4_English |

- Botany: Section-A (Q. No. 101 to 135)
- Auxin is used by gardeners to prepare weed-free 101 lawns. But no damage is caused to grass as auxin (1) promotes apical dominance.

- promotes abscission of mature leaves only. does not affect mature monocotyledonous
- can help in cell division in grasses, to produce growth.
- How many molecules of ATP and NADPH are required for every molecule of CO₂ fixed in the Calvin cycle?


(1) 2 molecules of ATP and 3 molecules of NADPH

(2) 2 molecules of ATP and 2 molecules of

(3) 3 molecules of ATP and 3 molecules of NADPH

(4) 3 molecules of ATP and 2 molecules of

In the given figure, which component has thin 103 outer walls and highly thickened inner walls?



- HT C
- D (2)
- B (4)
- Match List I with List II

List I

- A. Nucleolus
- List II Site of formation of glycolipid
- B. Centriole
- II. Organization like the cartwheel
- C. Leucoplasts
- Site for active ribosomal RNA synthesis
- IV. For storing D. Golgi nutrients

Choose the correct answer from the options given

- A-111, B-11, C-1V, D-1 (2) A-II, B-III, C-I, D-IV
- (3) A-III, B-IV, C-II, D-I
- (4) A-I, B-II, C-III, D-IV

105 Identify the type of flowers based on the position of calyx, corolla and androecium with respect to the ovary from the given figures (a) and (b) (1) (a) Epigynous; (b) Hypogynous (2) (a) Hypogynous; (b) Epigynous (3) (a) Perigynous; (b) Epigynous (4) (a) Perigynous; (b) Perigynous 106 Match List I with List II List I List II A. Rhizopus Mushroom B. Ustilago Smut fungus C. Puccinia III. Bread mould D. Agaricus IV. Rust fungus Choose the correct answer from the options given (1) A-III, B-II, C-IV, D-I (2) A-I, B-III, C-II, D-IV. √ (3) A-III, B-II, C-I, D-IV (4) A-IV, B-III, C-II, D-I Which of the following is an example of actinomorphic flower? (1) Datura (2) Cassia (3) Pisum (4) Sesbania Identify the set of correct statements: The flowers of Vallisneria are colourful and produce nectar. B. The flowers of waterlily are not pollinated In most of water-pollinated species, the pollen grains are protected from wetting. Pollen grains of some hydrophytes are long and ribbon like. In some hydrophytes, the pollen grains are carried passively inside water. Choose the correct answer from the options given below: (1) C, D and E only (2) A, B, C and D only

> (3.) A, C, D and E only (4) B, C, D and E only

Q4_English |

109	(1 (2 (3 (4	1 p. 2) 3) 4)	ink flowered Snapdra a red flowered Snapo henotype/s is/are expo Only red flowered p Red flowered as well Only pink flowered Red, Pink as well as	lants as pir plants white	in the progeny? It flowered plants flowered plants
110	T		:::	Language	. 6
	d	21/6	laned parenchuma ac	lla !	noium from fall
				115 15	an example is
					1,12
	_02	4	Redifferentiation •		00
	(3	3)	Dedifferentiation		0
	(4	(Maturation		
	,	1		2.5	
111	M	late	ch List I with List II		(*)
	141		ist I		10
			•		List II
	Α.		wo or more	I.	Back cross
			ternative		14
		fo	rms of a gene		d
	B.	C	ross of F ₁	II.	Ploidy (0)
		pr	ogeny with		. 10
			omozygous		
			cessive parent		
	C		ross of F ₁	III.	Allala an
	C.			ш.	Allele (1)
			ogeny with		n)
•	Ъ		y of the parents		
	D.		umber of	IV.	Test cross
		ch	romosome		27
		se	ts in plant		00.
	C	hoo	ose the correct answer	from t	he options given
	be	elo	w:		
	(1)	A-I, B-II, C-III, D-IV		
	(2	()	A-II, B-I, C-III, D-IV	**	
	(3	7	A-III, B-IV, C-I, D-II		(1)
	(4)	A-IV, B-III, C-II, D-I		in
112	W	hi(ch of the following are	regui	red for the dark
	re	act	ion of photosynthesis?	requi	4
	A	188	Light	E	
	B.		Chlorophyll		00
	C.		CO ₂		O
	D.		ATP		
	_	8			
	CI	100	NADPH ose the correct answer f		antions given
	bo	lo	se the correct answer f	rom ti	in the
					L h
	(1)	A, B and C only		
	(2)	B, C and D only		C
	(3)	C, D and E only		4
	9	1	D and E only		00
					Contd
8					

16

56		
113	Given below are two statements:	The lactose present in the growth medium of
	Statement I: Chromosomes become gradually visible under light microscope during leptotene stage.	bacteria is transported to the cell by the action of: (1) Beta-galactosidase
	Statement II: The begining of diplotene stage is recognized by dissolution of synaptonemal complex. In the light of the above statements, choose the	(2) Acetylase (3) Permease (4) Polymerase
	(1) Both Statement I and Statement II are false	117 Given below are two statements:
	(3) Statement I is true but Statement II is false (4) Statement I is false but Statement II is true	Statement I: Parenchyma is living but collenchyma is dead tissue.
114	Spindle fibers attach to kinetochores of chromosomes during	Statement II: Gymnosperms lack xylem vessels but presence of xylem vessels is the characteristic of angiosperms. In the light of the above statements, choose the
	(1) Prophase (2) Metaphase (3) Anaphase (4) Telophase	(1) Both Statement I and Statement II are true (2) Both Statement I and Statement II are false
115	What is the fate of a piece of DNA carrying only gene of interest which is transferred into an alien organism?	(2) Both Statement I and Statement II are laise (3) Statement I is true but Statement II is false (4) Statement I is false but Statement II is true
	A. The piece of DNA would be able to multiply itself independently in the progeny cells of the organism.	118 Which one of the following is not a criterion for classification of fungi?
	B. It may get integrated into the genome of the recipient.	(1) Morphology of mycelium
	C. It may multiply and be inherited along with the host DNA.D. The alien piece of DNA is not an integral	(2) Mode of spore formation
	part of chromosome. E. It shows ability to replicate.	(4) Fruiting body
	Choose the correct answer from the options given below:	In a plant, black seed color (BB/Bb) is dominant over white seed color (bb). In order to find out the genotype of the black seed plant, with which
	(1) A and B only (2) D and E only	of the following generype with you cross it?
	(3) B and C only	(1) BB (2) bb (4) BB/Bb

00

(4) A and E only

Q4_English]

(3) Bb

17

[Contd...

(4) BB/Bb

10

- 120 Tropical regions show greatest level of species richness because
 - A. Tropical latitudes have remained relatively undisturbed for millions of years, hence more time was available for species diversification.
 - B. Propical environments are more seasonal.
 - C. More solar energy is available in tropics.
 - D. Constant environments promote niche specialization.
 - Tropical environments are constant and predictable.

Choose the correct answer from the options given below:

- A, C, D and E only
- (2) A and B only
- (3) A, B and E only
- (4) A, B and D only
- 121 These are regarded as major causes of biodiversity loss:
 - A. Over exploitation
 - B. Co-extinction
 - C. Mutation Y
 - D. Habitat loss and fragmentation
 - E. Migration

Choose the correct option:

- (1) A, C and Donly
- (2) A, B, C and D only
- (3) A-B and E only
- (4) A, B and D only
- 122 A transcription unit in DNA is defined primarily by the three regions in DNA and these are with respect to upstream and down stream end;
 - (1) Repressor, Operator gene, Structural gene
 - (2) Structural gene, Transposons, Operator gene
 - (3) Inducer, Repressor, Structural gene
 - (4) Promotor, Structural gene, Terminator

- Hind II always cuts DNA molecules at a particular point called recognition sequence and it consists of:
 - (1) 8 bp
- (2) 6 bp
- (3) 4 bp
- (4) 10 bp
- 124 The cofactor of the enzyme carboxypeptidase is:
 - (1) Zinc
- (2) Niacin
- (3) Flavin
- (4) Haem
- 125 Match List I with List II

List I

List II

- A. Clostridium
- I. Ethanol

butylicum

- B. Saccharomyces
- II. Streptokinase
- cerevisiae C. Trichoderma
- III. Butyric acid


polysporum

- D. Streptococcus sp. IV. Cyclosporin-A
 Choose the correct answer from the options given below:
 - (1) A-III, B-I, C-II, D-IV
 - (2) A-II, B-IV, C-III, D-I
 - (3) A-III, B-I, C-IV, D-II
 - (4) A-IV, B-I, C-III, D-II
- 126 List of endangered species was released by-

(I) GEAC

- (2) WWF
- (3) FOAM
- (4) IUCN
- 127 The type of conservation in which the threatened species are taken out from their natural habitat and placed in special setting where they can be protected and given special care is called;
 - (1) In-situ conservation
 - (2) Biodiversity conservation
 - (3) Semi-conservative method
 - (4) Sustainable development

128	The cell	capacity to generate a whole of the plant is called:	plant from any	
	HY	Totipotency		
	(2)	Micropropagation		
	(3)	Differentiation		
		Somatic hybridization		
310		197		
129	The	equation of Verhulst-Pearl lo	gistic growth is	
	$\frac{dN}{dt}$	$= rN \left[\frac{K - N}{K} \right]. \tag{Y}$	gistic growth is	
	From	n this equation, Kindicates:		
	(1)	Intrinsic rate of natural incre	ease	j
	(2)	Biotic potential	(4)	
	(3)	Carrying capacity		
	(4)	Population density	ii .	
		399		



- Inward curling of leaves in monocots.
- Protecting the plant from salt stress.
- (3) Increased photosynthesis in monocots.
- (4) Providing large spaces for storage of sugars.

Lecithin, a small molecular weight organic 131 compound found in living tissues, is an example of:

- Amino acids (1)
- Phospholipids
- Glycerides (3)
- Carbohydrates 4

Inhibition of Succinic dehydrogenase enzyme by 132 malonate is a classical example of:

- (1) Cofactor inhibition
- Feedback inhibition (2)
- Competitive inhibition
- Enzyme activation

- Given below are two statements: Statement I: Bt toxins are insect group specific and coded by Agenc cry IAc. Statement II Bt toxin exists as inactive protoxin in his thuringiensis. However, after ingestion to the inge ingestion by the insect the inactive protoxin gets converted into active form due to acidic pH of the insect gut. In the light of the above statements, choose the
 - correct answer from the options given below:
 - (1) Both Statement I and Statement II are true
 - Both Statement I and Statement II are false (3)
 - Statement I is true but Statement II is false (4) Statement I is false but Statement II is true
- Identify the part of the seed from the given figure which is destined to form root when the seed germinates. (2)



- (1) A C (3)
- (2) B
- (4) D
- Which one of the following can be explained on the basis of Mendel's Law of Dominance?
 - Out of one pair of factors one is dominant and the other is recessive.
 - Alleles do not show any expression and both the characters appear as such in F₂ generation
 - Factors occur in pairs in normal diploid ∟ C. plants. CO
 - The discrete unit controlling a particular _ D. character is called factor.
 - The expression of only one of the parental characters is found in a monohybrid cross. Choose the correct answer from the options given below:
 - (1) A, B and C only (2) A, C, D and E only
 - (3) B, C and D only (4) A, B, C, D and E

13-7 II

Botany: Section-B (Q. No. 136 to 150)

136 Match List I with List II

List I

- A. Citric acid cycle
- I. Cytoplasm
- B. Glycolysis
- II. Mitochondrial matrix
- C. Electron transport system
- III. Intermembrane space of mitochondria
- D. Proton gradient
- IV. Inner
 mitochondrial
 membrane

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-III, <u>D-IV</u>
- (2) A-II, B-I, C-IV, D-III
- (3) A-III, B-IV, C-I, D-II
- (4) A-IV, B-III, C-II, D-I
- 137 Match List I with List II

List I

List II

- A. Robert May
- I. Species-Area relationship
- B. Alexander von Humboldt
- II. Long term
 ecosystem
 experiment using
 out door plots
- C. Paul Ehrlich
- III. Global species diversity at about 7 million
- D. David Tilman
- IV. Rivet popper hypothesis

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- (2) A-III, B-I, C-IV, D-II
- (3) A-I, B-III, C-II, D-IV
- (4) A-III, B-IV, C-II, D-I
- In an ecosystem if the Net Primary Productivity (NPP) of first trophic level is 100 M 10

 $100x (kcal m^{-2}) yr^{-1}$, what would be the GPP (Gross Primary Productivity) of the third trophic level of the same ecosystem?

- (1) $\frac{x}{10} (kcal \ m^{-2}) \ yr^{-1}$
- (2) $x (kcal \ m^{-2}) \ yr^{-1}$
 - (3) $10x (kcal m^{-2}) yr^{-1}$
 - (4) $\frac{100x}{3x} (kcal \ m^{-2}) \ yr^{-1}$
- Q4_English 1

139 Read the following statements and choose the set of correct statements:

In the members of Phaeophyceae,

- A. Asexual reproduction occurs usually by biflagellate zoospores.
- Sexual reproduction is by oogamous method only.
- C. Stored food is in the form of carbohydrates which is either mannitol or laminarin.
- D. The major pigments found are chlorophyll a, c and carotenoids and xanthophyll.
- E. Vegetative cells have a cellulosic wall, usually covered on the outside by gelatinous coating of algin.

Choose the correct answer from the options given below:

- (1) A, B, C and D only
- (2) B, C, D and E only
- (3) A, C, D and E only
- (4) A, B, C and E only
- 140 Spraying sugarcane crop with which of the following plant growth regulators, increases the length of stem, thus, increasing the yield?
 - (1) Auxin
 - (2) Gibberellin
 - (3) Cytokinin
 - (4) Abscisic acid
- 141 Match List I with List II

List I

List II

(Types of Stamens)

(Example)

- A. Monoadelphous
- I. Citrus
- B. Diadelphous
- II. Pea
- C. Polyadelphous
- III. Lily
- D. Epiphyllous
- IV. China-rose

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-I, D-III
- (2) A-IV, B-I, C-II, D-III
- (3) A-I, B-II, C-IV, D-III
- (4) A-III, B-I, C-IV, D-II

Contd...

- Which of the following statement is correct regarding the process of replication in *E.coli?*The DNA dependent DNA polymerase catalyses polymerization in one direction that is 3'→5'.
 - (2) The DNA dependent RNA polymerase catalyses polymerization in one direction, that is 5'→3'.
 - (3) The DNA dependent DNA polymerase catalyses polymerization in 5'→3' as well as 3'→5' direction.
 - (4) The DNA dependent DNA polymerase catalyses polymerization in 5'→3' direction.
- 143 Identify the step in tricarboxylic acid cycle, which does not involve oxidation of substrate.
 - (1) Malic acid → Oxaloacetic acid
 - (2) Succinic acid → Malic acid
 - (3) Succinyl-CoA → Succinic acid
 - (4) Isocitrate → α-ketoglutaric acid

144 Match List I with List II

List I A. Frederick Griffith B. Francois Jacob & Jacque Monod C. Har Gobind Khorana List II List II Genetic code Genetic code II. Semi-conservative mode of DNA replication III. Transformation

Choose the correct answer from the options given below:

IV. Lac operon

(1) A-III, B-II, C-I, D-IV

D. Meselson &

Stahl

- (2) A-III, B-IV, C-I, D-II
- (3) A-II, B-III, C-IV, D-I
- (4) A-IV, B-I, C-II, D-III

Q4_English]

Identify the correct description about the given



- Wind pollinated plant inflorescence showing flowers with well exposed stamens.
 - (2) Water pollinated flowers showing stamens with mucilaginous covering.
 - (3) Cleistogamous flowers showing autogamy.
 - (4) Compact inflorescence showing complete autogamy.
- 146 The DNA present in chloroplast is:
 - (1) Linear, double stranded
 - (2) Circular, double stranded
 - (3) Linear, single stranded
 - (4) Circular, single stranded
- 147 Given below are two statements:

Statement I: In C₃ plants, some O₂ binds to RuBisCO, hence CO₂ fixation is decreased.

Statement II: In C₄ plants, mesophyll cells show very little photorespiration while bundle sheath cells do not show photorespiration.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both Statement I and Statement II are false
- (3) Statement I is true but Statement II is false
- (4) Statement I is false but Statement II is true

148 Match List I with List II

List I

List II

- GLUT-4
- IC I. Hormone
- Insulin
- II. Enzyme
- Trypsin
- III. Intercellular 0
- D. Collagen
- ground substance IV. Enables glucose

transport into cells

Choose the correct answer from the options given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-I, B-II, C-III, D-IV
- (3) A-II, B-III, C-IV, D-I
- (4) A-III, B-IV, C-I, D-II
- Match List I with List II

List I

List II

- Rose
- IN Twisted aestivation
- B. Pea
- Perigynous flower
- C. Cotton
- III. Drupe
- Mango
- IV. Marginal placentation

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-1, D-III
- (2) A-I, B-II, C-III, D-IV
- (3) A-IV, B-III, C-II, D-I
- (4) A-II, B-III, C-IV, D-I
- Which of the following are fused in somatic 150 hybridization involving two varieties of plants?
 - (1) Callus

M

- (2) Somatic embryos
- (3) Protoplasts
- (4) Pollens
- 00

Q4_English]

Zoology: Section-A (Q. No. 151 to 185) 151

Match List I with List II:

List I

List II

- A. Pleurobrachia
- Mollusca
- Radula
- Ctenophora
- Stomochord
- Osteichthyes
- D. Air bladder
- IV. Hemichordata

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-III, D-I
- (2) A-II, B-I, C-IV, D-III
- (3) A-II, B-IV, C-I, D-III
- (4) A-IV, B-III, C-II, D-I
- 152 Following are the stages of cell division:
 - A. Gap 2 phase
 - B. Cytokinesis
 - C. Synthesis phase
 - Karyokinesis D.
 - Gap 1 phase E.

Choose the correct sequence of stages from the options given below:

- (1) C-E-D-A-B
- (2) E-B-D-A-C
- (3) B-D-E-A-C
- E-C-A-D-B

Match List I with List II: 153

List I

List II

- Common cold
- Plasmodium I.
- Haemozoin B.
- Typhoid II.
- Widal test
- Rhinoviruses III. Dust mites
- IV.
- D. Allergy
- Choose the correct answer from the options given below:
- (1) A-II, B-IV, C-III, D-I
- (2) A-I, B-III, C-II, D-IV
- (3) A-III, B-I, C-II, D-IV
- (4) A-IV, B-II, C-III, D-I

Match List I with List II:

List I

List II

- A. Typhoid
- I. **Fungus**
- B. Leishmaniasis
- II. Nematode
- C. Ringworm
- III. Protozoa
- D. Filariasis
- IV. Bacteria

Choose the correct answer from the options given below:

- (1) A-I, B-III, C-II, D-IV
- (2) A-IV, B-III, <u>C-I,</u> D-II
 - (3) A-III, B-I, C-IV, D-II
 - (4) A-II, B-IV, C-III, D-I
- The flippers of the Penguins and Dolphins are 155 the example of the
 - (1) Adaptive radiation
 - (2) Natural selection
 - (3) Convergent evolution
 - (4) Divergent evolution
- 156 Following are the stages of pathway for conduction of an action potential through the heart:
 - AV bundle A.
 - Purkinje fibres B.
 - C. AV node
 - **Bundle** branches D.
 - E. SA node

Choose the correct sequence of pathway from the options given below:

- (1) E-C-A-D-B
- (2) A-E-C-B-D
- (3) B-D-E-C-A
- (4) E-A-D-B-C
- Which of the following statements is incorrect?
 - (1) A bio-reactor provides optimal growth conditions for achieving the desired product,
 - Most commonly used bio-reactors are of stirring type.
 - Bio reactors are used to produce small scale bacterial cultures.
 - (4) Bio-reactors have an agitator system, an oxygen delivery system and foam control system.

- Which of the following is not a component of
 - (1) Uterine fundus
 - Isthmus
 - Infundibulum (3)
 - Ampulla
- Given below are two statements:

Statement I: In the nephron, the descending limb of loop of Henle is impermeable to water and permeable to electrolytes.

Statement II: The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for reabsorption.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both Statement I and Statement II are false
- Statement I is true but Statement II is false
- (4) Statement I is false but Statement II is true
- Which one of the following factors will not affect 160 the Hardy-Weinberg equilibrium?
 - (1) Genetic recombination
 - (2) Genetic drift
 - (3) Gene migration
 - Constant gene pool (4)
- Which of the following is not a steroid hormone?
 - (1) Cortisol
 - (2) Testosterone
 - (3) Progesterone
 - (4) Glucagon
- Match List I with List II:

List I

List II

- A. Non-medicated IUD
- I. Multiload 375 Progestogens
- B. Copper releasing IUD C. Hormone releasing IUD
- III. Lippes loop
- D. Implants
- IV. LNG-20

Choose the correct answer from the options given

- (1) A-JII, B-I, C-II, D-IV
- (2) A-I, B-III, C-IV, D-IL
 - (3) A-IV, B-I, C-II, D-III (4) A-III, B-I, C-IV, D-II

Q4_English]

23

Contd...



In both sexes of cockroach, a pair of jointed filamentous structures called a pair of jointed filamentous structures called anal cerci are present

(4)

O

- 5th segment (1)
- (2) 10th segment
- (3) 8th and 9th segment
- (4) 11th segment

164/ Match List I with List II:

List I

- A. Expiratory capacity
- List II
 - Expiratory reserve volume + Tidal volume + Inspiratory reserve volume
- B. Functional residual capacity
- II. Tidal volume+ Expiratory reserve O volume
- C. Vital capacity
- Ш. Tidal volume + Inspiratory reserve O volume
- D. Inspiratory capacity
- Expiratory reserve volume + Residual volume

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-I; D-III
- (2) A-III, B-II, C-IV, D-I
- (3) A-II, B-I, C-IV, D-III
- (4) A-I, B-III, C-II, D-IV

Match List I with List II:

List I

- List II A. Pons
 - Provides additional . I. space for Neurons, regulates posture m and balance.
- B. Hypothalamus 🚫
 - II. Controls respiration and gastric secretions.
- C. Medulla

1

- a Connects different III. regions of the brain.
- D. Cerebellum
- IV. Neuro secretory cells

Choose the correct answer from the options given below:

- (1) A-II, B-III, Cel, D-IV
- (2) A-III, B-IV, C-II, D-I
- (3) A-I, B-III, C-II, D-IV
- (4) A-II, B-I, C-III, D-IV


Q4_English]

Given below are two statements. 166

Statement I: The presence or absence of hymen indicator of virginia. is not a reliable indicator of virginity. Statement II: The hymen is tom during the firm

In the light of the above statement, change the correct answer from the options given below

- Both Statement I and Statement I are true
- Both Statement I and Statement II are false
- Statement I is true but Statement II is false
- Statement I is false but Statement I is false
- The following diagram showing restriction sites 167 in E.coli cloning vector pBR322. Find the role of 'X' and 'Y' genes:



The gene 'X' is responsible for resistance to antibiotics and 'Y' for protein involved in the replication of Plasmid.

- The gene 'X' is responsible for controlling the copy number of the linked DNA and 1 for protein involved in the replication Plasmid.
- (3) The gene 'X' is for protein involved it replication of Plasmid and 'Y' for resistant to antibiotics.
- (4) Gene is responsible for recognition sites and 'W is responsible for anibiolic resistant resistance.

A

- Which one is the correct product of DNA 168 dependent RNA polymerase to the given template?
 - 3'TACATGGCAAATATCÇATTCA5'
 - (1) 5'AUGUACCGUUUAUAGGUAAGU3'
 - (2) 5'AUGUAAAGUUUAUAGGUAAGU3'
 - (3) 5'AUGUACCGUUUAUAGGGAAGU3'
 - (4) 5'ATGTACCGTTTATAGGTAAGT3'
- 169 Which of the following are Autoimmune disorders?
 - Myasthenia gravis
 - Rheumatoid arthritis
 - Gout
 - D. Muscular dystrophy
 - Systemic Lupus Erythematosus (SLE)

Choose the most appropriate answer from the options given below:

10

1

TO!

O

10

- (1) A, B & D only
- A STATE OF (2) A, B & E only
- (3) B, C & E only
- (4) C, D & E only
- Match List I with List II: 170

List I

List II

- A. Pterophyllum
- Hag fish
- B. Myxine
- II. Saw fish
- Pristis
- III. Angel fish
- D. Exocoetus
- IV. Flying fish

Choose the correct answer from the options given below:

- (1) A-II, B-I, C-III, D-I
- (2) A-III, B-I, C-II, D-IV
- (3) A-IV, B-I, C-II, D-II
- (4) A-III, B-II, C-I, D-IV

Q4_English]

- Given below are two statements: one is labelled 171 as Assertion A and the other is labelled as
 - Assertion A: FSH acts upon ovarian follicles in female and Leydig cells in male.
 - Reason R: Growing ovarian follicles secrete estrogen in female while interstitial cells secrete androgen in male human being.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true and R is the correct explanation of A.
- (2) Both A and R are true but R is NOT the correct explanation of A.
- (3) A is true but R is false
- A is false but R is true
- 172 Match List I with List II:

List I

(MList II

- A. Lipase
- I. Peptide bond
- B. Nuclease
- II. Ester bond III. Glycosidic bond
- C. Protease
- IV. Phosphodiester bond

D. Amylase Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-III, D-I
- (2) A-III, B-II, C-I, D-IV
- (3) A-II, B-IV, C-I, D-III
- (4) A-IV, B-I, C-III, D-II
- Match List I with List II: 173 00

List I

List II

- 4 Centriole
- A. Axoneme B. Cartwheel
- II. Cilia and flagella

- pattern
- Chromosome
- C. Crista D. Satellite
- INV. Mitochondria
- Choose the correct answer from the options given
- (1) A-IV, B-III, C-II, D-I below:
- (2) A-IV, B-II, C-III, D-I
- (3) A-II, B-IV, C-I, D-III (4) A-II, B-I, C-IV, D-III

174 Match List I with List II :

List I (Sub Phases of Prophase I)

List II

(Specific characters)

- A. Diakinesis
- Synaptonemal complex formation
- B. Pachytene
- II. Completion of terminalisation of
- C. Zygotene
- chiasmata III. Chromosomes look like thin threads
- D. Leptotene
- IV. Appearance of recombination nodules

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-III, D-I
- (2) A-I, B-II, C-IV, D-III
- (3) A-II, B-IV, C-I, D-III
- (4) A-IV, B-III, C-II, D-I

175 Consider the following statements:

- Annelids are true coelomates
- B. Poriferans are pseudocoelomates
- C. Aschelminthes are acoelomates
- Platyhelminthes are pseudocoelomates Choose the correct answer from the options given below:
- (1) Bonly
- (2) A only
- (3) Conly
- (4) Donly

176 Match List I with List II:

List I

List II

- A. α-l antitrypsin
- Cotton bollworm I.
- B. Cry IAb
- ADA deficiency Π. Emphysema
- C. Cry IAc D. Enzyme
- III.
- replacement
- Corn borer IV.

therapy

- Choose the correct answer from the options given below:
- (1) A-II, B-I, C-IV, D-III
- (2) A-III, B-I, C-II, D-IV
- (3) A-III, B-IV, C-I, D-II
- (4) A-II, B-IV, C-I, D-III

Q4_English]


Match List I with List II:

List I

- A. Fibrous joints
- List II
- I. Adjacent vertebrae, limited
 - movement
- B. Cartilaginous joints
- Humerus and II. Pectoral girdle, rotational movement
- C. Hinge joints
- III. Skull, don't allow any movement
- D. Ball and socket joints
- IV. Knee, help in locomotion

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-III, D-I
- (2) A-I, B-III, C-II, D-IV
- (3) A-II, B-III, C-I, D-IV
- (4) A-III, B-I, C-IV, D-II
- 178 Three types of muscles are given as a, b and c. Identify the correct matching pair along with their location in human body:



Name of muscle/location

- (1) (a) Smooth Toes
 - (b) Skeletal Legs
 - (c) Cardiac Heart.
- (2) (a) Skeletal Triceps
 - (b) Smooth Stomach
 - (c) Cardiac Heart.
- (3) (a) Skeletal Biceps
 - (b) Involuntary Intestine
 - (c) Smooth Heart.
- (4) (a) Involuntary Nose tip
 - (b) Skeletal Bone
 - (c) Cardiac Heart.

179 Match List I with List II:

List I

List II

A. Down's syndrome

- 11th chromosome
- B. α-Thalassemia
- II. 'X' chromosome
- C. β-Thalassemia
- III. 21st chromosome
- D. Klinefelter's syndrome
- IV. 16th chromosome

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-III, D-IV
- (2) A-II, B-III, C-IV, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-IV, B-I, C-II, D-III
- Which of the following factors are favourable for the formation of oxyhaemoglobin in alveoli?
 - (1) High pO2 and High pCO2
 - (2) High pO₂ and Lesser H⁺ concentration
 - (3) Low pCO₂ and High H⁺ concentration
 - (4) Low pCO₂ and High temperature
- 181 Given below are some stages of human evolution. Arrange them in correct sequence. (Past to Recent)
 - A. Homo habilis
 - B. Homo sapiens
 - C. Homo neanderthalensis
 - D. Homo erectus

Choose the correct sequence of human evolution from the options given below:

- (1) D-A-C-B
- (2) B-A-D-C
- (3) C-B-D-A
- (4) A-D-C-B

Match List I with List II:

List I

List II

- A. Cocaine
- Effective sedative in surgery
- B, Heroin
- Cannabis sativa II.
- C. Morphine
- Erythroxylum III.
- IV. Papaver somniferum
- D. Marijuana Choose the correct answer from the options given below:
 - (1) A-IV, B-III, C-I, D-II
 - (2) A-I, B-III, C-II, D-IV
 - (3) A-II, B-I, C-III, D-IV
 - (4) A-III, B-IV, C-I, D-II

Given below are two statements : one is labelled 183 as Assertion A and the other is labelled as Reason R:

Assertion A: Breast feeding during initial period of infant growth is recommended by doctors for hringing a healthy baby.

Reason R: Colostrum contains several antibodies absolutely essential to develop resistance for the new born baby.

In the light of the above statements, choose the most appropriate answer from the options given helow:

- (1) Both A and R are correct and R is the correct explanation of A.
- (2) Both A and R are correct but R is NOT the correct explanation of A.
- (3) A is correct but R is not correct.
- (4) A is not correct but R is correct.

- Which of the following is not a natural/traditional 184 contraceptive method?
 - (1) Coitus interruptus
 - (2) Periodic abstinence
 - (3) Lactational amenorrhea
 - (4) Vaults
- The "Ti plasmid" of Agrobacterium tumefaciens . stands for
 - (1) Tumour inhibiting plasmid
 - (2) Tumor independent plasmid
 - (3) Tumor inducing plasmid
 - (4) Temperature independent plasmid

27

Zoology : Section-B (Q. No. 186 to 200)

Match List I with List II; 186

List I

17.

1

- List II A. Exophthalmic I. Excess secretion of goiter
- B. Acromegaly
- cortisol, moon face & hyperglycemia II. Hypo-secretion of thyroid hormone
- C. Cushing's syndrome
- and stunted growth. III. Hyper secretion of thyroid hormone & protruding eye balls. Excessive secretion
- D. Cretinism

of growth hormone. Choose the correct answer from the options given

- (1) A-I, B-III, C-II, D-IV
- (2) A-IV, B-II, C-I, D-III
 - (3) A-III, B-IV, C-II, D-I
 - (4) A-III, B-IV, C-I, D-II
- Given below are two statements:

Statement I: Mitochondria and chloroplasts are both double membrane bound organelles.

Statement II: Inner membrane of mitochondria is relatively less permeable, as compared to chloroplast.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct.
- (2) Both Statement I and Statement II are incorrect.
- (3) Statement I is correct but Statement II is incorrect.
- Statement I is incorrect but Statement II is correct.
- Regarding catalytic cycle of an enzyme action, select the correct sequential steps:
 - Substrate enzyme complex formation,
 - Free enzyme ready to bind with another substrate.
 - Release of products.
 - D. Chemical bonds of the substrate broken.
 - Substrate binding to active site.

Choose the correct answer from the options given

- (1) E, A, D, C, B
- (2) A, E, B, D, B, A, C, D, E
- (4) E, D, C, B, A
- Q4_English]

Match List I with List II related to the street of the str 189

- l_{ist} II The structures used Francis for storing of food.
- B. Ring of 6-8 blind tubules at junction of (12) foregut and midgut.
- C. Ring of 100-150 yellow coloured thin Die. filaments at junction of midgut and hindgut.
- D. The structures used IV. (Inp for grinding the food.

Choose the correct answer from the printing oven below:

- (1) <u>A-IV</u>, B-II, C-III, <u>D</u>-I
- (2) A-I, B-II, C-III, D-IV
- A-IV, <u>B-III</u>, C-II, D-I
- (4) A-III, B-II, C-IV, D-I
- 190 The following are the statements about nonchordates:
 - Pharynx is perforated by gillslifs.
 - B. Notochord is absent.
 - Central nervous system is dorsal.
 - D. Heart is dorsal if present.
 - E. Post anal tail is absent.

Choose the most appropriate answer from the options given below:

- (1) A & C only
- (2) A, B & D only
- (3) B, D & E only
- (4) B, C & D only

- Choose the correct statement given below regarding juxta medullary nephron.
 - (1) Juxta medullary nephrons are located in the columns of Bertini.
 - Renal corpuscle of juxta medullary nephron lies in the outer portion of the renal medulla.
 - (3) Loop of Henle of juxta medullary nephron runs deep into medulla.
 - (4) Juxta medullary nephrons outnumber the cortical nephrons.

192 Given below are two statements:

Statement I: The cerebral hemispheres are connected by nerve tract known as corpus callosum.

Statement II: The brain stem consists of the medulla oblongata, pons and cerebrum.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct.
- (2) Both Statement I and Statement II are incorrect.
- (3) Statement I is correct but Statement II is incorrect.
- (4) Statement I is incorrect but Statement II is correct.

List II

ventricles.

193 Match List I with List II:

List I

D. T-P gap

A. P wave I. Heart muscles are electrically silent. B. QRS complex II. Depolarisation of ventricles. C. T wave III. Depolarisation of atria. D. T.R. gap IV. Repolarisation of

Choose the correct answer from the options given below:

- (1) A-I, B-III, C-IV, D-II
- (2) A-III, B-II, C-IV, D-I
- (3) A-II, B-III, C-I, D-IV
- (4) A-IV, B-II, C-I, D-III

Q4_English]

Match List I with List II:

List I

List II

- A. Mesozoic Era I. Lower invertebrates
- B. Proterozoic Era II. Fish & Amphibia
- C. Cenozoic Era III. Birds & Reptiles
 D. Paleozoic Era IV Mammals
- Choose the correct answer from the options given below:
- (1) A-II, B-I, C-III, D-IV
- (2) A-III, B-I, C-II, D-IV
- (3) A-I, B-II, C-IV, D-III
- (4) A-III, B-I, C-IV, D-II
- 195 As per ABO blood grouping system, the blood group of father is B⁺, mother is A⁺ and child is O⁺. Their respective genotype can be

A. IBi/IAi/ii
B. IBIB/IAIA/ii

Ce IAIB/iIA/IBi

D. -- IAi+IBi+IAi

E. il^B/il^A/l^Al^B-

Choose the most appropriate answer from the options given below:

(1) A only (2) B only

(3) C & B only (4) D & E only

196 Given below are two statements:

Statement I: Gause's competitive exclusion principle states that two closely related species competing for different resources cannot exist indefinitely.

Statement II: According to Gause's principle, during competition, the inferior will be eliminated. This may be true if resources are limiting.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are true.
- (2) Both Statement I and Statement II are false.
- (3) Statement I is true but Statement II is false.
- (4) Statement I is false but Statement II is true.

Given below are two statements:

Statement I: Bone marrow is the mainly ploid organ where all blood cells including lymphocytes

Statement II : Both bone marrow and thymus provide micro environments for the development and maturation of T-lymphocytes.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct.
- (2) Both Statement I and Statement II are incorrect.
- (3) Statement I is correct but Statement II is incorrect. 10
- (4) Statement I is incorrect but Statement II is correct. (17)

15

Match List I with List II :

List I

List II

- A. Unicellular glandular I. Salivary glands epithelium
- B. Compound epithelium [1]. **Pancreas**
- III. Goblet cells of C. Multicellular glandular epithelium 平市 alimentary canal
- D. Endocrine glandular IV. Moist surface of epithelium buccal cavity

Choose the correct answer from the options given

- (1) A-II, B-I, C-III, D-I
- (2) A-IV, B-III, C-I, D-II
- (3) A-III, B-IV, C-I, D-IIO
- (4) A-II, B-I, C-IV, D-III

Match List I with List II:

List I


 $L_{i_{i_{l}}}$

- A. RNA polymerase H
- I. snknps
- B. Termination of transcription
- II. $p_{r_{0}r_{0}r_{0}}$
- C. Splicing of Exon:
- III. Rho factor
- D. TATA box
- IV. SnRNAs, IRNA

Choose the correct answer from the options given

- (1) A-II, B-IV, C-1, D-III
- (2) A-III, B-II, C-IV, D-I
- (3) A-III, B-IV, C.D-II
- (4) A-IV, B-III, C-I, D-II

Identify the correct option (A), (B), (C), (D) with 200 respect to spermatogenesis.



FSH, Leydig cells, Sertoli cells, spermiogenesis

- (2) ICSH, Interstitial cells, Leydig cells. spermiogenesis.
- (3) FSH, Sertoli cells, Leydig cells, spermatogenesis.
- (4) ICSH, Leydig cells, Sertoli cells, spermatogenesis.