

In The Name Of Allah

# AMEER TUITION CENTRE

## KAYALPATTANAM – 628 204.

Register No :

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|

### HSC FIRST YEAR (+1) BIOLOGY BOOK BACK MCQ - 2025

**Time Allowed : 3.00 Hours****Maximum Marks : 165**

- Instructions :**
- (1) check the question paper for fairness of printing. If there is any lack of fairness, inform the Hall Supervisor immediately.
  - (2) Use Black or Blue ink to write and pencil to draw diagrams.

**Note :** Candidate should answer **PART – I (Bio - Botany)** and **PART – II (BIO - Zoology)** in separate answer – books.

### PART – I BIO – ZOOLOGY

#### CHAPTER : 1

#### THE LIVING WORLD

**08 x 1 = 08**

1. A living organism is differentiated from non-living structure based on
  - a. Reproduction
  - b. Growth
  - c. Metabolism
  - d. All the above
2. A group of organisms having similar traits of a rank is
  - a. Species
  - b. Taxon
  - c. Genus
  - d. Family
3. Every unit of classification regardless of its rank is
  - a. Taxon
  - b. Variety
  - c. Species
  - d. Strain
4. Which of the following is not present in same rank?
  - a. Primata
  - b. Orthoptera
  - c. Diptera
  - d. Insecta
5. What taxonomic aid gives comprehensive information about a taxon?
  - a. Taxonomic Key
  - b. Herbarium
  - c. Flora
  - d. Monograph
6. Who coined the term biodiversity?
  - a. Walter Rosen
  - b. AG Tansley
  - c. Aristotle
  - d. AP de Candole
7. Cladogram considers the following characters
  - a. Physiological and Biochemical
  - b. Evolutionary and Phylogenetic
  - c. Taxonomic and systematic
  - d. None of the above
8. Molecular taxonomic tool consists of
  - a. DNA and RNA
  - b. Mitochondria and Endoplasmic reticulum
  - c. Cell wall and Membrane proteins
  - d. All the above

**CHAPTER : 2****KINGDOM ANIMALIA****21 x 1 = 21**

1. The symmetry exhibited in cnidarians is
  - a. Radial
  - b. Bilateral
  - c. Pentamerous radial
  - d. Asymmetrical
2. Sea anemone belongs to phylum
  - a. Protozoa
  - b. Porifera
  - c. Coelenterata
  - d. Echinodermata
3. The excretory cells that are found in platyhelminthes are
  - a. Protonephridia
  - b. Flame cells
  - c. Solenocytes
  - d. All of these
4. In which of the following organisms, self fertilization is seen.
  - a. Fish
  - b. Round worm
  - c. Earthworm
  - d. Liver fluke
5. Nephridia of Earthworms are performing the same functions as
  - a. Gills of prawn
  - b. Flame cells of Planaria
  - c. Trachea of insects
  - d. Nematoblasts of Hydra
6. Which of the following animals has a true coelom ?
  - a. *Ascaris*
  - b. *Pheretima*
  - c. *Sycon*
  - d. *Taenia solium*
7. Metameric segmentation is the main feature of
  - a. Annelida
  - b. Echinodermata
  - c. Arthropoda
  - d. Coelenterata
8. In *Pheretima* locomotion occurs with the help of
  - a. circular muscles
  - b. longitudinal muscles and setae
  - c. circular, longitudinal muscles and setae
  - d. parapodia
9. Which of the following have the highest number of species in nature?
  - a. Insects
  - b. Birds
  - c. Angiosperms
  - d. Fungi
10. Which of the following is a crustacean?
  - a. Prawn
  - b. Snail
  - c. Sea anemone
  - d. Hydra
11. The respiratory pigment in cockroach is
  - a. Haemoglobin
  - b. Haemocyanin
  - c. Haemoerythrin
  - d. None of the above
12. Exoskeleton of which phylum consists of chitinous cuticle?
  - a. Annelida
  - b. Porifera
  - c. Arthropoda
  - d. Echinodermata
13. Lateral line sense organs occur in
  - a. Salamander
  - b. Frog
  - c. Water snake
  - d. Fish
14. The limbless amphibian is
  - a. *Ichthyophis*
  - b. *Hyla*
  - c. *Rana*
  - d. Salamander

15. Four chambered heart is present in

- a. Lizard                      b. Snake                      c. Scorpion                      d. Crocodile

16. Which of the following is not correctly paired?

- a. Humans – Ureotelic  
b. Birds – Uricotelic  
c. Lizards – Uricotelic  
d. Whale – Ammonotelic

17. Which of the following is an egg laying mammal?

- a. *Delphinus*                      b. *Macropus*                      c. *Ornithorhynchus*                      d. *Equus*

18. Pneumatic bones are seen in

- a. Mammalia                      b. Aves                      c. Reptilia                      d. Sponges

19. Match the following columns and select the correct option.

**Column – I**

**Column – II**

(p) Pila

(i) Devil fish

(q) Dentalium

(ii) Chiton

(r) Chaetopleura

(iii) Apple snail

(s) Octopus

(iv) Tusk shell

a. p – (ii), q – (i), r – (iii), s – (iv)

b. p – (iii), q – (iv), r – (ii), s – (i)

c. p – (ii), q – (iv), r – (i), s – (iii)

d. p – (i), q – (ii), r – (iii), s – (iv)

20. In which of the following phyla, the adult shows radial symmetry but the larva shows bilateral symmetry?

- a. Mollusca                      b. Echinodermata                      c. Arthropoda                      d. Annelida

21. Which of the following is correctly matched?

- a. Physalia – Portugese man of war  
b. Pennatula – Sea fan  
c. Adamsia – Sea pen  
d. Gorgonia – Sea anemone

**Wish by,**

**Ph : 94 8800 5009**

**Mr. M K Noohu Lebbai** M.Sc. (Zoology), B.Ed., DAT., CMLT., RTI (Act),...

PG Assistant Biology Teacher in Ameer Tuition Centre, Kayalpattanam – 628204.

**CHAPTER : 3                      TISSUE LEVEL OF ORGANISATION****05 x 1 = 05**

1. The main function of the cuboidal epithelium is
  - a. Protection
  - b. Secretion
  - c. Absorption
  - d. Both (b) and (c)
2. The ciliated epithelium lines the
  - a. Skin
  - b. Digestive tract
  - c. Gall bladder
  - d. Trachea
3. What type of fibres are found in connective tissue matrix?
  - a. Collagen
  - b. Areolar
  - c. Cartilage
  - d. Tubular
4. Prevention of substances from leaking across the tissue is provided by
  - a. Tight junction
  - b. Adhering junction
  - c. Gap junction
  - d. Elastic junction
5. Non-shivering thermogenesis in neonates produces heat through
  - a. White fat
  - b. Brown fat
  - c. Yellow fat
  - d. Colourless fat

**CHAPTER : 4                      ORGAN AND ORGAN SYSTEMS IN ANIMALS****13 x 1 = 13**

1. The clitellum is a distinct part in the body of earthworm *Lampito mauritii*, it is found in?
  - a. Segments 13 – 14
  - b. Segments 14 - 17
  - c. Segments 12 – 13
  - d. Segments 14 - 16
2. Sexually, earthworms are
  - a. Sexes are separate
  - b. Hermaphroditic but not self - fertilizing
  - c. Hermaphroditic and self – fertilizing
  - d. Parthenogenic
3. State whether the statement is **true or false**

To sustain themselves, earthworms must guide their way through the soil using their powerful muscles. They gather nutrients by ingesting organic matter and soil, absorbing what they need into their bodies. State whether the statement is true or false: The two ends of the earthworm can equally ingest soil.

- a. True
  - b. False
4. The head region of Cockroach ----- pairs of ----- and ----- shaped eyes occur.

- a. One pair, sessile compound and kidney shaped
  - b. Two pairs, stalked compound and round shaped
  - c. Many pairs, sessile simple and kidney shaped
  - d. Many pairs, stalked compound and kidney shaped
5. The location and numbers of malpighian tubules in *Periplaneta*.
- a. At the junction of midgut and hindgut, about 150.
  - b. At the junction of foregut and midgut, about 150.
  - c. Surrounding gizzard, eight.
  - d. At the junction of colon and rectum, eight.
6. The type of vision in Cockroach is
- a. Three dimensional
  - b. Two dimensional
  - c. Mosaic
  - d. Cockroach do not have vision
7. How many abdominal segments are present in male and female Cockroaches?
- a. 10, 10
  - b. 9, 10
  - c. 8, 10
  - d. 9, 9
8. Which of the following have an open circulatory system?
- a. Frog
  - b. Earthworm
  - c. Pigeon
  - d. Cockroach
9. Buccopharyngeal respiration in frog
- a. is increased when nostrils are closed
  - b. Stops when there is pulmonary respiration
  - c. is increased when it is catching fly
  - d. stops when mouth is opened.
10. Kidney of frog is
- a. Archinephr
  - b. Pronephros
  - c. Mesonephros
  - d. Metanephros
11. Presence of gills in the tadpole of frog indicates that
- a. fishes were amphibious in the past
  - b. fishes evolved from frog -like ancestors
  - c. frogs will have gills in future
  - d. frogs evolved from gilled ancestor
12. Choose the wrong statement among the following:
- a. In earthworm, a pair of male genital pore is present.
  - b. Setae help in locomotion of earthworms.
  - c. Muscular layer in the body wall of earthworm is made up of circular muscles only.
  - d. Typhlosome is part of the intestine of earthworm.

13. Which of the following are the sense organs of Cockroach?

- Antennae, compound eyes, maxillary palps, anal cerci
- Antennae, compound eye, maxillary palps and tegmina
- Antennae, ommatidia, maxillary palps, sternum and anal style
- Antennae, eyes, maxillary palps, tarsus of walking legs and coxa

**Wish by,**

**Ph : 94 8800 5009**

**Mr. M K Noohu Lebbai** M.Sc. (Zoology), B.Ed., DAT., CMLT., RTI (Act),..

PG Assistant Biology Teacher in Ameer Tuition Centre, Kayalpattanam – 628204.

## **CHAPTER : 5**

## **DIGESTION AND ABSORPTION**

**16 x 1 = 16**

1. Choose the incorrect sentence from the following:

- Bile juice emulsifies the fat.
- Chyme is a digestive acidic food in stomach.
- Pancreatic juice converts lipid into fatty acid and glycerol.
- Enterokinase stimulates the secretion of pancreatic juice.

2. What is chyme....?

- The process of conversion of fat into small droplets.
- The process of conversion of micelles substances of glycerol into fatty droplet.
- The process of preparation of incompletely digested acidic food through gastric juice.
- The process of preparation of completely digested liquid food in midgut.

3. Which of the following hormones stimulate the production of pancreatic juice and bicarbonate?

- |                                 |                         |
|---------------------------------|-------------------------|
| a. Angiotensin and epinephrine  | b. Gastrin and insulin  |
| c. Cholecystokinin and secretin | d. Insulin and glucagon |

4. The sphincter of Oddi guards

- |                          |                     |
|--------------------------|---------------------|
| a. Hepatopancreatic duct | b. Common bile duct |
| c. Pancreatic duct       | d. Cystic duct      |

5. In small intestine, active absorption occurs in case of

- |                    |                  |
|--------------------|------------------|
| a. Glucose         | b. Amino acids   |
| c. Na <sup>+</sup> | d. All the above |

6. Which one is incorrectly matched?

- |                        |                    |
|------------------------|--------------------|
| a. Pepsin – stomach    | b. Renin – liver   |
| c. Trypsin – intestine | d. Ptyalin – mouth |

7. Absorption of glycerol, fatty acids and monoglycerides takes place by

- |                               |                             |
|-------------------------------|-----------------------------|
| a. Lymph vessels within villi | b. Walls of stomach         |
| c. Colon                      | d. Capillaries within villi |

8. First step in digestion of fat is

- |                           |                              |
|---------------------------|------------------------------|
| a. Emulsification         | b. Enzyme action             |
| c. Absorption by lacteals | d. Storage in adipose tissue |

9. Enterokinase takes part in the conversion of

- |                             |                             |
|-----------------------------|-----------------------------|
| a. Pepsinogen into pepsin   | b. Trypsinogen into trypsin |
| c. Protein into polypeptide | d. Caseinogen into casein   |

10. Which of the following combinations are not matched?

**Column I**

**Column II**

- |                         |                                |
|-------------------------|--------------------------------|
| a. Bilirubin and        | (i) Intestinalbiliverdin juice |
| b. Hydrolysis of starch | (ii) Amylases                  |
| c. Digestion of fat     | (iii) Lipases                  |
| d. Salivary gland       | (iv) Parotid                   |

11. Match column I with column II and choose the correct option

**Column – I**

**Column – II**

- |                     |                                      |
|---------------------|--------------------------------------|
| (P) Small intestine | (i) Largest factory                  |
| (Q) Pancreas        | (ii) Absorption of Water             |
| (R) Liver           | (iii) Carrying electrolytic solution |
| (S) Colon           | (iv) Digestion and absorption        |

- |                                            |                                            |
|--------------------------------------------|--------------------------------------------|
| a. ( P-iv ) ( Q -iii ) ( R- i ) ( S – ii ) | b. ( P-iii ) ( Q -ii ) ( R- i ) ( S – iv ) |
| c. ( P-iv ) ( Q -iii ) ( R- ii ) ( S – i ) | d. ( P-ii ) ( Q -iv ) ( R- iii ) ( S – i ) |

12. Match column I with column II and choose the correct option

**Column – I**

**Column – II**

- |                     |              |
|---------------------|--------------|
| (P) Small intestine | (i) 23 cm    |
| (Q) Large intestine | (ii) 4 meter |

(R) Oesophagus

(iii) 12.5 cm

(S) Pharynx

(iv) 1.5 meter

a. ( P-iv ) ( Q -ii ) ( R- i ) ( S – iii )

b. ( P-ii ) ( Q -iv ) ( R- i ) ( S – iii )

c. ( P-i ) ( Q -iii ) ( R- ii ) ( S – iv )

d. ( P-iii ) ( Q -i ) ( R- ii ) ( S – iv )

13. Match column I with column II and choose the correct option

**Column – I****Column – II**

(P) Lipase

(i) Starch

(Q) Pepsin

(ii) Cassein

(R) Renin

(iii) Protein

(S) Ptyalin

(iv) Lipid

a. ( P-iv ) ( Q -ii ) ( R- i ) ( S – iii )

b. ( P-iii ) ( Q -iv ) ( R- ii ) ( S – i )

c. ( P-iv ) ( Q -iii ) ( R- ii ) ( S – i )

d. ( P-iii ) ( Q -ii ) ( R- iv ) ( S – i )

14. Which of the following is not the function of liver?

a. Production of insulin

b. Detoxification

c. Storage of glycogen

d. Production of bile

15. **Assertion (A):** Large intestine also shows the presence of villi like small intestine.**Reason (B):** Absorption of water takes place in large intestine.

a. Both A and B are true and B is the correct explanation of A

b. Both A and B are true but B is not the correct explanation of A

c. A is true but B is false

d. A is false but B is true

16. Which of the following is not true regarding intestinal villi?

a. They possess microvilli.

b. They increase the surface area.

c. They are supplied with capillaries and the lacteal vessels.

d. They only participate in digestion of fats.

**Wish by,****Ph : 94 8800 5009****Mr. M K Noohu Lebbai** M.Sc. (Zoology), B.Ed., DAT., CMLT., RTI (Act),...

PG Assistant Biology Teacher in Ameer Tuition Centre, Kayalpattanam – 628204.

**CHAPTER : 6****RESPIRATION****16 x 1 = 16**

1. Breathing is controlled by
  - a. cerebrum
  - b. medulla oblongata
  - c. cerebellum
  - d. pons
2. Intercostal muscles are found between the
  - a. vertebral column
  - b. sternum
  - c. ribs
  - d. glottis
3. The respiratory structures of insects are
  - a. tracheal tubes
  - b. gills
  - c. green glands
  - d. lungs
4. Asthma is caused due to
  - a. inflammation of bronchus and bronchioles.
  - b. inflammation of bronchione
  - c. damage of diaphragm.
  - d. infection of lungs
5. The Oxygen Dissociation Curve is
  - a. sigmoid
  - b. straight line
  - c. curved
  - d. rectangular hyperbola
6. The Tidal Volume of a normal person is
  - a. 800 mL
  - b. 1200 mL
  - c. 500 mL
  - d. 1100 – 1200 mL
7. During inspiration, the diaphragm
  - a. expands.
  - b. unchanged
  - c. relaxes to become domed-shaped.
  - d. contracts and flattens
8. CO<sub>2</sub> is transported through blood to lungs as
  - a. carbonic acid
  - b. oxyhaemoglobin
  - c. carbamino haemoglobin
  - d. carboxy haemoglobin
9. When 1500 mL air is in the lungs, it is called
  - a. vital capacity
  - b. tidal volume
  - c. residual volume
  - d. inspiratory reserve volume
10. Vital capacity is
  - a. TV + IRV
  - b. TV + ERV
  - c. RV + ERV
  - d. TV + IRV + ERV
11. After a long deep breath, we do not respire for some seconds due to
  - a. more CO<sub>2</sub> in the blood
  - b. more O<sub>2</sub> in the blood
  - c. less CO<sub>2</sub> in the blood
  - d. less O<sub>2</sub> in the blood
12. Which of the following substances in tobacco smoke damage the gas exchange system?
  - a. carbon monoxide and carcinogens
  - b. carbon monoxide and nicotine
  - c. carcinogens and tar
  - d. nicotine and tar
13. Column I represents diseases and column II represents their symptoms. Choose the correctly paired option

**Column I****Column II**

(P) Asthma

(i) Recurring of bronchitis

(Q) Emphysema

(ii) Accumulation of W.B.C in alveolus

(R) Pneumonia

(iii) Allergy

a. P = iii, Q = ii, R = i

b. P = iii, Q = i, R = ii

c. P = ii, Q = iii, R = i

d. P = ii, Q = i, R = iii

14. Which of the following best describes the process of gas exchange in the lungs?

a. Air moves in and out of the alveoli during breathing.

b. Carbon dioxide diffuses from deoxygenated blood in capillaries into the alveolar air.

c. Oxygen and carbon dioxide diffuse down their concentration gradients between blood and alveolar air.

d. Oxygen diffuses from alveolar air into deoxygenated blood.

15. Make the correct pairs.

**Column-I****Column-II**

(P) IC

i. maximum volume of air breathed in after forced inspiration.

(Q) EC

ii. Volume of air present after expiration in lungs.

(R) VC

iii. Volume of air inhaled after expiration.

(S) FRC

iv. Volume of air present after inspiration in lungs.

16. Make the correct pairs.

**Column-I****Column-II**

(P) Tidal volume

i. 1000 to 1100 ml

(Q) Residual volume

ii. 500 ml

(R) Expiratory reserve volume

iii. 2500 to 3000 ml

(S) Inspiratory reserve volume

iv. 1100 to 1200 ml

(a) P – ii , Q – iv , R – i , S – iii

(b) P – iii , Q – ii , R – iv , S – i

(c) P – ii , Q – iv , R – iii , S – I

(d) P – iii , Q – iv , R – i , S – ii

**Wish by,****Ph : 94 8800 5009****Mr. M K Noohu Lebbai** M.Sc. (Zoology), B.Ed., DAT., CMLT., RTI (Act),..

PG Assistant Biology Teacher in Ameer Tuition Centre, Kayalpattanam – 628204.

**CHAPTER : 7****BODY FLUIDS AND CIRCULATION****14 x 1 = 14**

1. What is the function of lymph?
  - a. Transport of O<sub>2</sub> into brain
  - b. Transport of CO<sub>2</sub> into lungs
  - c. Bring interstitial fluid in blood
  - d. Bring RBC and WBC in lymph node
2. Which one of the following plasma proteins is involved in the coagulation of blood?
  - a. Globulin
  - b. Fibrinogen
  - c. Albumin
  - d. Serum amylase
3. Which of the following is not involved in blood clotting?
  - a. Fibrin
  - b. Calcium
  - c. Platelets
  - d. Bilirubin
4. Lymph is colourless because
  - a. WBC are absent
  - b. WBC are present
  - c. Haemoglobin is absent
  - d. RBC are absent
5. Blood group is due to the presence or absence of surface
  - a. Antigens on the surface of WBC
  - b. Antibodies on the surface of RBC
  - c. Antigens on the surface of RBC
  - d. Antibodies on the surface of WBC
6. A person having both antigen A and antigen B on the surface of RBCs belongs to blood group
  - a. A
  - b. B
  - c. AB
  - d. O
7. Erythroblastosis foetalis is due to the destruction of
  - a. Foetal RBCs
  - b. Foetus suffers from atherosclerosis
  - c. Foetal WBCs
  - d. Foetus suffers from mianmata
8. Dub sound of heart is caused by
  - a. Closure of atrio-ventricular valves
  - b. Opening of semi-lunar valves
  - c. Closure of semi-lunar values
  - d. Opening of atrio-ventricular valves.
9. Why is the velocity of blood flow the lowest in the capillaries?
  - a. The systemic capillaries are supplied by the left ventricle, which has a lower cardiac output than the right ventricle.
  - b. Capillaries are far from the heart, and blood flow slows as distance from the heart increases.
  - c. The total surface area of the capillaries is larger than the total surface area of the arterioles.
  - d. The capillary walls are not thin enough to allow oxygen to exchange with the cells.

10. An unconscious patient is rushed into the emergency room and needs a fast blood transfusion. Because there is no time to check her medical history or determine her blood type, which type of blood should you as her doctor, give her?
- a. A2                      b. AB                      c. O1                      d. O2
11. Which of these functions can be carried out by a matured red blood cell?
- a. Protein synthesis                      b. Cell division  
c. Lipid synthesis                      d. Active transport
12. At the venous end of the capillary bed, the osmotic pressure is
- a. Greater than the hydrostatic pressure                      b. Result in net outflow of fluids  
c. Results in net absorption of fluids                      d. No change occurs
13. A patient's chart reveals that he has a cardiac output of 7500mL per minute and a stroke volume of 50 mL. What is his pulse rate (in beats / min)
- a. 50                      b. 100                      c. 150                      d. 400
14. At any given time there is more blood in the venous system than that of the arterial system. Which of the following features of the veins allows this?
- a. relative lack of smooth muscles                      b. presence of valves  
c. proximity of the veins to lymphatic's                      d. thin endothelial lining

**CHAPTER : 8****EXCRETION****12 x 1 = 12**

1. Concentration of urine depends upon which part of the nephron
- a. Bowman's capsule                      b. Length of Henle's loop  
c. P.C.T.                      d. Network of capillaries arising from glomerulus
2. If Henle's loop were absent from mammalian nephron, which one of the following is to be expected?
- a. There will be no urine formation  
b. There will be hardly any change in the quality and quantity of urine formed  
c. The urine will be more concentrated  
d. The urine will be more dilute
3. What will happen if the stretch receptors of the urinary bladder wall are totally removed?

- a. Micturition will continue  
b. Urine will be continue to collect normally in the bladder  
c. There will be micturition  
d. Urine will not collection the bladder
4. The end product of Ornithine cycle is  
a. carbon dioxide                      b. uric acid                      c. urea                      d. ammonia
5. Identify the wrong match  
a. Bowman's capsule                      Glomerular filtration  
b. DCT                      Absorption of glucose  
c. Henle's loop                      Concentration of urine  
d. PCT                      Absorption of Na<sup>+</sup> and K<sup>+</sup> ions
6. Podocytes are the cells present on the  
a. Outer wall of Bowman's capsule                      b. Inner wall of Bowman's capsule  
c. Neck of nephron                      d. Wall glomerular capillaries
7. Glomerular filtrate contains  
a. Blood without blood cells and proteins                      b. Plasma without sugar  
c. Blood with proteins but without cells                      d. Blood without urea
8. Kidney stones are produced due to deposition of uric acid and  
a. silicates                      b. minerals                      c. calcium carbonate                      d. calcium oxalate
9. Animal requiring minimum amount of water to produce urine are  
a. ureotelic                      b. ammonotelic                      c. uricotelic                      d. chemotelic
10. Aldosterone acts at the distal convoluted tubule and collecting duct resulting in the absorption of water through  
a. Aquaporins                      b. spectrins                      c. GLUT                      d. Chloride channels
11. The hormone which helps in the reabsorption of water in kidney tubules is  
a. cholecystokinin                      b. angiotensin II  
c. antidiuretic hormone                      d. pancreozymin
12. Malpighian tubules remove excretory products from  
a. mouth                      b. oesophagus                      c. haemolymph                      d. alimentary canal.

**CHAPTER : 9****LOCOMOTION AND MOVEMENTS****20 x 1 = 20**

1. Muscles are derived from
  - a. ectoderm
  - b. mesoderm
  - c. endoderm
  - d. neuro ectoderm
2. Muscles are formed by
  - a. myocytes
  - b. leucocytes
  - c. osteocytes
  - d. lymphocytes
3. The muscles attached to the bones are called
  - a. skeletal muscle
  - b. cardiac muscle
  - c. involuntary muscle
  - d. smooth muscles
4. Skeletal muscles are attached to the bones by
  - a. tendon
  - b. ligament
  - c. pectin
  - d. fibrin
5. The bundle of muscle fibres is called
  - a. Myofibrils
  - b. fascicle
  - c. sarcomere
  - d. sarcoplasm
6. The pigment present in the muscle fibre to store oxygen is
  - a. myoglobin
  - b. troponin
  - c. myosin
  - d. actin
7. The functional unit of a muscle fibre is
  - a. sarcomere
  - b. sarcoplasm
  - c. myosin
  - d. actin
8. The protein present in the thick filament is
  - a. myosin
  - b. actin
  - c. pectin
  - d. leucin
9. The protein present in the thin filament is
  - a. myosin
  - b. actin
  - c. pectin
  - d. leucin
10. The region between two successive Z-discs is called a
  - a. sarcomere
  - b. microtubule
  - c. myoglobin
  - d. actin
11. Each skeletal muscle is covered by
  - a. epimysium
  - b. perimysium
  - c. endomysium
  - d. hypomysium
12. Knee joint is an example of
  - a. saddle joint
  - b. hinge joint
  - c. pivot joint
  - d. gliding joint
13. Name of the joint present between the atlas and axis is
  - a. synovial joint
  - b. pivot joint
  - c. saddle joint
  - d. hinge joint
14. ATPase enzyme needed for muscle contraction is located in
  - a. actinin
  - b. troponin
  - c. myosin
  - d. actin
15. Synovial fluid is found in
  - a. Ventricles of the brain
  - b. Spinal cord


- CHAPTER : 10**
- NEURAL CONTROL AND COORDINATION**
- 14 x 1 = 14**

a. Tympanic membrane                      b. Organ of Corti  
c. Oval window                              d. Semicircular canal

- a. Sensory nerve – afferent                      b. Motor nerve - afferent
- c. Sensory nerve – ventral                        d. Motor nerve – dorsal

- a. P = Acetylcholine, Q =  $\text{Ca}^{++}$   
b. P = Acetylcholine, Q =  $\text{Na}^{+}$   
c. P = GABA, Q =  $\text{Na}^{+}$   
d. P = Cholinesterase, Q =  $\text{Ca}^{++}$

- Cell-A is the rod cell found evenly all over retina
- Cell-A is the cone cell more concentrated in the fovea centralis
- Cell-B is concerned with colour vision in bright light
- Cell-A is sensitive to bright light intensities



5. **Assertion:** The imbalance in concentration of  $\text{Na}^+$ ,  $\text{K}^+$  and proteins generates action potential.
- Reason :** To maintain the unequal distribution of  $\text{Na}^+$  and  $\text{K}^+$ , the neurons use electrical energy.
- Both Assertion and Reason are true and Reason is the correct explanation of the Assertion.
  - Both Assertion and Reason are true but the Reason is not the correct explanations of Assertion.
  - Assertion is true, but Reason is false.
  - Both Assertion and Reason are false.
6. Which part of the human brain is concerned with the regulation of body temperature?
- Cerebellum
  - Cerebrum
  - Medulla oblongata
  - Hypothalamus
7. The respiratory centre is present in the
- Medulla oblongata
  - Hypothalamus
  - Cerebellum
  - Thalamus
8. Match the following human spinal nerves in column I with their respective number in column II and choose the correct option

**column I**

- P. Cervical nerves  
Q. Thoracic nerve  
R. Lumbar nerve  
S. Coccygeal nerve

**column II**

- i. 5 pairs  
ii. 1 pair  
iii. 12 pair  
iv. 8 pair

- ( P-iv ),( Q-iii ),( R-i ),( S-ii )
- ( P-iii ), ( Q-i ), ( R-ii ), ( S-iv )
- ( P-iv ),( Q-i ),( R-ii ),( S-iii )
- ( P-ii ), ( Q-iv ), ( R-i ), ( S-iii )

9. The abundant intracellular cation is

- $\text{H}^+$
- $\text{K}^+$
- $\text{Na}^+$
- $\text{Ca}^{++}$

10. Which of the following statements is wrong regarding conduction of nerve impulse?

- In a resting neuron, the axonal membrane is more permeable to  $\text{K}^+$  ions and nearly impermeable to  $\text{Na}^+$  ions.
- Fluid outside the axon has a high concentration of  $\text{Na}^+$  ions and low concentration

of  $K^+$ , in a resting neuron.

- d. Ionic gradients are maintained by  $Na^+ K^+$  pumps across the resting membrane, which transport 3Na ions outwards for 2K<sup>+</sup> into the cell.
- e. A neuron is polarized only when the outer surface of the axonal membrane possesses a negative charge and its inner surface is positively charged.

11. All of the following are associated with the myelin sheath except

- a. Faster conduction of nerve impulses
- b. Nodes of Ranvier forming gaps along the axon
- c. Increased energy output for nerve impulse conduction
- d. Saltatory conduction of action potential

12. Several statements are given here in reference to cone cells which of the following option indicates all correct statements for cone cells ?

### Statements

- (i) Cone cells are less sensitive in bright light than Rod cells
- (ii) They are responsible for colour vision
- (iii) Erythropsin is a photo pigment which is sensitive to red colour light
- (iv) They are present in fovea of retina

- |                        |                          |
|------------------------|--------------------------|
| a. (iii), (ii) and (i) | b. (ii) , (iii) and (iv) |
| c. (i), (iii) and (iv) | d. (i), (ii) and (iv)    |

13. Which of the following statement concerning the somatic division of the peripheral neural system is incorrect?

- a. Its pathways innervate skeletal muscles
- b. Its pathways are usually voluntary
- c. Some of its pathways are referred to as reflex arcs
- d. Its pathways always involve four neurons

14. When the potential across the axon membrane is more negative than the normal resting potential, the neuron is said to be in a state of

- |                   |                      |
|-------------------|----------------------|
| a. Depolarization | b. Hyperpolarization |
| c. Repolarization | d. Hypopolarization  |

**CHAPTER : 11      CHEMICAL COORDINATION AND INTEGRATION****13 x 1 = 13**

1. The maintenance of constant internal environment is referred as
  - a. Regulation
  - b. homeostasis
  - c. co-ordination
  - d. hormonal control
2. Which of the following are exclusive endocrine glands?
  - a. Thymus and testis
  - b. adrenal and ovary
  - c. parathyroid and adrenal
  - d. pancreas and parathyroid
3. Which of the following hormone is not secreted under the influence of pituitary gland?
  - a. thyroxine
  - b. insulin
  - c. oestrogen
  - d. glucocorticoids
4. Spermatogenesis in mammalian testes is controlled by
  - a. Luteinising hormone
  - b. Follicle stimulating hormone
  - c. FSH and prolactin
  - d. GH and prolactin
5. Serum calcium level is regulated by
  - a. Thyroxine
  - b. FSH
  - c. Pancreas
  - d. Thyroid and parathyroid
6. Iodised salt is essential to prevent
  - a. rickets
  - b. scurvy
  - c. goitre
  - d. acromegaly
7. Which of the following gland is related with immunity?
  - a. Pineal gland
  - b. adrenal gland
  - c. thymus
  - d. parathyroid gland
8. Which of the following statement about sex hormones is correct?
  - a. Testosterone is produced by Leydig cells under the influence of luteinizing hormone
  - b. Progesterone is secreted by corpus luteum and softens pelvic ligaments during child birth.
  - c. Oestrogen is secreted by both sertoli cells and corpus luteum
  - d. Progesterone produced by corpus luteum is biologically different from the one produced by placenta.
9. Hypersecretion of GH in children leads to
  - a. Cretinism
  - b. Gigantism
  - c. Graves disease
  - d. Tetany

**Wish by,****Ph : 94 8800 5009****Mr. M K Noohu Lebbai** M.Sc. (Zoology), B.Ed., DAT., CMLT., RTI (Act),...

PG Assistant Biology Teacher in Ameer Tuition Centre, Kayalpattanam – 628204.

Page **18** of **21**

10. A pregnant female delivers a baby who suffers from stunted growth, mental retardation, low intelligence quotient and abnormal skin. This is the result of
- Low secretion of growth hormone
  - Cancer of the thyroid gland
  - Over secretion of pars distalis
  - Deficiency of iodine in diet.
11. The structure which connects the hypothalamus with anterior lobe of pituitary gland is the
- Dendrites of neuro hypophysis
  - Axons of neurohypophysis
  - Bands of white fibers from cerebellar region
  - Hypophyseal portal system
12. Which one of the following statement is correct
- Calcitonin and thymosin are thyroid hormones
  - Pepsin and prolactin are secreted in stomach
  - Secretin and rhodopsin are polypeptide hormones
  - Cortisol and aldosterone are steroid hormones
13. which of the given option shows all wrong statements for thyroid gland Statements
- It inhibits process of RBC formation
- (ii) It helps in maintenance of water and electrolytes
- (iii) Its more secretion can reduce blood pressure
- (iv) It Stimulates osteoblast
- (a) (i) and (ii)                      (b) (iii) and (iv)                      (c) (i) and (iv) (                      d) (i) and (iii)

**CHAPTER : 12****TRENDS IN ECONOMIC ZOOLOGY****13 x 1 = 13**

1. Which one of the following is not related to vermiculture?
- Maintains soil fertility
  - Breakdown of inorganic matter
  - Gives porosity, aeration and moisture holding capacity
  - Degradation of non biodegradable solid waste
- i and ii is correct
  - iii and iv is correct
  - ii and iv is not correct
  - i and iii is not correct
2. Which one of the following is not an endemic species of earthworm?
- Perionyx*
  - Lampito*
  - Eudrillus*
  - Octochaetona*
3. Match the following and select the correct option

- |                                |   |              |   |              |
|--------------------------------|---|--------------|---|--------------|
| 1. <i>Bombyx mori</i>          | - | i. Champa    | - | I. Muga      |
| 2. <i>Antheraea assamensis</i> | - | ii. Mulberry | - | II. Eri      |
| 3. <i>Antheraea mylitta</i>    | - | iii. Arjun   | - | III. Tassar  |
| 4. <i>Attacus ricini</i>       | - | iv. Castor   | - | IV. Mulberry |

- (a) 1 – ii – IV      b) 2 – iii – II      c) 3 – i – I      d) 4 – iv – III

4. Silk is obtained from ....

- |                          |                           |
|--------------------------|---------------------------|
| a. <i>Laccifer lacca</i> | b. <i>Nosema bombycis</i> |
| c. <i>Attacus ricini</i> | d. <i>Attacus mylitta</i> |

5. **Assertion:** Nuptial flight is a unique flight taken the queen bee followed by several drones.

**Reason :** The queen bee produces a chemical substance called pheromone. The drones in that area are attracted to the pheromone and then mating takes place.

- a. Assertion and reason is correct but not related
- b. Assertion and reason is incorrect but related
- c. Assertion and reason is correct but related
- d. Assertion and reason is incorrect but not related

6. Rearing of honey bee is called

- |                 |                |
|-----------------|----------------|
| a. Sericulture  | b. Lac culture |
| c. Vermiculture | d. Apiculture  |

7. Which of the statement regarding Lac insect is TRUE?

- a. A microscopic, resinous crawling scale insect
- b. Inserts its proboscis into plant tissue suck juices and grows
- c. Secretes lac from the hind end of body.
- d. The male lac insect is responsible for large scale production of lac.

8. Prawn belongs to the class

- |                 |                  |
|-----------------|------------------|
| a. crustacea    | b. Annelida      |
| c. Coelenterata | d. Echinodermata |

9. Aquaponics is a technique which is

- a. A combination of aquaculture and fish culture
- b. A combination of aquaculture and hydroponics
- c. A combination of vermiculture and hydroponics
- d. A combination of aquaculture and prawn culture.

10. Inland fisheries are
- deep sea fishing
  - capturing fishes from sea coast
  - Raising and capturing fishes in fresh water
  - oil extraction from fish
11. Induced breeding technique is used in
- Marine fishery
  - Capture fishery
  - Culture fishery
  - Inland fishery
12. Isinglass is used in
- Preparation
  - Clearing of wines
  - Distillation of wines
  - Preservation of wines
13. Choose the correctly matched pair
- Egg layers – Brahma
  - Broiler types - Leghorn
  - Dual purpose – White Plymouth rock
  - Ornamental breeds – Silkie

**Wish by,**

**Ph : 94 8800 5009**

**Mr. M K Noohu Lebbai** M.Sc. (Zoology), B.Ed., DAT., CMLT., RTI (Act),...

PG Assistant Biology Teacher in Ameer Tuition Centre, Kayalpattanam – 628204.

\*\*\*\*\*