

14

CO

COMMON FIRST MID-TERM TEST - 2019

Standard X

Reg.No.:

--	--	--	--	--

Time: 1.15 hours.

MATHEMATICS

Marks: 50

Part - A

I. Choose the correct answer:

10 x 1 = 10

- If $n(A \times B) = 6$ and $A = \{1, 3\}$ then $n(B)$ is
a) 1 b) 2 c) 3 d) 6
- If $\{(a, 8), (6, b)\}$ represents an identity function, then the value of a and b are respectively
a) (8, 6) b) (8, 8) c) (6, 8) d) (6, 6)
- Let $A = \{1, 2, 3, 4\}$ and $B = \{4, 8, 9, 10\}$. A function $f: A \rightarrow B$ given by $f = \{(1, 4), (2, 8), (3, 9), (4, 10)\}$ is a
a) many-one function b) identity function
c) one-to-one function d) into function
- If $f(x) = 2x^2$ and $g(x) = \frac{1}{3x}$, then $f \circ g$ is
a) $\frac{3}{2x^2}$ b) $\frac{2}{3x^2}$ c) $\frac{2}{9x^2}$ d) $\frac{1}{6x^2}$
- If $f: A \rightarrow B$ is a bijective function and if $n(B) = 7$ then $n(A) =$
a) 7 b) 49 c) 1 d) 14
- Euclid's division lemma states that for positive integer a and b , there exist unique integers q and r such that $a = bq + r$, where r must satisfy
a) $1 < r < b$ b) $0 < r < b$ c) $0 \leq r < b$ d) $0 < r \leq b$
- $7^{4k} \equiv \underline{\hspace{1cm}} \pmod{100}$
a) 1 b) 2 c) 3 d) 4
- A system of three linear equations in three variables is inconsistent if their planes
a) intersect only at a point b) intersect in a line
c) concides with each other d) do not intersect
- $\frac{3y-3}{y} \div \frac{7y-7}{3y^2}$ is
a) $\frac{9y}{7}$ b) $\frac{9y^3}{(21y-21)}$ c) $\frac{21y^2-42y+21}{3y^3}$ d) $\frac{7(y^2-2y+1)}{y^2}$
- The square root of $\frac{256x^8y^4z^{10}}{25x^6y^6z^6}$ is equal to
a) $\frac{16}{5} \sqrt{\frac{x^2z^4}{y^2}}$ b) $16 \sqrt{\frac{y^2}{x^2z^4}}$ c) $\frac{16}{5} \sqrt{\frac{y}{xz^2}}$ d) $\frac{16}{5} \sqrt{\frac{xz^2}{y}}$

Part - B

II. Answer any 5 of the following questions:

5 x 2 = 10

11. Find $A \times B$ and $A \times A$ $A = \{2, -2, 3\}$ and $B = \{1, -4\}$

(2)

X Maths

13. A Relation R is given by the set $\{(x,y)/y=x+3, x \in \{0,1,2,3,4,5\}\}$. Determine its domain and range.
14. Let $A = \{1,2,3,4\}$ and $B = N$. Let $f : A \rightarrow B$ be defined by $f(x) = x^2$ then
i) find the range of f ii) identify the type of function
15. When the positive integer a, b and c are divided by 13, the respective remainders are 9, 7 and 10. Show that $a + b + c$ is divisible by 13.
16. Find the LCM of the following: $8x^4y^2, 48x^2y^4$
17. Simplify: $\frac{5x^2y}{4z^2} \times \frac{6xz^2}{20y^2}$

Part - C

III. Answer any 5 questions:

5 x 5 = 25

18. Let $A = \{1,2,3,4\}$ and $B = \{2,5,8,11,14\}$ be two sets. Let $f : A \rightarrow B$ be a function given by $f(x) = 3x - 1$. Represent this function
i) by arrow diagram ii) in a table form
iii) as a set of ordered pairs iv) in a graphical form
19. A function $f : [-5,9] \rightarrow R$ is defined as follows:

$$f(x) = \begin{cases} 6x + 1 & \text{if } -5 \leq x < 2 \\ 5x^2 - 1 & \text{if } 2 \leq x < 6 \\ 3x - 4 & \text{if } 6 \leq x \leq 9 \end{cases}$$

Find i) $f(-3) + f(2)$ ii) $\frac{2f(-2) - f(6)}{f(4) + f(-2)}$

20. Consider the functions $f(x), g(x), h(x)$ as given below. Show that $(f \circ g) \circ h = f \circ (g \circ h)$
 $f(x) = x - 1, g(x) = 3x + 1$ and $h(x) = x^2$
21. Find the HCF of 396, 504, 636
22. Solve the following system of linear equations in three variables.
 $x + y + z = 5; 2x - y + z = 9; x - 2y + 3z = 16$
23. Find the GCD of the polynomials $x^3 + x^2 - x + 2$ and $2x^3 - 5x^2 + 5x - 3$.
24. Find the square root of the following polynomials by division method:
 $x^4 - 12x^3 + 42x^2 - 36x + 9$

Part - D

IV. Answer the following questions:

1 x 5 = 5

25. Construct a triangle similar to a given triangle PQR with its sides equal to $\frac{3}{5}$ of the corresponding sides of the triangle PQR (Scale factor $\frac{3}{5} < 1$)
(or)
26. Construct a triangle similar to a given triangle PQR with its sides equal to $\frac{2}{3}$ of the corresponding sides of the triangle PQR (Scale factor $\frac{2}{3}$).