10th SCIENCE **QR CODE QUESTIONS & ANSWER**

1. LAWS OF MOTION

- 1. A heavy truck and bike are moving with same kinetic energy. If the mass of truck is four times that of the bike, then calculate ratio of their momenta)
 - a) 1:4

- c) 2:1
- d) 1:1

Solution:

Let, Mass of the bike = m_R

Mass of the truck = m_T = $4m_B$

Kinetic Energy
$$=\frac{1}{2} mv^2 = \frac{1}{2} mv^2 \times \frac{m}{m} = \frac{m^2v^2}{2m}$$

i.e. KE $=\frac{p^2}{2m}$ [: $p = mv$]

K.E of truck = K.E of bike

of truck = K.E of bike
$$\frac{p_{T}^{2}}{2(4m_{B})} = \frac{p_{B}^{2}}{2m_{B}}$$

$$\frac{p_{T}^{2}}{p_{B}^{2}} = \frac{8m_{B}}{2m_{B}} = \frac{4m_{B}}{m_{B}} = \frac{4}{1}$$

$$\frac{p_{T}}{p_{B}} = \sqrt{\frac{4}{1}} = \frac{2}{1}$$

: Ratio of the momentum of truck to that of the bike is 2:1.

i.e. Momentum of the truck is twice the momentum of the bike.

- 2. A planet has a mass of 20% more than that of earth, and radius is 20% less than that of earth. Then find the acceleration due to gravity.
 - a) 17.375 m s⁻²
- b) 18.375 m s⁻²
- c) 16.375 m s⁻²
- d) 11.375 m s⁻²

Solution:

Mass of the Earth = M_E

Mass of the Planet = $M_E + 0.2 M_E = 1.2 M_E$

Radius of the Earth $= R_E$

Radius of the Planet = $R_E - 0.2 R_E = 0.8R_E$

Acceleration due to gravity of the Planet

 $g' = \frac{G(1.2)M_E}{(0.8R_E)^2} = \frac{1.2}{(0.8)^2} \times \frac{GM_E}{R_E^2}$ $g' = \frac{1.2}{0.64} \times g_E = \frac{1.2}{0.64} \times 9.8$ $g' = 18.375 \text{ ms}^{-2}$

- 3. Two planets are spiraling around sun in circular orbits of ratio m:n and the density ratio p:q, the acceleration due to gravity g is the ratio of
 - a) mq: np
- b) np : mq
- d) mp: nq

Solution:

Ratio of the Radius, R_1 : $R_2 = m$: n

Ratio of the density, d_1 : $d_2 = p$: q

For sphere, volume $=\frac{4}{3}\pi R^3$

 $Mass = density \times volume$

 $\frac{M_1}{M_2} = \frac{d_1 \times \frac{4}{3} \pi R_1^3}{d_2 \times \frac{4}{3} \pi R_2^3} = \frac{d_1 R_1^3}{d_2 R_2^3}$ $\frac{G_1}{g_2} = \frac{GM_1}{R_1^2} \times \frac{R_2^2}{GM_2} = \frac{M_1}{M_2} \times \frac{R_2^2}{R_1^2}$ $= \frac{d_1 R_1}{d_2 R_2} \times \frac{R_2^2}{R_1^2} = \frac{d_1 R_1}{d_2 R_2} = \frac{mp}{nq}$

: Ratio of acceleration due to gravity of the two planets is mp: no

4. Two asteroids of equal masses revolve diametrically opposite to each other in circle of radius 1000km with equal velocity. If the mass of one of them is 108 kg, then find their velocity.

 $(G = 6.6 \times 10^{-11} \text{ N m}^{-2} \text{ kg}^{-2}) (0.66)^{1/2} = 0.8124$

- a) $0.816 \times 10^{-2} \text{ ms}^{-2}$ b) $0.816 \times 10^{-3} \text{ ms}^{-2}$ c) $0.716 \times 10^{-3} \text{ ms}^{-2}$

- d) 0.716 x 10⁻² ms⁻²

- 5. A bomb of mass 10 kg is initially at rest explodes into two parts. Mass of 4 kg is moving with kinetic energy of 200 J. Velocity of other mass is _
 - a) 2.54
- b) 6.6
- c) 5.67
- d) -6.6

Solution:

Mass of the bomb = 10kg, $m_1 = 4$ kg, $m_2 = 6$ kg Kinetic Energy of mass $4 \text{ kg} (m_1) = 200 \text{ J}$ $\therefore \frac{1}{2} m_1 V_1^2 = 200$

Law of conservation of momentum,

$$m_1V_1 + m_2V_2 = 0$$

$$4 \times 10 + 6 \times V_2 = 0$$

$$40 + 6V_2 = 0$$

$$6V_2 = -40$$

$$V_2 = \frac{-40}{6}$$

$$V_3 = -6.6 \text{ ms}^{-1}$$

- 6. Average force necessary to stop a hammer with 25 Ns momentum in 0.04s is _____N.
 - a) 625 N
- b) 225 N
- c) 50 N

Solution:

Initial momentum $P_1 = 0$ Ns, Final momentum $P_2 = 25 \text{ Ns}$ Time t = 0.04sForce = $\frac{\text{Change in momentum}}{\text{Time}} = \frac{25-0}{0.04} = 625 \text{ N}$

- 7. A person jumps onto a swimming pool from a height of 1m and comes to rest by 0.2s If the same person increases his height by 8 m from its old position and jumps, comes to rest by 2s. Compare the ratio of forces exerted by him in both the cases.
 - a) 10:3
- b) 3:10
- c) 1:1

d) none of the above

Solution:

From 3^{rd} equation of motion, $V^2 = u^2 + 2gh$

$$V^2 = 2gh \qquad (\because u = 0)$$
$$V = \sqrt{2gh}$$

Case 1: $h_1 = 1m$

$$\begin{split} V_1 &= \sqrt{2gh_1} = \sqrt{2g} \\ F_1 &= \frac{m(v_1 - u_1)}{t_1} = \frac{m\left(\sqrt{2g} - 0\right)}{0.2} = \frac{m\sqrt{2g}}{0.2} \end{split}$$

Case 2: $h_2 = 1 + 8 = 9m$ $V_2 = \sqrt{2gh_2} = \sqrt{2g \times 9} = 3\sqrt{2g}$

$$F_{2} = \frac{m(v_{2} - u_{2})}{t_{2}} = \frac{m(3\sqrt{2g} - 0)}{2} = \frac{3m\sqrt{2g}}{2}$$

$$\frac{F_{1}}{2} = \frac{m\sqrt{2g}}{2} \times \frac{2}{2} = \frac{1}{2} = \frac{10}{2}$$

$$\frac{F_1}{F_2} = \frac{m\sqrt{2g}}{0.2} \times \frac{2}{3m\sqrt{2g}} = \frac{1}{0.3} = \frac{10}{3}$$

The ratio of force is = 10:3

- 8. Some force acts on two bodies of different masses 2kg and 4 kg initially at rest. The ratio of time required to acquire same final velocity is
 - a) 2:1
- b) 1:2
- c) 1:1
- d) 4:16

Solution:

$$F_{1} = F_{2} \Rightarrow m_{1}a_{1} = m_{2}a_{2} \Rightarrow \frac{a_{2}}{a_{1}} = \frac{m_{1}}{m_{2}}$$

$$a = \frac{v - u}{t} = \frac{v}{t} \quad (\because u = 0) \Rightarrow \frac{a_{2}}{a_{1}} = \frac{v_{2}}{v_{1}} \times \frac{t_{1}}{t_{2}}$$

$$\because v_{1} = v_{2}, \quad \frac{a_{2}}{a_{1}} = \frac{t_{1}}{t_{2}} = \frac{m_{1}}{m_{2}} = \frac{2}{4} = \frac{1}{2}$$

$$\therefore t_{1}: t_{2} = 1: 2$$

- 9. The lift is going up with the passengers. Total mass is 1 ton. The variation in velocity of lift in 2 sec is 3.6ms⁻¹. Then the tension in the rope pulling the lift is
 - a) 1000 N
- b) 80000 N
- c) 800 N
- d) 8000 N

Solution:

Acceleration =
$$\frac{\frac{\text{change in velocity}}{\text{Time taken}}}{a = \frac{0-3.6}{2} = -1.8 \text{ ms}^{-2}}$$

Tension in the rope, T = m(g + a)

$$T = 1000 (g + a) = 1000(9.8 - 1.8)$$

$$T = 1000 \times 8 = 8000 N$$

- 10. When a person standing on spring balance. Reading on the balance is 65 kgf. If the man jumps off from the balance, then the momentary reading in the balance will be
 - a) first increases and decreases
- b) first decreases and increases

c) decreases

d) no change

Solution:

For jumping he presses the spring platform. So, the reading of spring Balance increases and then it decreases and becomes zero.

2. OPTICS

- 1. The refractive index of water with respect to air is 1.33 and the refractive index of glass with respect to air is 1.52. The refractive index of glass with respect to water is
 - a) 1.33
- b) 1.52
- c) 1.142

Solution:

Refractive index of glass with respect to water = $\frac{\mu \text{ of glass with respect to air}}{\mu \text{ of water with respect to air}} = \frac{1.52}{1.33} = 1.142$

- 2. The time taken by a light ray to travel through a glass slab of thickness 8 mm is (Take μ glass = 1.5)
 - a) 4×10^{-11} s
- b) $4 \times 10^{+11} \text{ s}$
- c) $2.5 \times 10^{-11} \text{ s}$ d) $2.5 \times 10^{+11} \text{ s}$

Solution:

Refractive index(
$$\mu$$
) = $\frac{\text{speed of light in vaccum}}{\text{velocity of light in a medium}} = \frac{c}{v}$ Velocity = $\frac{\text{distance travelled}}{\text{Time taken}}$ \therefore Time taken = $\frac{\text{distance travelled}}{\text{velocity}}$ $t = \frac{8 \times 10^{-3} \text{m}}{2 \times 10^{8} \text{ms}^{-1}} = 4 \times 10^{-11} \text{s}$

We know that,
Velocity =
$$\frac{\text{distance travelled}}{\text{Time taken}}$$

∴ Time taken = $\frac{\text{distance travelled}}{\text{velocity}}$

$$t = \frac{8 \times 10^{-3} \text{m}}{2 \times 10^{8} \text{ms}^{-1}} = 4 \times 10^{-11} \text{s}$$

The time taken by light ray to travel through the glass slab is 4×10^{-11} s

- 3. A lens of focal length 12cm magnifies the object by three times and produced an erect image. Then the distance between the object and the lens is
 - a) 8 cm
- b) 16 cm
- d) 32 cm

Solution:

Magnification
$$m = \frac{V}{u} = 3$$

$$V = 3u$$

$$\frac{1}{3u} - \frac{1}{u} = \frac{1-3}{3u} = \frac{-2}{3u}$$

$$\frac{1}{f} = \frac{-2}{3u}$$
From lens formula $\frac{1}{u} = \frac{1}{3u} - \frac{1}{u} = \frac{1-3}{3u} = \frac{-2}{3u}$

From lens formula,
$$\frac{1}{f} = \frac{1}{V} - \frac{1}{u}$$

$$\frac{1}{3u} - \frac{1}{u} = \frac{1-3}{3u} = \frac{-2}{3u}$$

$$\frac{1}{f} = \frac{-2}{3u}$$

$$u = \frac{-2f}{3} = \frac{-2 \times 12}{3} = \frac{-24}{3} = -8 \Rightarrow \mathbf{u} = \mathbf{8} \text{ cm}$$

- : The distance between the object and the lens is 8 cm.
- 4. A convex lens has a focal length of 12cm. An object is placed at some distance from the lens so that an image is formed at a distance of 24cm in front of the lens. Then the distance between the object and the lens is
 - a) 8 cm

- b) 12 cm
- c) 24 cm
- d) 32 cm

Solution:

f = 12 cm (Positive for convex lens)
$$V = 24 \text{ cm (Positive as image is infront of the lens)}$$

From lens formula,
$$\frac{1}{f} = \frac{1}{v} - \frac{1}{u}$$

 $\frac{1}{u} = \frac{1}{v} - \frac{1}{f} = \frac{1}{24} - \frac{1}{12} = \frac{1-2}{24} = \frac{-1}{24}$
 $u = -24$ cm

: The distance between the object and the lens is 24 cm.

- 5. A lens forms a real image of height 6cm of an object of height 2 cm. If the distance between the object and the image is 16 cm, then the focal length of the lens is
 - a) 2cm

- **b)** 3cm
- c) 6cm
- d) 12cm

Solution:

Magnification $m = \frac{h_i}{h_0} = \frac{6}{2} = 3$ Since, u is negative $m = \frac{V}{-u} = 3$ $\Rightarrow V = -3u$ Focal length = 16 $\Rightarrow -u - 3u = 16$ $-4u = 16 \Rightarrow u = -16/4 = -4cm$ $V = -3u = -3 \times -4 = 12cm$ $\frac{1}{f} = \frac{1}{V} - \frac{1}{u} = \frac{1}{12} - \frac{1}{-4} = \frac{1+3}{12} = \frac{4}{12} = \frac{1}{3}$ f = 3cm

Distance between the object and the image

- 6. The refractive index of medium 2 with respect to medium 1 is 'x' and refractive index of medium 2 with respect to medium 3 is 'y'. Then the refractive index of medium 3 with respect to medium 1 is
 - a) xy

Solution:

 μ of medium 2 w.r.to medium $1 = \frac{\mu \text{ of medium 2}}{\mu \text{ of medium 1}} = x$ μ of medium 2 w.r.to medium $3 = \frac{μ \text{ of medium 2}}{μ \text{ of medium 3}} = y$ μ of medium 3 w.r.to medium $1 = \frac{μ \text{ of medium 3}}{μ \text{ of medium 1}} = \frac{x}{y}$ \therefore The refractive index of medium 3 with respect to 1 is $\frac{x}{y}$.

7. A convex lens of focal length 'f' is placed somewhere in between an object and a screen. The distance between the object and the screen is x. If the numerical value of the magnification produced by the lens is m, then the focal length of the lens is

a)
$$\frac{mx}{(m+1)^2}$$

b)
$$\frac{mx}{(m-1)^2}$$

c)
$$\frac{(m+1)^2}{mx}$$

c)
$$\frac{(m+1)^2}{mx}$$
 d) $\frac{(m-1)^2}{mx}$

Solution:

Since, u is negative,

Magnification
$$m = \frac{v}{-u} \implies v = -mu$$

$$-u + v = x \implies -u - mu = x$$

$$-u(1+m) = x \implies u = \frac{-x}{1+m}$$

$$\therefore v = -mu = \frac{mx}{1+m}$$

$$\frac{1}{f} = \frac{1}{v} - \frac{1}{u} = \frac{1}{\frac{mx}{1+m}} - \frac{1}{\frac{-x}{1+m}}$$

$$\frac{1}{f} = \frac{1+m}{mx} + \frac{1+m}{x} = \frac{m^2 + 2m + 1}{mx}$$

$$\frac{1}{f} = \frac{(m+1)^2}{mx} \Rightarrow f = \frac{mx}{(m+1)^2}$$


- 8. A converging lens is used to form an image on a screen. When upper half of the lens is covered by an opaque screen
 - a) Half the image will disappear
 - b) Complete image will be formed of same intensity
 - c) Half image will be formed of same intensity
 - d) Complete image will be formed of decreased intensity

Solution:

When the converging or diverging lens is covered along the axis, full image will be formed. But, its intensity will get reduced.

5


9. The ray diagram could be correct (Here n_1 , n_2 be the refractive index of medium1 and medium 2, n_g - refractive index of the glass)



b) If
$$n_1 = n_2$$
 and $n_2 < n_g$

c) If $n_1 = n_2$ and $n_1 > n_g$

d) Under no circumstances



(Image change)

Solution:

From n_1 to n_2 , there is no change in incident ray. Therefore $n_1 = n_2$

From n_2 to n_g , there is no change in incident ray. Therefore $n_1 = n_2$

- 10. An object is placed at a distance of f/2 from a convex lens. The image will be
 - a) At one of the foci, virtual and double its size
- b) At 3f / 2, real and inverted

c) At 2f, virtual and erect

d) None of these

Solution:

Object is placed between O and F, : virtual image is formed. u, v both are negative.

$$\frac{1}{f} = \frac{1}{-v} - \frac{1}{-u} = \frac{1}{-v} + \frac{2}{f} \Rightarrow \frac{1}{v} = -\frac{1}{f} + \frac{2}{f} = \frac{1}{f} \Rightarrow v = f \quad \text{$:$ image is formed at } Focus (f).$$

Magnification $m = \frac{-v}{-u} = \frac{-f}{-f/2} = 2$: formed image is **Double its size.**

3. THERMAL PHYSICS

- 1. A piece of ice can
 - a) not radiate heat

- b) radiate and absorb heat
- c) radiate heat but not absorb heat
- d) absorb heat but not radiate heat

Hint: All body above 0 K will radiate and absorb heat. Ice is at 273 K (or) 0°C.

- 2. The bottom of a lake not freeze in severe winter even when the surface is all frozen. Why?
 - a) The water has large specific heat
 - b) The water has large latent heat of fusion
 - c) The conductivity of ice is low
 - d) The temperature of the earth at the bottom of the lake is high
- 3. Why does the cooking pot is coated with black?
 - a) black surfaces reflect more heat
- b) black surfaces are easier to clean
- c) black surfaces absorb more heat
- d) none of above
- 4. Which of the following thermometers is used for measuring temperature around 1200° C?
 - a) Optical pyrometer
 - b) Mercury thermometer
 - c) Constant volume gas thermometer
 - d) Platinum resistance thermometer

- 5. At what temperature are the Celsius value and Fahrenheit value equal?
 - $a) + 40^{\circ}$
- b) 40°
- c) 0°
- $d) + 100^{\circ}$

Hint: $F = \frac{9}{5}C + 32$; to find C when F = C

$$C = \frac{9}{5} C + 32 \Rightarrow \frac{9-5}{5} C = -32 \Rightarrow C = -32 \times \frac{5}{4} = -40^{\circ}C$$

- 6. What would happen to a hole in a metal sheet when the sheet is heated?
 - a) The size of hole is decreases
- b) The size of hole is increases

c) No change in size

d) None of above

<u>Hint:</u> When a metal sheet with hole is heated the sheet expands uniformly on all side. Like liquid or gas, the expanded metal sheet cannot occupies the spaces in the hole.

- : The size of the hole increases.
- 7. The surface which radiates more heat energy at a given particular temperature is
 - a) Black and Rough

b) Black and Polished

- c) White and polished
- d) White and Rough

Hint: Black surface absorbs more heat; Rough surface reflects less and gives more area. Hence, black and rough surface radiates more heat energy.

- 8. Which of the below is used for measurement of high temperature?
 - a) vapour thermometer

b) energy meter

c) pyrometer

- d) resistance thermometer
- 9. If boiling water is taken to the dark side of the moon it will be
 - a) vaporized

- b) continue to boil
- c) stop boiling but remain hot
- d) freeze

<u>Hint:</u> On the dark side of the moon, the temperature is very low that it freezes.

- 10. Order the substances iron, glass and water in descending about thermal conductivity
 - a) iron, glass, Water

b) iron , Water, glass

c) Water, iron, glass

- d) Water ,glass, iron
- 11. If a heater coil is cut into four equal parts and only one part is used in the heater, the heat generated is:
 - a) increases

b) decreases

c) no change

d) may increase or decrease

<u>Hint</u>: Coil is cut into four equal parts \Rightarrow length decreases \Rightarrow resistance decreases

- \therefore Heat generated is increased.
- 12. Which of the following denotes highest temperature?
 - a) 1° C
- b) 1K
- c) 1°F
- d) All are equal

<u>Hint</u>: Convert all to $^{\circ}$ **C**

for 1 K,
$$C = 1 - 273 = -272$$
°C

for 1°F, C =
$$\frac{5}{9}(1 - 32) = \frac{5}{9}(-31) = -17.2$$
 °C

4. ELECTRICITY

- 1. Two charged bodies having equal potential are connected through a wire, in this case
 - a) current will flow

b) current will not flow

c) cannot say

d) current will flow if a resistor is connected

<u>Hint:</u> Current will flow only if there is a potential difference.

- 2. The relation between potential difference (V) and Current (I) is
 - a) V a I
- b) $V \alpha I^2$
- c) $V^2 \alpha I$
- d) $V \alpha I^3$
- 3. If a 12 V battery is connected in series with resistors 30hm, 40hm, 5 ohm, then the current flows through the 3 ohm resistor is
 - a) 1 A
- b) 2 A
- c) 3 A
- d) 4 A


Solution:

Same current flows through the series resistance

$$V = IR_1 + IR_2 + IR_3 = I(R_1 + R_2 + R_3)$$

$$12 = I(3 + 4 + 5)$$

$$I = \frac{12}{12} = 1 A$$



- 4. The rheostat is used in the circuit to:
 - a) increase the magnitude of current only
 - b) decrease the magnitude of current only
 - c) increase or decrease the magnitude of current
 - d) none of these
- 5. There are 'n' resistor each of resistance R. First they all are connected in series and equivalent resistance is X. Now they are connected in parallel and equivalent resistance is Y. What is the ratio of X and Y?

a)
$$X : Y = 1: n$$

b)
$$X : Y = 1 : n^2$$

c)
$$X : Y = n$$
:

b)
$$X : Y = 1 : n^2$$
 c) $X : Y = n : 1$ d) $X : Y = n^2 : 1$

Hint:
$$R_S = nR = X$$
 $R_P = \frac{R}{n} = Y$

$$\frac{X}{Y} = \frac{nR}{R/n} = \frac{n^2}{1}$$

- 6. The heat generated while transferring 50 coulomb of charge in one hour through a potential difference of 50V is
 - a) 50 J
- b) 250 J
- c) 500 J
- d) 2500 J

Solution :
$$Q = 50 \text{ C}, V = 50 \text{ V}, t = 1 \text{hour} = 60 \times 60 = 3600 \text{ s}$$

 $W = QV = 50 \times 50 = 2500 \text{ J}$

- 7. The amount of heat produced by a conductor of resistance 20Ω , while 5A current flows for 30 seconds.
 - a) 150 J
- b) 1500 J
- c) 15000 J
- d) 1000 J

Solution:
$$R = 20 \Omega$$
 $I = 5 A$ $t = 30 secs$
 $H = I^2 Rt = 5 \times 5 \times 20 \times 30 = 15000 J$

Way to Success - 10th Science 🖒

- 8. A 12V battery is connected across a resistor, if the current through the resistor is 2A, then the resistance of the resistor is
 - a) 2Ω
- b) 4 Ω
- c) 6Ω
- d) 12 Ω

Solution: V = 12V, I = 2A

$$V = IR$$
, $R = \frac{V}{I} = \frac{12}{2} = 6 \Omega$

- 9. If 'n' resistors are connected in parallel, then the effective resistance is
 - a) nR

- b) n/R
- c) R/n
- d) R/2n

- 10. One Kilowatt hour is equal to
 - a) $3.6 \times 10^5 \,\text{J}$
- **b)** 3.6 \times 10⁶ J c) 3.6 \times 10⁻⁵ J d) 3.6 \times 10⁻⁶ J

5. ACOUSTICS

- 1. The waves that required a material medium for their propagation is called
 - a) Matter waves

b) Electromagnetic waves

c) Carrier waves

- d) Mechanical waves
- 2. Assertion(A): The velocity of sound in air increases due to the presence of moisture in it Reason(R) : The presence of moisture in air lowers the density of air.
 - a) Both A and R are false
 - b) Both A and R are true but R is not the correct explanation of A
 - c) A is false but R is true
 - d) Both A and R are true and R is the correct explanation of A
- 3. Doppler effect is depend on
 - a) velocity of listener
 - b) distance between the source and listener
 - c) velocity of the source
 - d) all the above
- 4. If wind blows in a direction opposite to the sound propagation, then the velocity of sound
 - a) Increases
- b) Decreases
- c) Remains constant
- d) Cannot be determined
- 5. A longitudinal wave of wavelength 1cm travels with a speed of 300 m/s. Can this wave be heard by a normal human being?
 - a) no

- b) ves
- c) only in day time
- d) only in night time

Hint :

$$n = \frac{v}{\lambda} = \frac{300}{1 \times 10^{-2}} = 30,000 \text{ Hz}$$

This is greater than 20,000 Hz (maximum frequency that a human can hear)

- : Normal human being cannot hear this wave.
- 6. An observer stands at a distance of 850 m from the mountain and fires the gun. If the sound travels at speed of 350 m/s After what time gap he will hear the echo,
 - a) 2 s

- b) 2.2 s
- c) 2.4 s
- d) 4.86 s

<u>Hint :</u>

For echo, sound has to hit the mountain and return back. *i.e.* distance = $850 \times 2 = 1700 \text{ m}$

Time taken to hear echo=
$$\frac{distance}{speed} = \frac{1700}{350} = 4.857 \text{ s}$$

: Sound of echo will be heard after 4.857 s.

9

- 7. The waves produced by a motorboat sailing in water are
 - a) transverse

- b) longitudinal
- c) longitudinal and transverse

- d) stationary
- 8. A wave of frequency 500Hz travels between X and Y, distance' of 600 m in 2s. How many wavelength are there in distance XY?
 - a) 1000
- b) 300
- c) 180
- d) 2000

Solution : Frequency (n) = 500 Hz,

distance travelled (d) = 600 m, time (t) = 2 s

velocity of the wave (v) = $\frac{d}{t} = \frac{600}{2} = 300 \text{ m/s}$

wavelength of the wave (λ) = $\frac{v}{n} = \frac{300}{500} = \frac{3}{5}$ m Number of wavelengths between X and Y (N),

$$N = \frac{d}{\lambda} = \frac{600}{3/5} = 1000 wavelengths$$

- : 1000 wavelengths are present in the distance XY.
- 9. Sound waves of wavelength λ travelling in a medium with a speed of v m/s enter into another medium where its speed is 2v m/s. wavelength of sound waves in the second medium is
 - a) λ

- b) $\lambda/2$
- c) 2 \(\lambda\)
- d) 4 λ

Hint: frequency remains unchanged

Wavelength in 1st medium = $\lambda_1 = \frac{v}{n}$(1)

Wavelength in 2^{nd} medium = $\lambda_2 = \frac{2v}{n}$ (2)

- (2) ÷ (1), $\frac{\lambda_2}{\lambda_1} = \frac{2\varkappa}{\varkappa} \times \frac{\varkappa}{\varkappa} = 2$ $\lambda_2 = 2\lambda_1$
- 10. Which of the following is not a characteristic of musical sound?
 - a) pitch
- b) wavelength
- c) quality
- d) loudness

- 11. What does it mean when a wave's amplitude increases
 - a) its frequency also increasing
- b) its moving in denser medium

c) its wavelength gets longer

- d) its carrying more energy
- 12. Assertion : (A) Solids can support both longitudinal and transverse waves but only longitudinal waves can propagate in gases.

Reason: (R) solids posses two types of elasticity.

- a) Both A and R are false
- b) Both A and R are true but R is not the correct explanation of A
- c) A is false but R is true
- d) Both A and R are true and R is the correct explanation of A

6. NUCLEAR PHYSICS

- 1. β rays are emitted from the _____
 - a) sur

- b) stars
- c) atom whose atomic number less than 50
- d) radio active nucleus of an atom
- 2. Radio activity may be _____
 - a) natural

b) artificial

c) natural and artificial

- d) none of the these
- 3. The natural source of a gamma radiations are _____
 - a) natural gas
- b) radio carbon
- c) radio ions
- d) all the above

Way to Success - 10th Science 4

		,				
4.	The			_	its mass is nearly equal to	
~	т .	a) two protons			c) an atom of helium	
		-)4		1. \	+ ₁ H ¹ , X stands for c) electron	d) deuteron
6	The	a) lieution radio isotopo i	and in an	riculture is b) ₁₅ P ³¹	c) electron	d) dediction
0.	1110	a) $_{15}P^{32}$	iscu iii ag	b) ₁₅ P ³¹	·	d) 11Na ²⁴
					t, whose atomic number is	*
		a) Aluminium		b) Silver	c) Technitium	d) calcium
8.	The	•		s	•	,
		a) rutherford		b) becquerel	c) curie	d) roentgen
9.		trave				
		a) alpha rays		•	c) gamma particles	d) none of the above
10.				for fertile material		
		a) Uranium 23.	5	b) Thorium-232	c) Plutonium 239	d) Plutonium 241
					ND MOLECULES	
1.	Whi			rgest number of partic		J) 2 - ef H
		_		b) 4.4 g of CO ₂	c) 34.2 g of C ₁₂ H ₂₂ O ₁₁	a) 2 g of H ₂
		Solution :		0		
		a) 8 g of CH ₄	molecule	is $=\frac{8}{16} \times 6.023 \times 10^{-1}$	$0^{23} = 3.0115 \times 10^{23} \text{ mole}$	cules
		b) 4.4 g of CC	O ₂ molecul	le is $=\frac{4.4}{44} \times 6.023 \times$	$10^{23} = 0.6023 \times 10^{23} \text{ m}$	olecules
		c) 34.2 g of C ₁	₂ H ₂₂ O ₁₁ m	nolecule is = $\frac{6.023 \times 10^2}{342}$	$\frac{13}{2}$ × 34.2 = 0.6023 × 10 ²³	molecules
		d) $2 g$ of $H_2 m$	nolecule i	$s = \frac{6.023 \times 10^{23}}{2} \times 2 =$	= 6.023×10^{23} molecule	es
2.	Nun	nber of molecule	es in 16 g	of Oxygen is		
		a) 6.023 x 10 ²³		b) 6.023 x 10 ⁻²³	c) 3.011×10^{23}	d) 3.011 x 10 ⁻²³
		Solution: g	ram mole	cular mass of $O_2 = 16$	$5 \times 2 = 32g$	
			les of O_2 :	$={32}\times 6.023\times 10$	$^{23} = \frac{1}{2} \times 6.023 \times 10^{23}$	$=$ 3.0115 \times 10 ²³
		molecules				
3	The	mass of Sodium	n in 117 c	g of NaCl is		
٠.	1110	a) 2.3 g	•	b) 4.6 g	 c) 6.9 g	d) 7.1 g
				mass of NaCl = $23 +$		6
		·				
		∴ Mass of	f Na in 11	.7g of NaCl = $\frac{23}{58.5} \times 1$	$1.7 = 4.6 \mathrm{g}$	
1	W/h :	ch of the follow	ing conto	ine the largest number	of molecules?	
+.	vv 111	a) 0.2 moles of	-	ins the largest number b) 8.0 g of H ₂	c) 17 g of H ₂ O	d) 6.0 g of CO ₂
		•	. 112	U) O.U g UI H2	C) 17 g OI H2O	u) 0.0 g 01 CO2
		Solution :				
		a) No. of mole	ecules in (0.2 moles of $H_2 = 0.2$	$\times 6.023 \times 10^{23}$	
		b) No of mole	ecules in	$8 \log \text{ of H}_{2} = \frac{8}{2}$	$\times 6.023 \times 10^{23} = 4 \times$	6.023×10^{23}

c) No. of molecules in 17 g of $H_2O = \frac{17}{18} \times 6.023 \times 10^{23} = 0.94 \times 6.023 \times 10^{23}$

d) No. of molecules in 6.0 g of $CO_2 = \frac{6}{44} \times 6.023 \times 10^{23} = 0.136 \times 6.023 \times 10^{23}$

~~				
	P Cod	A OHAC	tione &	Answer
	IN GOU	e wuco	แบบร ฉ	Aliswei

5. One gram of which of the following contains largest number of Oxygen atom.

c)
$$O_3$$

Solution:

a) molecular mass of O = 16 g
noof atoms in O=
$$\frac{1}{16} \times 6.023 \times 10^{23}$$

= $\frac{6.023 \times 10^{23}}{16}$

b) molecular mass of
$$O_2 = 32 \text{ g}$$
 c) molecular mass of $O_3 = 48 \text{ g}$ no of atoms in $O_2 = \frac{1}{32} \times 6.023 \times 10^{23} \times 2$ = $\frac{6.023 \times 10^{23}}{48} \times 6.023 \times 10^{23} \times 3$ = $\frac{6.023 \times 10^{23}}{48} \times 6.023 \times 10^{23}$

c) molecular mass of
$$O_3 = 48 \text{ g}$$

noofatoms in $O_3 = \frac{1}{48} \times 6.023 \times 10^{23} \times 3$
= $\frac{6.023 \times 10^{23}}{16}$

6. The mass of one C atom is

a)
$$6.023 \times 10^{23}$$

7. A group of atoms bonded together is

8. How many molecules are present in 1 g of Hydrogen _

b)
$$3.0115 \times 10^{23}$$

c)
$$1.511 \times 10^{23}$$

Solution: No. of H_2 molecules = $\frac{1}{2} \times 6.023 \times 10^{23} = 3.0115 \times 10^{23}$ molecules

9. ₁₇Cl³⁵ and ₁₇Cl³⁷ are

a) isotopes

b) isobars

c) isotones

d) none of these

Solution: Two or more forms of an element having the same atomic number, but different mass number is called isotopes.

10. Which one has no unit

a) AAM

b) GAM

c) RAM

d) GMM

Solution: Relative Atomic Mass (RAM) is only a Ratio, so it has no unit.

8. PERIODIC CLASSIFICATION OF ELEMENTS

Pure gold is

a) 16 carat

b) 22 carat

c) 20 carat

d) 24 carat

2. Blue gold is

a) Alloy of 46% gold with 54% indium

b) Alloy of 36% gold with 64% indium

c) Alloy of 26% gold with 74% indium

d) Alloy of 16% gold with 84% indium

3. Give an example of a metal which is a liquid at room temperature.

a) Mercury

b) Sodium

c) Silver

d) Lead

4. Ionic radii increases in

a) Group

b) Period

c) a and b

d) none of these

Solution: atomic radius, ionic radii also increases in the Group. Whereas decreases in Period.

5. Which one of the following is highly electro negativity

a) fluorine

b) chlorine

c) bromine

d) iodine

Solution:

The size of the atom decreases an electronegativity increases (F < Cl < B < I)

6. Why sodium is kept immersed in kerosene oil?

a) Sodium reacts both with air and water

b) Sodium react with kerosene

c) Sodium react does not reacts both with air and water

d) None

Solution:

Sodium is highly reactive metal. It reacts with oxygen in air at room temperature, the reaction is highly exothermic. To prevent accidental damage this sodium is kept preserved under kerosene. Sodium does not react with kerosene.

Way to Success - 10th Science 3

- a) Aluminium
- b) Silver
- c) Lead
- d) Gold

Solution:

Gold, silver, and aluminium are very good conductor of heat. But, Lead is the poorest conductor of heat.

- 8. The luster of a metal is due to
 - a) Its high density

b) Its high polishing

c) Its chemical inertness

d) Presence of free electrons

Solution:

Metals are **lustrous** because of the **Presence of free electrons** they have. The free electrons can move freely in the metal causing any light incident on them to get reflected back. This reflection is specular reflection rather than diffused and thus the metal surface appears shiny or lustrous.

- 9. Which of the following metals form amphoteric oxide
 - a) Copper
- b) Silver
- c) Aluminium
- d) iron

Solution:

- ★ Amphoteric Oxide is that metallic oxide displaying a dual behaviour. It shows the characteristics of both an acid as well as a base. It reacts with both alkalis as well as acids.
- ★ Amphoteric metals are Copper, Zinc, Lead, Tin, Beryllium, Aluminium.
- \star Al reacted with HCl, it acts as a base to form salt AlCl₃(Salt)
- ★ Al reacted with NaOH, it act as an acid to form NaAlO₂ (Salt)
- 10. The Electrial conductivity of a metal is due to _____
 - a) Its high density

b) Its high polishing

c) Its chemical inertness

d) Presence of free electrons

- 11. non metals generally act as
 - a) oxidizing agents
- b) reducing agents
- c) both (a) and (b)
- d) none of these

Solution:

non-metals act as an **oxidizing agent** because non-metals have a tendency to gain electrons and get reduced.

9. SOLUTIONS

Multiple choice questions:

- 1. Deep sea drivers use $(O_2 + He)$ mixture in preference to $(O_2 + N_2)$ mixture. This is because
 - a) Helium is lighter than nitrogen
 - b) Helium is less soluble in blood than nitrogen
 - c) Helium is more soluble in blood
 - d) Helium provides a better inert atmosphere than nitrogen

Solution:

- ★ Nitrogen and Oxygen mixture- During diving body in under high pressure. This high external pressure causes the nitrogen to get mixed with blood, which then changes to toxic chemicals, which is fatal.
- ★ Helium is less soluble in blood than nitrogen. So, Helium and oxygen mixture- Even if helium got mixed with blood it will not cause any problem as helium is inert.
- 2. Naphthalene dissolves in kerosene because naphthalene and kerosene are respectively
 - a) Polar and non polar

b) Polar and polar

c) Non polar and non polar

d) Non polar and polar

Solution:

- ★ Non-polar compounds are soluble in non-polar solvents.
- ★ Polar compounds are soluble in Polar solvents.
- ★ Napthalene and Kerosene both are non polar compounds.

13

- 3. Saturated solution of NaCl on heating
 - a) Becomes supersaturated

b) Becomes unsaturated

c) Remains saturated

d) Vaporizes

Solution:

Heating a saturated usually causes some of the undissolved solid to dissolve so the solution remains saturated. However, once this has all dissolved further heating increases the solubility so that the solution could dissolve more and it would be **unsaturated**.

Fill in the blanks:

- 1. Nitrogen in soil is an example for **saturated** solution in nature.
- 2. A concentrated solution contains **high** amount of solute.
- 3. The solubility of gases in water **increases** as the pressure increases.
- 4. Anhydrous Calcium Chloride salt absorb moisture from atmospheric air is called **hygroscopic** substances.
- 5. The solubility of a substance is defined as the amount of solute in present in $\underline{100}$ g of the solvent grams.
- 6. Which is homogeneous mixture: **soda water** and **air**. (soda water, wood, air).
- 7. The solubility of ammonium chloride increases as temperature **increases**.

10. TYPES OF CHEMICAL REACTIONS

- 1. Which of the following reactions involves the combination of two elements:
 - a) $CaO + CO_2 \rightarrow CaCO_3$

b) $4Na + O_2 \rightarrow 2Na_2O$

c) $SO_2 + (1/2)O_2 \rightarrow SO_3$

d) $NH_3 + HCI \rightarrow NH_4CI$

Solution:

Sodium (Na) and Oxygen (O_2) both are elements.

- 2. $Zn + H_2SO_4(dil) \rightarrow ZnSO_4 + H_2$ Above reaction is
 - a) Decomposition reaction

b) Single displacement reaction

c) Combination reaction

d) Synthesis reaction

Solution:

Single displacement reaction: Reaction between an element and a compound.

Zn - Element, H_2SO_4 - Compound

- 3. Rate at which reaction proceeds is directly proportional to
 - a) Product of the active masses of products
- b) Product of the active masses of reactants


c) Both a and b

- d) None of these
- 4. Take about 1.0g CaCO₃ in a test tube. Heat it over a flame, when a colorless gas comes out. The reaction is called a
 - a) Decomposition reaction

- b) Displacement reaction
- c) Double decomposition reaction
- d) Double displacement reaction

Solution:

when calcium carbonate is heated, it breaks down into Calcium oxide and Carbon dioxide.



So, It is a type of compound to compound/compound decomposition reaction.

- 5. What type of chemical reaction releases energy in the form of heat?
 - a) geothermic
- b) endothermic
- c) subthermic
- d) exothermic

- 6. In which of the following, heat energy will be evolved?
 - a) Electrolysis of water

b) Dissolution of NH₄Cl in water

c) Burning of L.P.G.

d) Decomposition of AgBr in the presence of sunlight

Solution:

- a) Electrolysis of water is the decomposition of water into oxygen and hydrogen gas due to the passage of an electric current. ... It is also called water splitting.
- b) Dissolution of NH₄Cl in water: The ammonium chloride compound decomposes into its component ions: NH₄⁺ and Cl⁻. This is called dissociation reaction.
- c) **Burning of LPG:** water vapour, Carbon Dioxide and heat evolved, and usually very small amounts of Carbon Monoxide are the products are formed.
- d) Decomposition of AgBr in the presence of sunlight: silver bromide absorbs photo electrons from rays of sun forming photo chemical reaction where silver and bromide separates from each other,

$$2AgBr \rightarrow Ag_2 + Br_2$$

- 7. The reaction in which two compound exchange their ions to form two new compounds is called
 - a) displacement reaction

b) combination reaction

c) double displacement reaction

d) redox reaction

- 8. As an electrolyte, water is
 - a) strong
- b) neutral
- c) weak
- d) a good insulator
- 9. Hydrochloric acid completely ionized in solution hence it is
 - a) weak monobasic acid

b) strong monobasic acid

c) weak monoacid base

d) strong monoacid base

- 10. Pure water is _____ substance.
 - a) Neutral
- b) Basic
- c) strong electrolyte
- d) Acidic

- 11. What is the pH value of saliva after meal?
 - a) 4.8

- b) 5.8
- c) 6.8
- d) Less than 4

Solution:

- ★ Normal pH range of saliva is 6.2 to 7.6. The pH value of saliva after the meal is 5.8.
- ★ after meal becomes acidic in nature.

11. CARBON AND ITS COMPOUNDS

Multiple choice questions:

- 1. Detergents pollute rivers and water bodies. However, detergents can be made biodegradable and pollution free by taking.
 - a) Cyclic hydrocarbon chain

- b) Shorter hydrocarbon chain
- c) Unbranched hydrocarbon chain
- d) Hydrocarbon with more branched chain

Solution:

- ★ Detergent molecules associated with branched hydrocarbon tail which is a source of pollution of water.
- ★ However, detergents can be made biodegradable and pollution free by taking unbranched hydrocarbon chain because unbranched chains are more prone to attack by bacteria.
- 2. Which percentage of acetic acid in water can be used as preservative?
 - a) 5-8%
- b) 10-15%
- c) 15-20%
- d) 100%
- 3. A few drops of ethanoic acid were added to solid sodium carbonate. The possible result of the reactions were:
 - a) A hissing sound was evolved
- b) brown fumes evolved
- c) Brisk effervescence occurred
- d) a pungent smelling gas evolved

Solution:

The following reaction occurs when Acetic acid is added to Sodium carbonate:

$$2 \text{ CH}_3\text{COOH} + \text{Na}_2\text{CO}_3 -----> 2 \text{ CH}_3\text{COONa} + \text{H}_2\text{O} + \text{CO}_2 \uparrow$$

Here, The Liberation of Carbon dioxide (CO_2) is termed as **Brisk Effervescence occured**.

- 4. Which of the four test tubes containing the following chemicals shows the brisk effervescence when dilute acetic acid added to them?
 - i) KOH
- ii) NaHCO3
- iii) K₂ CO₃
- iv) NaCl

- a) i & ii
- b) ii & iii
- c) i & iv
- d) ii & iii

Solution:

- \star Brisk effervescence was produced in test tubes **ii** & **iii**, because of release of CO_2 .
- \star Acids on reaction with metal carbonates form corresponding metal salt, CO_2 and and H_2O .

The reactions involved are -				
Test tube 2	$CH_3COOH_{(aq)} + NaHCO_{3(aq)}> CH_3COONa_{(aq)} + H_2O + CO_{2(g)} \uparrow$			
Test tube 3	2CH ₃ COOH (aq) + K ₂ CO ₃ > 2CH ₃ COOK (aq) + CO ₂ (g) ↑+ H ₂ O			

Fill in the blanks:

- 5. A very dilute solution of ethanoic acid (acetic acid) is vinegar.
- 6. When sodium metal is dropped in ethanol **hydrogen** gas is released.
- 7. Match the following:

GENERAL FORMULA	NAME OF THE FUNCTIONAL GROUP	ANSWER
i) R-COOH	a) Ketone	d) Carboxylic acid
ii) R-CO-R	b) Ether	a) Ketone
iii) R-O-R	c) Aldehyde	b) Ether
iv) R-CHO	d) Carboxylic acid	c) Aldehyde

8. Match the following

SUBSTANCE	CONSTITUENTS	ANSWER
i) Soap	a) Acetic acid	b) Fatty acid
ii) Vinegar	b) Fatty acid	a) Acetic acid
iii) Detergents	c) Alkene	d) Sulphonic acid
iv) Polythene	d) Sulphonic acid	c) Alkene

- 9. This is not a characteristic of members of homologous series
 - a) The possess varying chemical properties
 - b) The properties vary in regular and predictable manner
 - c) The formulae fit the general molecular formula
 - d) Adjacent members differ by one carbon and two hydrogen atoms

Solution:

Chemical properties of the members of a homologous series are similar.

- 10. Consider the chemical formulae CH₃COOH and HCOOCH₃ and choose the correct statement
 - a) Both have the equal boiling point

- b) Both have the equal molecular weight
- c) Both have the equal number of covalent bonds
- d) Both have same functional group

Solution:

- ★ The compounds having similar molecular formula but different arrangement of atoms or groups in space are called isomers and the phenomenon is called as isomerism.
- ★ Functional group is a group of atoms which provide characteristic properties to a compound.
- ★ CH₃COOH and HCOOCH₃ are functional isomers with containing ester functional group and containing carboxylic acid functional group.
- ★ Thus they have same molecular weight but different functional groups attached.

12. PLANT ANATOMY AND PLANT PHYSIOLOGY

1.	During light reaction which of the following molecules are formed?				
	a) ATP		b) ATP and NADPH + H		
	c) NADPH ₂		d) None of these		
2.	In photosynthesis energy fro				
	a) RUDP	b) ADP	c) ATP	d) both ATP and ADP	
3.	The first product of photosynthesis is sugar and it is converted into				
	a) Starch	b) Protein	c) Glycogen	d) None of these	
4.	The dark reaction in photosy				
	a) Light dependent	dan tim.	b) Light independent		
_	c) Cannot occur during	*	d) All of these		
5.	Photosynthesis in green alga a) oxygenic and an oxy	_	b) oxygenic both		
	c) an oxygenic both	geme	d) an oxygenic and oxygenic		
6.	The first step in glucose bre	akdown in an cell is	a) an oxygeme and oxyg	Seme	
0.	a) ETC	b) Acetyl CO A	c) Kreb cycle	d) Glycolysis	
7.	Respiration is	o) 11000j1 0 0 11	0) 11100 0) 010	a) 21, 201, 212	
	a) Anbolic process		b) Catabolic process		
	c) Both a and b		d) Endothermic process		
8.	Respiration occurs in the pro-	esence of oxygen is calle	ed		
	a) Fermentation	, ,	b) Anaerobic respiration		
	c) Glycolysis		d) Aerobic respiration		
9.	End product of aerobic resp	iration in plants are			
	a) Sugar and Oxygen		b) CO ₂ , Water, energy		
	c) CO ₂ and energy		d) Water and energy		
10.	R.Q. is				
	a) C/B	b) N/C	c) CO_2/O_2	d) O ₂ /CO ₂	
11.	Which of the following is the			·	
	a) Pyruvic acid	b) Malic acid	c) Acetyl COA	d) None of these	
12.	ETC can produce a total of	1.) O ATD	-) 24 ATD	J) 20 A TD	
10	a) 6 ATP	b) 8 ATP	c) 24 ATP	d) 38 ATP	
13.	Ground tissue system include a) xylem and phloem	ies	b) stomata, epidermis, tr	richomes	
	c) cortex, endodermis,	nericycle nith	d) meristems	richomes	
14	Which is not a function of e	-	d) mensiems		
17.	a) Gaseous exchange	piderinis:	b) conduction of water		
	c) transpiration		d) protection		
15.	conjoint, collateral, open an	d end arch vascular bund	. •		
	a) monocot stem	b) dicot stem	c) monocot root	d) dicot root	
	13. S	TRUCTURAL ORGA	ANISATION OF ANIM	IALS	
1.	Leech saliva contains	•	•		
	a) Hirudin	b) amylase	c) lipase	d) pepsin	
2.	How many pairs of eyes are				
	a) Two pairs	b) Three pairs	c) Four pairs	d) Five pairs	
3.	what are the functions of the				
	a) Attachment and loc		b) attachment and respiration		
	c) attachment and repro		d) attachment and circul	ation	
4. How does a leech move on a substratum?					
	a) By looping or crawl	_	b) By pseudopodia		
	c) By the contractions of muscle d) Oscillatory movement				

5.	is a hermaphrodite			
	a) Frog	b) Lizard	c) Leech	d) Dog
6.	Rabbits are animal		groups.	
	a) sanguivorous	-		
7.	Upper lip of a rabbit has a c			
	a) furrow	· •	c) fissure	d) palate
8.	The existence of two sets of			
0	a) heterodont	b) monodont	·	d) diphyodont
9.	Which is the largest gland in a) Pancreas		c) Pineal	d) Adrenal
10	The younger one's of a hare		*	,
10.	a) Leverets and kittens		b) calf and kitten	y.
	c) calf and leverets	,	d) cub and hare	
11	Where is the sublingual part	t of salivary gland locate	,	
	a) Above the tongue	or surrery grand rocate	b) Below the tongue	
	c) Upper jaw		d) Lower jaw	
12.	In which angle does the eye	s of the rabbit rotate?	, 3	
	a) 320°		c) 260°	d) 160°
13.	The abbreviation of CNS is			
	a) cerebral nervous syst	em	b) contact nervous syste	em
	c) central nervous syst		d) cranial nerve signals	
14.	The innermost layer of the b			
	a) Duramater	/ L	c) arachanoidmater	d) meninges
15.	Name the specialized cells t a) Graffian follicles	hat surrounds and nouris b) Theca externa		d) None of the above
16.	The secretion of gl			
	a) Cowpers gland	- ·	c) Adrenal gland	d) Thyroid gland
17.	Which of the following state		1) D 11 ' C 1	
			b) Rabbit feeds on soft (d) Rabbit makes their he	
10	In leech, the blood vessels a			one in burrows
	a) Arteries	b) Veins c) Hae	emocoelic channels	d) Hydrophilic channels
19.	Leech is used to treat		_	
	a) Circulatory disordeb) Nervous disorder and	rs and cardiovascular (diseases	
	c) Respiratory disorders			
	d) None of the above	and rang anomore		
20.	The gap between the incisor	rs and premolar teeth of	a rabbit is called	
	a) diastema	b) Maxilla	c) Dentary	d) Pre maxilla
	14. TRANSPOR	RTATION IN PLANT	S AND CIRCULATIO	ON IN ANIMALS
	Sultiple Choice Questions :			
1.	The only artery which carrie	es deoxygenated blood is		
	a) Hepatic portal artery		b) Renal artery	
2	c) Hepatic artery	11	d) Pulmonary artery	
2.	Which type of blood cell wi a) Eosinophils	b) Basophils	c) Neutrophils	d) Leucocytes
3.	The longest time duration for			
	a) Auricular systole	b) Ventricular systole	c) Auricular diastole	d) Ventricular diastole
4.	Which one of the following			d) Mammala
	a) Amphibian	b) Arthropods	c) Reptiles	d) Mammals

Way to Success - 10th Science

			1 0		
5.	In heart, the Lubb sound is				
	a) Bicuspid, Tricuspid,		b) Tricuspid and bicuspid valvesd) Bicuspid and Semilunar valves		
_	c) Tricuspid and Semila		•	nar varves	
6.	Which one of the following is under the range of hypotension a) 120 mm Hg / 80 mm Hg b) 90 mm Hg / 60 mm Hg				
		· ·	=	=	
7	c) 140 mm Hg / 90 mm	_	d) 160 mm Hg / 100 mi	n ng	
7.	Sphygmomonometer is used			4) A11 of 4b occ	
0	a) Blood pressure	b) Heart beat	c) Internal organ sound	d) All of these	
8.	AB blood group is Universa a) Antibody 'AB' is no		ne following b) Antibody present in p	nlaama	
	c) Antibody 'A' is present		d) Antibody 'B' is present in		
0	Rh-factor was discovered b	•	d) milloody B is pies	ent in plasma	
9.	a) Landsteiner and W		b) Decastello and stenir	1	
	c) William Harvey	ichei	d) Karl Landsteiner	1	
10	Systemic circulation means		w) 11411 2411450011101		
10.	a) Lungs – Heart Lungs		b) Heart Body – Hear	t	
	c) Heart Heart	,	d) Lungs Heart Body		
	,	15. NERVO	US SYSTEM		
1.	The gap between neurons is				
	a) dentrite	b) Synapse	c) axon	d) Impulse	
2.	A patient is not able to balance	ce his body, and is unable t	o walk properly. Name the	e part of the brain which is affected	
	a) Hind brain	b) mid brain	c) Spinal cord	d) fore brain	
3.	Which part of the human br	ain is more developed in	comparison to other par	ts?	
	a) cerebrum	b) cerebellum	c) optic lobes	d) Medulla oblongata	
4.	Which of the following pro-				
	a) Pons	b) Cerebrospinal fluid	l c) duramater	d) Arachnoid membrane	
5.	All the voluntary actions of				
	a) Cerbrum	b) Cerebellum	c) Pons	d) Medulla	
6.	Electrical impulse travel in				
	a) dentrite \rightarrow axon \rightarrow ax				
	b) cell body →dendrite				
	c) dendrite → cell bod	-			
_	d) axon end \rightarrow axon \rightarrow	•			
7.	Which is the correct sequen				
			tor neuron → spinal cord		
	_	_	sensory neuron → muscle		
			n → motor neuron → mu → motor neuron → muscle		
0		•			
8.	The contraction of the pupil			_	
0	a) voluntary reflex	b) spinal reflex	c) cerebral reflex	d) Adrenal reflex	
9.	The number of pairs of nerv	wes which are from the sp b) 31	c) 41	4) 51	
10	a) 21 Which of the following held		·	d) 51	
10.	Which of the following help a) cerebellum	ps in maintaining posture b) cerebrum	c) medulla	d) pons	
11	The human hind brain comp		·	d) pons	
11.	a) Spinal cord	prises tiffee parts, one or	b) Corpus callosum		
	c) Hypothalamus		d) Cerebellum		
12		of narva impulse is mai	· · ·		
14.	Unidirectional transmission a) Interneurons	b) Synapse	c) Myelin sheath	d) Membrane polarity	
	u, momonono		o, my omi siicum		
	1000				

	a) axon chu	b) cen body	c) delidities	d) myemi sheam		
		16. PLANT AND	ANIMAL HORMON	NES		
1.	A plant hormone is	<u> </u>				
	a) an ion responsible f	or turgour pressure	b) a pigment that g	ives colour		
	c) an organic compound		d) a secondary met	abolite		
2.	The plant hormones which	n promote growth are				
	a) gibberellins and eth	ylene	b) auxins, gibberellins and cytokinins			
	c) abscisic acid, ethyle	ene and gibberellins	d) auxins, cytokini	ns and abscissic acid		
3.	Auxin synthesis occurs in					
	a) root / shoot tip		c) xylem	d) phloem		
4.	Parthenocarpy is induced 1	by				
	a) ethylene		b) spraying auxin on pistil			
	c) spraying auxin on	fruit	d) spraying auxin o	on leaf		
5.	is not an influence of auxins					
	a) Apical dominance		b) Tropic movement	b) Tropic movements		
	c) Cell elongation		d) Bolting			
6.	Abscissic acid is primarily					
	a) lysosome	b) golgi complex	c) chloroplast	d) ribosome		
7.	Genetically dwarf plants c	an be induced to grow t		·		
	a) gibberellins	b) auxins	c) cytokinins	d) ethylene		
8.	Which one of the followin					
	a) Abscissic acid - sto		b) Gibberellins - leaf fall			
	c) Cytokinin - cell div		d) IAA - cell wall	elongation		
9.	is a natural g					
	a) NAA	b) ABA	c) IAA	d) GA		
10.		Removal of apical bud of a flowering plant or pruning of a flowering plant leads to				
	a) formation of new ap					
	b) formation of advent					
	c) early flowering or s					
	d) promotion of later	ai Dialiches				

Way to Success - 10th Science 🖔

11.	Endocrine glands put their a) Ducts	secretions directly into b) Blood	c) both	d) none of the above		
12.	The secretion of the following pituitary hormones is controlled by hypothalamus					
	a) Thyrotropin (TSH) a					
	b) Follicle stimulating hormone (FSH) and progesterone					
	c) Corticotropin (ACTH) growth hormone (GH) and vasopressin d) Lutenising hormone (LH), corticotrophin (ACTH) and thyrotropin (TSH)					
12						
13.	Pituitary gland is found in a) Around trachea	b) Gonad	c) Pancreas	d) Brain		
1./	Which one is Not secreted	*	c) i ancicas	u) Bram		
14.	a) Thyroxine	b) FSH	c) GH	d) ACTH		
15.	Anterior lobe of pituitary se	ecretes				
	a) TSH, ADH, AND Pr	rolactin	b) LH, FSH and a gro	wth hormone		
	c) ACTH, TSH, and ox	ytocin	d) STH, GH, and antidi	iuretic hormone		
16.	Gonadotropins are secreted	from				
	a) hypothalamus	b) Posterior pituitary	c) Anterior pituitary	d) Gonads		
17.	Growth hormone is secrete	•				
	a) Anterior lobe of the	e pituitary	b) Posterior lobe of the	pituitary		
	c) Adrenal gland		d) Gonads			
18.	In an accident the anterior j is likely to happen?	pituitary of a four year o	ld boy was severely dam	aged but the boy survived What		
	a) High levels of thyrox	kine will be released	b) Spermatogenesis wil	ll be stimulated		
	c) The boy will not gro	w much in height	d) The growth of mamm	nary glands will be stimulated		
19.	A gorilla like man with hug	_		• •		
	a) Pituitary FSH	b) Pituitary LH	c) Pituitary GH	d) Thyroid		
20.	Hypersecretion of growth h	ormone by pituitary resu	ılts in			
	a) Dwarfism	b) Gigantism	c) Cretinism	d) Myxedema		
21.	The synthesis and release o					
	a) LH	b) TSH	c) ACTH	d) FSH		
22.	LH and FSH are called					
	a) antistress hormones		b) gonadotrophic hor	mones		
	c) emergency hormone		d) neurohormones			
	17.	REPRODUCTION IN	PLANTS AND ANIM	MALS		
1.	The correct sequence of rep			<u></u>		
		ation, fertilization, pollin				
		ion, seed formation, flov	_			
		lization, flowering, pollin				
		on, fertilization, seed fo				
2.	The number of cells and nu					
_	a) 7 cells 8 nuclei	b) 8 cells 7 nuclei	c) 6 cells 8 nuclei	d) 7 cells 6 nuclei		
3.	Mango is being propagated	•	a) atom	d) lossavin a		
,	a) tissue culture	b) grafting	c) stem cutting	d) layering		
4.	Which one of the following	_	_	riation		
	a) vegetative reproduct		b) parthenogenesis			
_	c) sexual reproduction		d) asexual reproduction	I		
5.	Process of fusion of haploid			d) armanını		
_	a) cell cycle	b) meiosis	c) mitosis	d) syngamy		
6.	Which one of the following	g produce the male games b) synergid	te c) pollengrain	d) antipodals		
	a) endosperm	o) syncigiu	c) ponengram	a) anapodais		

7.	Cross pollination through insects are known as				
	a) anemophily	b) entomophily	c) hydrophily	d) ornithophily	
8.	Find out the odd one:				
	a) endosperm	b) synergid	c) pollengrain	d) antipodals	
9.	Choose the correct match	1)			
1.0	a) endosperm - 2n	b) embryo - 3n	c) egg - 2n	d) male gamete - n	
10.	Which of the following is a a) transfer of pollen gra	_	n flowering plants? b) formation of flower		
	c) fruit formation		d) germination of poller	n grains	
11.	The release of sperms from a) Spermateliosis	the sertoli cells is called b) Vitellogenesis	c) Spermiogenesis	d) Spermiation	
12.	Graffian follicle contains				
	a) many oocytes	b) many sperms	c) a single oocyte	d) site for egg fertilization	
13.	Which is correctly matched		ycle?		
	a) Endometrium reger				
	b) Release of egg – 5 th o	·			
	·	es nutrients for implantati	ion - 11 to 18 days		
	d) Rise in progesterone	•			
14.	In human beings fertilizatio				
	a) fallopian tube	b) eustachian tube	c) ovary duct	d) uterus	
15.	Which one of the following	are primary sexual organ			
	a) testes and ovaries		b) testes and penis	nd vogino	
1.6	c) ovary and vagina	.:	d) testes, penis, ovary a	nd vagina	
10.	Which one of the following a) Ovulation occurs	is correct: After the ren	b) ovulation does not oc	ecurs	
c) fertilization takes place d) None of the above				out 5	
17.	Which one of the following		· ·	?	
	a) caused due to Bacter		b) infection occur in the		
	c) it shows symptoms		d) it may not show syn	nptoms	
18.	To avoid sanitary pad rash,				
	a) every six hours	b) every 4 hours	•	d) twice in a day	
19.	A temporary association be		•		
•	a) Uterus	•	· -	d) endometrium	
20.	The correct sequence of spe	ermatogenesis is			
		dication phase, spermiog	enesis, maturation pnase ation phase, spermioge	nosis	
		, ,	miogenesis, growth phase		
			tion phase, growth phase		
	, 1		REDITY		
1.	If a genotype consists of dif				
	a) Heterozygous	b) monoallelic	c) uniallelic	d) homozygous	
2.	The graphical representation	n to calculate the probal	bility of all possible gene	otypes of offspring in a genetic	
	cross was developed by	ii to carearate the probat	omy of all possible gen	or or origining in a genetic	
	a) Gregor Johann Mend	lel	b) Har Gobind Khorana		
	c) James Watson		d) Reginald C Punnet		
3.	The two versions of a trait (character) which are bro	_	emale gametes are situated on	
٠.	a) Copies of the same c		b) two different chrom		
	c) sex chromosomes		d) any chromosome		
	.,		, ,		

Way to Success - 10th Science

4.	A tall plant was grown in nu a) All hybrid plants are c) 75% tall and 25% d	dwarf	b) 50% tall and 50% d d) 25% dwarf and 75%	warf					
5.	The F1 generation has all ta a) Law of dominance		n ratio is 3:1, it proves incomplete dominance	d) Law of segregation					
6.	In a dihybrid cross out of 16 a) 4	5 plants obtained, thb) 9	e number of genotypes shall c) 10	be d) 12					
	Mendel found certain traits a) Dominance Which is the functional unit	b) linkage	ently, it is due to c) crossing over	d) amitosis					
0.	a) cistron	b) Muton	c) chromosome	d) gene					
9.	The chromosome ends are can a) Satellite	alled b) telomere	c) centromere	d) kinetochores					
10.	 a) Metacentric – the chromosomes with two equal arms. b) Sub metacentric – the chromosomes with two unequal arms. c) Acrocentric – the chromosomes with two arms identical in size d) Telocentric – the chromosomes with one arm. 								
11.	Chromosomes other than se a) Allosomes		called c) lamp brush chromosomes	d) heterosomes					
12.	 2. Nucleotide of DNA molecule is made up of nitrogenous bases. The base pairing occurs in which of the following pattern? a) Adenine – Thymine; Cytosine – Guanine b) Adenine – Cytosine; Guanine – Thymine c) Adenine – Guanine; Cytosine – Thymine d) Adenine – Guanine; Cytosine – Taurine 								
13.	Which of the following is the a) Helicases – binds the b) Topoisomerases – se c) DNA polymerase – s d) DNA ligase – joins to	double helix near the parates the two strant tops the DNA replic	nds of DNA at the site of origonation	gin of replication					
14.	Sex is determined in human a) By ovum	-	b) At the time of fertilizati						
15.	c) 40 days after fertiliza Mutations are responsible for	or	a) /in to 8th week when	genitals differentiate in foetus.					
	a) Extinction of organis		b) Variations in popu						
16	c) Increase in population One of the following is a ran		d) Maintaining genetic	continuity					
	a) Variation	b) Adaptation	c) evolution	d) mutation					
17.	Sickle cell anaemia is a a) Metabolic disorder		b) degenerative disorde	ar					
	c) genetic disorder		d) pathogenic disorder	51					
		19. ORIGIN AN	D EVOLUTION OF LIFE	E					
1.	Fossils are generally found a) Sedimentary rocks		c) metamorphic rocks	d) any type of rocks					
2.	Dinosaurs are a) Extinct amphibians	b) extinct reptiles	c) primitive mammals	d) living reptiles					

3.	Which of the following would be easily fossilised? a) Heart b) tooth	c) skin	d) liver
4.	The organisms which live in extreme environmental a) Thermophiles	b) acidophiles	called
	c) extremophiles	d) archaeobacteria	
5.	The study of local plants and their uses through the tale Paleobotany	raditional knowledge is l b) ethnobotany	known as
	c) palynology	d) economic botany	
6.	Which is not Lamarckian concept? a) Environmental changes cause variations.		
	b) Rate of survival of organisms varies due to	variations	
	c) Inheritance of acquired characters		
	d) If an organ is used continuously, it will develop	op continuously.	
7.	According to Darwin, evolution is a a) Sudden but discontinuous process.	b) Slow, gradual and co	ontinuous process
	c) Slow, sudden and discontinuous process.	d) Slow and discontinuo	ous process
8.	Which of the following is not associated with the "T	•	
	a) Internal vital force	b) over production of the	
	c) struggle for existence	d) survival of the fittest	
9.	Human forelimb, wing of bat and flipper of whale re		
	a) analogous organs	b) vestigial organs	
	c) Homologous organs	d) evolutionary organs	
10.	Analogous organs have	1.00 11 11 11	
	a) Dissimilar origin and dissimilar function	b) Similar origin with si	
	c) Similar origin with dissimilar function	d) Dissimilar origin an	id similar function
11.	Which of the following is a vestigial organ?	a)	d) all of the above
12	a) Nails b) scalp hair	c) wisdom tooth	d) all of the above
12.	Which of the following is not atavistic in humans? a) Tail in some babies	b) enlarged canines	
	c) dense body hair	d) six fingers	
13	Evolutionary history of an organism is known as	d) six illigets	
15.	a) Phylogeny b) ontogeny	c) ancestry	d) palaeontology
14	'Ontogeny recapitulates phylogeny'. This is	c) unicosury	o, paracontorogy
1	a) Hardy Weinberg law	b) Darwin's law	
	c) inheritance law	d) bio genetic law	
15.	Archaeopteryx is known as missing/ connecting link	. It has the characters of	both
	a) Fishes and amphibians	b) Reptiles and mamma	
	c) Birds and reptiles	d) Chordates and non ch	hordates
	20. BREEDING AND	BIOTECHNOLOGY	
1.	Triticale is the first man made cereal crop. The comb		
	and	•	-
	a) Sorghum b) Barley	c) Saccharum	d) Rye
2.	Aims of plant breeding are to produce		
	a) Disease free varieties	b) High Yielding variet	ies
	c) Early maturing varieties	d) All the above	
3.	Scientists are trying to get hybridisation between ton	nato and potato. The mos	st accurate name would be
	a) Topemo b) Mopato	c) Pomato	d) Tomepo
	, I		, I

Way to Success - 10th Science &

When a plant species is carr	ried from its place of orig	gin to a new place and cu	lltivated, it is called
a) Introduction	b) Transplantation	c) Aforestation	d) Selection
is the older	st breeding method		
a) Introduction	-	b) Selection	
c) Hybridization		d) Mutation breeding	
The progeny of a homozygo	ous plant constitute a	·	
			d) Clone
The method of mass selecti	on is applied in	crops	
a) Cross pollinated		_	
c) Both self and cross p	ollinated		e
New and better varieties of	plants can be formed by	method.	
	prants can so remide sy		
c) Hybridisation		d) Hybridisation follow	ed by selection
	·	•	·
a) Always superior to	the other existing varie	ties	
	_		
		S	
*			
	_		
-		<i>'</i>	
•		,	
			d) breed
_		c) breeding	d) bleed
		a) da a	4)11-
	′ •	. •	d) whale
-	-	c) Hacmophotics	d) Hacmoennes
		c) placm occal	d) plasmomonogen
		c) plasifi ococi	d) plasmomonogen
a) monoclonal	b) diclonal	c) triclonal	d) tetroclonal
		c) treionar	a) tetrocronar
		c) rennin	d) thymine
		,	, ,
a) blood	b) skin	c) stomach	d) brain
Which one of the following	is the neurogenerative d	lisorder	
a) parkinson's disease		b) alzheimer's disease	
c) neurogenital disease	e	d) replicable disease	
What is the use of Restriction	on Endonuclease in Gene	e cloning technology?	
a) to cut the DNA at pa	rticular nucleotide	b) to cut any place of the	e DNA
c) to join the two DNA	fragments	d) to separate the DNA	A strand
_			
a) E.coli	b) plasmid of E.coli	c) Nucleoid of E.coli	d) cytoplasm of E.coli
	21. HEALTH A	AND DISEASES	
a) 2017	b) 2012	c) 2008	d) 2011
World Anti Tobacco Day	1) 34 44	\ \ \ \ \ \ \ \ \ \	D.M. 015
a) May 31 st	b) May 1 st	c) May 15 th	d) May 21st
	a) Introduction is the older a) Introduction c) Hybridization The progeny of a homozygo a) Pureline The method of mass selecti a) Cross pollinated c) Both self and cross p New and better varieties of a) Selection c) Hybridisation An improved variety is a) Always superior to b) Always inferior to th c) May be superior to th d) Both a and b are corn Semi dwarf varieties of who a) Sonalika and NP 836 c) Sonalika and Kalya When the breeding takes be a) inbreeding The first cloned animal is a) cow The disease where the blood a) Haemophobia Which is an activator used to a) plasminogen Manmade antibodies are a) monoclonal Pancreatic cells secretes a) insulin Bone marrow does not prod a) blood Which one of the following a) parkinson's disease c) neurogenital disease What is the use of Restriction a) to cut the DNA at pa c) to join the two DNA Which one of the following a) E.coli When was POCSO act intro a) 2017	a) Introduction is the oldest breeding method a) Introduction c) Hybridization The progeny of a homozygous plant constitute a a) Pureline b) Mixed population The method of mass selection is applied in a) Cross pollinated c) Both self and cross pollinated New and better varieties of plants can be formed by a) Selection c) Hybridisation An improved variety is a) Always superior to the other existing varieties c) May be superior to the other existing varieties d) Both a and b are correct Semi dwarf varieties of wheat developed from wheat a) Sonalika and Kalyan Sona When the breeding takes between animals of the sart a) inbreeding b) outbreeding The first cloned animal is a) cow b) sheep The disease where the blood fails to clot due to the ata haemophobia b) Haemophilia Which is an activator used to dissolve blood clot a) plasminogen b) plasmogen Manmade antibodies are a) monoclonal b) diclonal Pancreatic cells secretes a) insulin b) tripsin Bone marrow does not produce the a) plood b) skin Which one of the following is the neurogenerative day parkinson's disease c) neurogenital disease What is the use of Restriction Endonuclease in General to cut the DNA at particular nucleotide c) to join the two DNA fragments Which one of the following act as a vector? a) E.coli b) plasmid of E.coli 21. HEALTH A When was POCSO act introduced? a) 2017 b) 2012 World Anti Tobacco Day	is the oldest breeding method a) Introduction c) Hybridization d) Mutation breeding The progeny of a homozygous plant constitute a a) Pureline b) Mixed population c) Mass selection The method of mass selection is applied in a) Cross pollinated c) Both self and cross pollinated d) Potato and Sugarcan New and better varieties of plants can be formed by a) Selection c) Hybridisation d) Hybridisation d) Hybridisation follow An improved variety is b) Always superior to the other existing varieties b) Always superior to the other existing varieties c) May be superior to the other existing varieties d) Both a and b are correct Semi dwarf varieties of wheat developed from wheat varieties of Mexico are a) Sonalika and NP 836 c) Sonalika and Kalyan Sona d) Sonora 64 and HUW When the breeding takes between animals of the same breed is called as a) inbreeding b) outbreeding c) breeding The first cloned animal is a) cow b) sheep c) dog The disease where the blood fails to clot due to the absence of clotting factor a) Haemophobia b) Haemophilia c) Haemophotics Which is an activator used to dissolve blood clot a) plasminogen b) plasmogen c) plasm cocel Manmade antibodies are a) monoclonal b) diclonal c) triclonal Pancreatic cells secretes a) insulin b) tripsin c) rennin Bone marrow does not produce the a) monoclonal b) skin Which one of the following is the neurogenerative disorder a) parkinson's disease c) neurogenital disease What is the use of Restriction Endonuclease in Gene cloning technology? a) to cut the DNA at particular nucleotide c) to join the two DNA fragments When was POCSO act introduced? a) 2017 b) 2012 c) 2008 World Anti Tobacco Day

3.	The target cells of the body a) IDDM	do not respond to insulin b) NIDDM	n c) Gestational diabetes	d) Juvenile diabetes
4.	Myocardial infarction is a) death of heart muse	cle tissue	b) deficient blood suppl	ly to heart muscle
	c) deposition of cholest		d) heart valves are affect	
5.	Cancers affecting epithelial		o) nouse various are arrow	
	a) Sarcomas	b) Carcinomas	c) lymphomas	d) melanomas
6.	The drug which stimulates	the nervous system and r		t and active is called
	a) seductive	b) Opiate narcotics	c) Stimulant	d) hallucinogen
7.	Use of disposable syringes	for administering medici	nes is recommended to p	prevent
	a) Malaria	b) Stroke	c) AIDS	d) Leprosy
8.	Normal blood glucose level			
	a) $80 - 100 \text{ mg/dL}$	b) $80 - 120 \text{ mg/dL}$	c) $80 - 150 \text{ mg/dL}$	d) $70 - 120 \text{ mg/dL}$
9.	A doctor advised a patient to	_		_
	a) diabetes mellitus	b) diabetes insipidus	c) Goitre	d) Cushing's syndrome
10.	In alcoholics liver gets dam		1)	
	a) accumulates excess	of fats	b) stores excess of glyc	_
	c) secretes more bile		d) has to detoxify alcoh	ol
11.	A communicable disease is	•	\	1.1
10	a) metabolic disorder	b) allergy	c) pathogen	d) hormonal imbalance
12.	Health deals with	h) physical fitness	a) mantal fitness	d) all the above
	a) social well being	b) physical fitness	c) mental fitness	d) all the above
1	TTI		TAL MANAGEMENT	
1.	The most rapidly dwindling			12 12 14
	a) water	b) forest	c) wind	d) sunlight
2.	Select the ecofriendly activ			
	a) using car for transpo		b) using polybags for sh	** *
	c) using dyes for colour	ring clothes	d) using windmills to g	generate power
3.	which one of the following	fuels are formed by the	degradation of biomass?	
	a) biogas	b) CNG	c) Coal and petroleum	d) Nuclear fuel
4.	The three "R" s which help a) reduce, regenerate, r b) reduce, recycle, rege c) reduce, reuse, recycl d) redistribute, regenerate	edistribute enerate e le	esource for future general	tion are
5.	Which one of the following a) LPG	g is not a fossil fuel? b) Natural gas	c) Biogas	d) CNG
6.	The CHIPKO Andolan is a	ssociated with	-	
	a) Tigers	b) Turtles	c) Trees	d) Marine organisms
7.	Afforestation should be do	•	,	,
٠.	a) exotic species	b) Indigenous species	c) Ramboos	d) Eucalyptus
8.	· •	ich can cook food withou		Kerosene but the device does not
9.	An electrical device which	consumes less units of el	lectricity when used for I	Long hours a day is CFL .
10	Sewage water is polluted an	nd can he acidic in nature	e if the nH is	
	a) zero	b) above 7	c) below 7	d) exactly 7
	tsteam 100@ gmail.com			www waytosuccess org



www.Padasalai.Net

படங்களை தொடுக! பாடசாலை வலைதளத்தை சமூக ஊடகங்களில் பின்தொடர்க!! உடனுக்குடன் புதிய செய்திகளை Notifications-ல் பெறுக!

















1 3 th	<u>Syllabus</u>	Books	Study Materials – EM	Study Materials - TM	<u>Practical</u>	Online Test (EM & TM)
12 th	Monthly	Mid Term	Revision	PTA Book	Centum	<u>Creative</u>
Standard	<u>Q&A</u>	<u>Q&A</u>	<u>Q&A</u>	<u>Q&A</u>	Questions	Questions
	Quarterly	<u>Half Yearly</u>	Public Exam	NEET		
	<u>Exam</u>	<u>Exam</u>	PUDIIC EXAIII	<u>NEET</u>		

11 th	<u>Syllabus</u>	<u>Books</u>	Study Materials – EM	Study Materials - TM	<u>Practical</u>	Online Test (EM & TM)
	Monthly	Mid Term	Revision	Centum	Creative	
Standard	<u>Q&A</u>	<u>Q&A</u>	<u>Q&A</u>	Questions	Questions	
	Quarterly	Half Yearly	Public Exam	NEET		
	<u>Exam</u>	<u>Exam</u>	PUDIIC EXAIII	INEET		

10 th	<u>Syllabus</u>	<u>Books</u>	Study Materials - EM	Study Materials - TM	<u>Practical</u>	Online Test (EM & TM)
	Monthly	Mid Term	Revision	PTA Book	Centum	Creative
Standard	Q&A	<u>Q&A</u>	Q&A	Q&A	Questions	Questions
	Quarterly	Half Yearly	Public Exam	NTSE	CLAC	
	<u>Exam</u>	<u>Exam</u>	PUDIIC EXAIII	INTSE	<u>SLAS</u>	

9 th	<u>Syllabus</u>	<u>Books</u>	Study Materials	1 st Mid Term	2 nd Mid Term	3 rd Mid Term
Standard	<u>Quarterly</u> <u>Exam</u>	Half Yearly Exam	Annual Exam	RTE		

	1			<u>.</u> .				
Oth	Syllabus	Books	Study	1 st Mid	2 nd Mid	3 rd Mid		
8 th			<u>Materials</u>	<u>Term</u>	<u>Term</u>	<u>Term</u>		
Standard	Term 1	Term 2	Term 3	Public Model Q&A	<u>NMMS</u>	Periodical Test		
7 th	<u>Syllabus</u>	Books	Study Materials	1 st Mid Term	2 nd Mid Term	3 rd Mid Term		
Standard	Term 1	Term 2	Term 3	Periodical Test	SLAS			
6 th	<u>Syllabus</u>	Books	Study Materials	<u>1st Mid</u> Term	2 nd Mid Term	3 rd Mid Term		
Standard	Term 1	Term 2	Term 3	Periodical Test	SLAS			
1st to 5th	<u>Syllabus</u>	Books	Study Materials	Periodical Test	SLAS			
Standard	Term 1	Term 2	Term 3	Public Model Q&A				
Exams	<u>TET</u>	TNPSC	<u>PGTRB</u>	Polytechnic	<u>Police</u>	Computer Instructor		
Exallis	DEO	BEO	LAB Asst	<u>NMMS</u>	RTE	NTSE		
Portal	Matrimony		Mutual Transfer		Job Portal			
Volunteers Centum Team		am_	Creative Tear	<u>m</u>	Key Answer	<u>Team</u>		
Download	<u>LESSON</u> <u>PLAN</u>	<u>Departmen</u> <u>Exam</u>	Income Tax	Forms & Proposals	<u>Fonts</u>	<u>Downloads</u>		
Download	Proceeding	gs GO's	Regulation Orders	Pay Orders	<u>Panel</u>			



Padasalai – Official Android App – <u>Download Here</u>



Kindly Send Your Study Materials, Q&A to our Email ID – Padasalai.net@gmail.com