



பாடசாலை

Padasalai's Telegram Groups!

(தலைப்பிற்கு கீழே உள்ள லிங்கை கிளிக் செய்து குழுவில் இணையவும்!)

- Padasalai's NEWS - Group

https://t.me/joinchat/NIfCqVRBNj9hhV4wu6_NqA

- Padasalai's Channel - Group

<https://t.me/padasalaichannel>

- Lesson Plan - Group

<https://t.me/joinchat/NIfCqVWwo5iL-21gpzrXLw>

- 12th Standard - Group

https://t.me/Padasalai_12th

- 11th Standard - Group

https://t.me/Padasalai_11th

- 10th Standard - Group

https://t.me/Padasalai_10th

- 9th Standard - Group

https://t.me/Padasalai_9th

- 6th to 8th Standard - Group

https://t.me/Padasalai_6to8

- 1st to 5th Standard - Group

https://t.me/Padasalai_1to5

- TET - Group

https://t.me/Padasalai_TET

- PGTRB - Group

https://t.me/Padasalai_PGTRB

- TNPSC - Group

https://t.me/Padasalai_TNPSC

AMEER SULTHAN ACADEMY. MATRIC. HR. SEC. SCHOOL
LESSON 1 TO 12

12th Standard

Computer Applications

I CHOOSE THE CORRECT ANSWER:

$$133 \times 1 = 133$$

16) A _____ tool is used for magnifying the particular portion of the area. Ans : (c) Zoom tool

Padasalai

- (a) Only (ii) (b) (i), (iii) and (iv) (c) (ii), (iii) and (iv) (d) **Both (ii) and (iii)**

37) Which of the following PHP statement/statements will store 41 in variable num?
 (a) Both (i) and (ii) (b) All of the mentioned (c) Only (iii) (d) **Only(i)**

38) What will be the output of the following PHP code?
 <?php
 \$num = 1;
 \$num1 = 2;
 print \$num . "+" . \$num1;
 ?>
 (a) 3 (b) 1 + 2 (c) **1.+.2** (d) Error

39) Which of the following PHP statements will output Hello World on the screen?
 (a) echo ("Hello World"); (b) print ("Hello World"); (c) printf ("Hello World"); (d) sprintf ("Hello World");

40) Which statement will output \$x on the screen?
 (a) echo "\$x"; (b) echo "\$\$x"; (c) echo "/\$x"; (d) echo "\$x";

41) Which of the below symbols is a newline character?
 (a) \r (b) \n (c) /n (d) /r

42) Which one of the following is the right way of defining a function in PHP?
 (a) function { (b) data type (c) functionName(parameters) { (d) **function**
 function body } functionName(parameters) { function function body }
 body }

43) A function in PHP which starts with _____ (double underscore) is known as...
 (a) **Magic Function** (b) Inbuilt Function (c) Default Function (d) User Defined Function

44) PHP's numerically indexed array begins with position _____
 (a) 1 (b) 2 (c) **0** (d) -1

45) Which of the following are correct ways of creating an array?
 i) state[0] = "Tamilnadu";
 ii) \$state[] = array("Tamilnadu");
 iii) \$state[0] = "Tamilnadu";
 iv) \$state = array("Tamilnadu");
 (a) **iii) and iv)** (b) ii) and iii) (c) Only i) (d) ii), iii) and iv)

46) What will be the output of the following PHP code?
 <?php
 \$a=array("A","Cat","Dog","A","Dog");
 \$b=array("A","A","Cat","A","Tiger");
 \$c=array_combine(\$a,\$b);
 print_r(array_count_values(\$c));
 ?>

(a) **Array ([A]=>5 [Cat]=>2 [Dog]=>2** (b) Array ([A]=>2 [Cat]=>2 [Dog]=>1 (c) Array ([A]=>6 [Cat]=>1 [Dog]=>2 [Tiger]=>1) (d) None of these

47) For finding nonempty elements in array we use
 (a) is_array () function (b) sizeof () function (c) array_count () function (d) **count () function**

48) Indices of arrays can be either strings or numbers and they are denoted as
 (a) \$my_array {4} (b) **\$my_array [4]** (c) \$my_array | 4 | (d) None of them


```
print "some";
?>
(a) all          (b) some          (c) error          (d) nooutput
```

57) What will be the output of the following PHP code ?

```
<?php
$a = "";
if ($a)
print "all";
if
else
print "some";
?>
(a) all          (b) some          (c) error          (d) no output
```

58) What will be the output of the following PHP code ?

```
<?php
$x = 10;
$y = 20;
if ($x > $y + $y != 3)
print "hi";
else
print "how are u";
?>
(a) how are u      (b) hi      (c) error      (d) nooutput
```

59) What will be the output of the following PHP code ?

```
<?php
$x = 10;
$y = 20;
if ($x > $y && 1||1)
print "hi";
else
print "how are u";
?>
(a) how are u      (b) hi      (c) error      (d) no output
```

60) What will be the output of the following PHP code ?

```
<?php
if (-100)
print "hi";
else
print "how are u";
?>
(a) how are u      (b) hi      (c) error      (d) nooutput
```

61) Most complicated looping structure is

(a) While (b) Do While (c) For (d) None of them

62) Loops that iterate for fixed number of times is called

- (a) Unbounded loops (b) **Bounded loops** (c) While loops (d) Forloops

63) Which loop evaluates condition expression as Boolean, if it is true, it executes statements and when it is false it will terminate?

- (a) For loop (b) For each loop (c) While loop (d) **All of them**

64) What will be displayed in a

browser when the following PHP

code is executed:

```
<?php  
for ($counter = 20; $counter < 10;  
$counter++){  
echo "Welcome to Tamilnadu ";  
}  
echo "Counter is: $counter";  
?>
```

- (a) Welcome to Tamilnadu (b) **Counter is: 20** (c) Welcome to Tamilnadu Counter is: 22 (d) Infinite loop

65) What will be displayed in a browser when the following PHP code is executed

```
<?php  
for ($counter = 10; $counter < 10;  
$counter = $counter + 5){  
echo "Hello";  
}  
?>
```

- (a) Hello Hello Hello Hello Hello (b) Hello Hello Hello (c) Hello (d) **None of the above**

66) PHP supports four types of looping techniques;

- (a) for loop (b) while loop (c) foreach loop (d) **all the above**

67) Consider the following code

```
<? php  
$count=12;  
do{  
printf("%d squared=%d  
",  
$count, pow($count,2));  
} while(!$count< 4);  
?>
```

What will be the output of the code

- (a) 12 squared 141 (b) 12 squared=141 (c) "12 squared=141" (d) **Executionerror**

68) What will be the output of

the following PHP code ?

```
<?php  
for ($x = 1; $x < 10; ++$x)  
{  
print "*\t";
```

```

}
?>
(a) *****
(b) *****
(c) *****
(d) Infinite loop

```

69) What will be the output of
the following PHP code ?

```

<?php
for ($x = -1; $x < 10;--$x)
{
print $x;
}
?>

```

(a) 123456713910412 (b) 123456713910 (c) 1234567139104 (d) **Infinite loop**

70) When you use the \$_GET variable to collect data, the data is visible to..

(a) none (b) only you (c) **everyone** (d) selected few

71) Which one of the following should not be used while sending passwords or other sensitive information?

(a) GET (b) POST (c) REQUEST (d) NEXT

72) Which directive determines whether PHP scripts on the server can accept file uploads?

(a) **file_uploads** (b) file_upload (c) file_input (d) file_intake

73) In HTML form < input type="text" > is used for

(a) **One line text** (b) Block of text (c) One paragraph (d) None

74) HTML classes that is already defined and allow us to apply styles on it are called as

(a) Pseudo classes (b) **Css classes** (c) Javascript classes (d) None

75) If you would like to read a file character by character which function do you use?

(a) fopen () (b) fread () (c) **fgetc ()** (d) file ()

76) PHP is a typed language

(a) User (b) Loosely (c) **Server** (d) System

77) What does fopen() function do in PHP?

(a) It used to open files in (b) **It used to open** (c) It used to open folders in (d) It used to open Remote
PHP **Remote Server** PHP Computer

78) How PHP files can be accessed?

(a) Through Web Browser (b) Through HTML files (c) Through Web Server (d) **All of Above**

79) Which of the following functions reads the entire contents of a file?

(a) fgets() (b) **file_get_contents()** (c) fread() (d) readfile()

80) Which one of the following statements instantiates the mysqli class?

(a) mysqli = new mysqli() (b) **\$mysqli = new mysqli()** (c) \$mysqli -> new(mysqli()) (d) mysqli -> new(mysqli())

81) which one is correct way, we can retrieve the data in the result set of MySQL using PHP?

(a) mysql_fetch_row. (b) mysql_fetch_array (c) mysql_fetch_object (d) **All the above**

82) How Can we Create a Database Using PHP and MySQL?

(a) **mysqli_create_db("Database Name")**(b) mysqli_create_db("Data") (c) create_db("Database Name") (d) create_db("Data")

83) Which is the correct function to execute the SQL queries in PHP ?

(a) mysqli_query("Connection Object","SQL Query")	(b) query("Connection Object","SQL Query")	(c) mysql_query("Connection Object","SQL Query")	(d) mysql_query("SQL Query")
--	---	---	------------------------------------

84) Which is the correct function Closing Connection in PHP ?

- (a) mysqli_close("Connection Object"); (b) close("Connection Object"); (c) mysql_close("Connection Object"); (d) mysqli_close("Database Object");

85) Which is the correct function to establish Connection in PHP ?

- (a) mysqli_connect("Server Name","User Name","Password","DB Name"); (b) connect("Server Name","User Name","Password","DB Name"); (c) mysql_connect("Server Name","User Name","Password","DB Name"); (d) mysqli_connect("Database Object","User Name","Password","DB Name");

86) Which is the not a correct MySQL Function in PHP ?

- (a) Mysqli_connect() Function (b) Mysqli_close() Function (c) **mysqli_select_data() Function** (d) mysqli_affected_rows() Function

87) How many parameter are required for MYSQLi connect function in PHP ?

- (a) 2 (b) 3 (c) 4 (d) 5

88) How many parameter are required for MYSQLi query function in PHP ?

- (a) 2 (b) 3 (c) 4 (d) 5

89) Which version of PHP supports MySQLi fuctions ?

- (a) Version 2.0 (b) Version 3.0 (c) Version 4.0 (d) **Version5.0**

90) How many parameter are required for MYSQLiClosefunction in PHP ?

- (a) 1 (b) 2 (c) 3 (d) 5

91) A set of computers connecting together is called as _____

- (a) Network (b) Server (c) Hub (d) Node

92) Computer network devices that originates route and terminate the data were called as

- (a) Hub (b) Resource (c) Node (d) Cable

93) Match the period and methods available on history of computer networking in the Internet

a)	1950	X.25 TCP/IP
b)	1966	SAGE
c)	1976	WAN
d)	1972	ARCNET

- (a) 4321 (b) 3421 (c) 1234 (d) **2341**

94) Western Electric introduced the first widely used _____ that implemented true computer control.

- (a) Packet switch (b) Arpanet (c) Host (d) **Telephone switch**

95) Wi-Fi is short name for

- (a) **Wireless Fidelity** (b) Wired fidelity (c) Wired fiber optic (d) Wireless fiber optic

96) People everywhere can express and publish their ideas and opinions via

- (a) Tele-medicine (b) **blogging** (c) Server (d) Node

97) Which one of the following periods, the speed capacity supported towards gigabit on computer network?

- (a) SABRE (b) SABRE (c) **NEW FIBRE OPTICS** (d) ARCNET

98) One among them was challenging to the business people on computer networking

- (a) Hacking (b) Viruses (c) **Both a & b** (d) none of this above

99) _____able to predict, manage, and protect the computer network at Internet

- (a) **Artificial intelligence** (b) Broadband provider (c) Cloud computing (d) Transceivers

100) _____use less power comparing with single transmitter or satellite often cell towers nearer

- (a) **Mobile devices** (b) Transistors (c) WIFI (d) Communication

101) People now a days getting relaxed via

- (a) Business (b) Corporate company (c) News papers (d) **Socialmedia**

- 119) Which of the following is used to maintain all the directory of domain names?
(a) **Domain name system** (b) Domain name space (c) Name space (d) IP address
- 120) Which of the following notation is used to denote IPv4 addresses?
(a) Binary (b) Dotted-decimal (c) Hexadecimal (d) **a and b**
- 121) How many bits are used in the IPv6 addresses?
(a) 32 (b) 64 (c) **128** (d) 16
- 122) Expansion of URL is
(a) Uniform Resource Location (b) Universal Resource Location (c) **Uniform Resource Locator** (d) Universal Resource Locator
- 123) How many types are available in Relative URL?
(a) 2 (b) **3** (c) 4 (d) 5
- 124) Maximum characters used in the label of a node?
(a) 255 (b) 128 (c) **63** (d) 32
- 125) In domain name, sequence of labels are separated by
(a) ; (b) **.(dot)** (c) NULL
- 126) Pick the odd one out from the following
(a) node (b) label (c) domain (d) **server**
- 127) Which of the following initiates the mapping of domain name to IP address?
(a) Zone (b) Domain (c) **Resolver** (d) Name servers
- 128) Which is the contiguous area up to which the server has access?
(a) **Zone** (b) Domain (c) Resolver (d) Name servers
- 129) ISP stands for
(a) International Service provider (b) **Internet Service Provider** (c) Internet service Protocol (d) Index service provider
- 130) TLD stands for
(a) Top Level Data (b) Top Logical Domain (c) Term Level Data (d) **Top Level Domain**
- 131) Which of the following statements are true?
i) Domains name is a part of URL.
ii) URL made up of four parts
iii) The relative URL is a part of Absolute URL
iv) URL doesn't contain any protocol
(a) i & ii (b) ii (c) **i, ii & iii** (d) i, ii & iv
- 132) Assertion (A) : The number of addresses used in IPv6 addressing method is
128. Reason (R) : IPv6 address is a 128 bit unique address.
(a) A is true and R(b) **A is false and** R is the
is false. R is correct explanation of A. (c) Both A and R are correct and R is the
true. (d) Both A and R are correct and R is not the
correct explanation of A.

133) Match the following

domain	1. progress that initiates translation
zone	2. contains database of domain names
name server	3. single node
resolver	4. contiguous nodes

(a) 1432

(b) 3421

(c) 3214

(d) 3412

Padasalai