



Padalsalai's Telegram Groups!

(தலைப்பிற்கு கீழே உள்ள லிங்கை கிளிக் செய்து குழுவில் இணையவும்!)

- Padalsalai's NEWS - Group
https://t.me/joinchat/NIfCqVRBNj9hhV4wu6_NqA
- Padalsalai's Channel - Group
<https://t.me/padasalaichannel>
- Lesson Plan - Group
<https://t.me/joinchat/NIfCqVWwo5iL-21gpzrXLw>
- 12th Standard - Group
https://t.me/Padalsalai_12th
- 11th Standard - Group
https://t.me/Padalsalai_11th
- 10th Standard - Group
https://t.me/Padalsalai_10th
- 9th Standard - Group
https://t.me/Padalsalai_9th
- 6th to 8th Standard - Group
https://t.me/Padalsalai_6to8
- 1st to 5th Standard - Group
https://t.me/Padalsalai_1to5
- TET - Group
https://t.me/Padalsalai_TET
- PGTRB - Group
https://t.me/Padalsalai_PGTRB
- TNPSC - Group
https://t.me/Padalsalai_TNPSC

12TH CHEMISTRY IMPORTANT QUESTIONS

DEFINE / WHAT IS or Are

1. Inert pair effect 30(I)
2. Auto oxidation
3. Calcination - (7) I
4. Inter halogen compounds (89) I
5. Holmes signal 70(I)
6. Interstitial compounds (111) I
7. Linkage Isomers - (142) I
8. Ionisation Isomers (142) I
9. Hydrated Isomers (142) I
10. Co-ordination isomers (142) I
11. Crystal field splitting (155) I
12. CFSE (157) I
13. Co-ordination number (134) I
14. CN of BCC (183) I
15. Impurity defect (195) I
16. Packing efficiency? (187) I
17. radius ratio (192) I
18. Molecular solids and it's types (177) I
19. Activation energy (220) I
20. Pseudo first order reaction (214) I
21. Common ion effect (15) II
22. Buffer solutions (162) II
23. Buffer capacity (18) II
24. Buffer Index (18) II
25. Molar conductivity 26(II)

26. Equivalent conductance 39(II)
27. Specific conductance 39(II)
28. Corrosion 61(II)
29. Sacrificial protection (61) II
30. Colloids and give examples 86(II)
31. Promoters and catalyst poison 79(II)
32. Active centers 82(II)
33. Tyndall effect 93(II)
34. Brownian motion 93(II)
35. Tanning of leather 98(II)
36. Ultrafiltration 91(II)
37. Coagulation and types 96(II)
38. Flocculation value 96(II)
39. Gold number. 96(II)
40. Electro osmosis 95(II)
41. Electrophoresis 94(II)
42. Freundlich adsorption isotherm 74(II)
43. Saponification 110(II)
44. Anomers 243(II)
45. Mutarotation 244(II)
46. Epimers and example 244(II)
47. Invert sugar
48. Peptide bond 252(II)
49. Zwitter ion 252(II)
50. Iso electric point 252(II)

51. Denaturation of proteins 256(II)
52. vulcanization of rubber 292(II)
53. Analgesics and examples 278(II)
54. Opioids and examples 278(II)
55. Anesthetics and example 279(II)
56. Antacids and examples 279(II)
57. Antihistamines and examples 280(II)
58. Antiseptic and examples 282(II)
59. Antimicrobials and examples 280(II)
60. Disinfectants and example 282(II)
61. Preservatives and example 283(II)
62. Antifertility drugs and examples 282(II)
63. Antioxidants and example 283(II)
64. Sugar Substituents and example 283(II)
65. Artificial sweetening agents (283) II
66. Total Fatty Matters Value 284(II)
67. Solubility product 26(II)
68. Ionization of water 7(II)
69. PH scale 9(II)
70. Conjugate acid - base pair 7(II)
71. Arrhenius concept of acid - base 2(II)
72. Arrhenius equation 220(II)
73. Bragg's equation (84) I
74. Debye - Huckel and onsagar equation 41(II)
75. Hormones & its classification 266(II)

APPLICATION/USES

1. Aluminium, Copper & Zinc 17, 18(I)
2. Iron and Gold (18) (I)
3. Alum, $K_2Cr_2O_7$ and $KMnO_4$ 39, 40(II)
4. Helium, Neon & Argon. 93, (I)
5. Chlorine 86(II)
6. Silicones 48(II)
7. Methanol & Ethanol 122(II)
8. Di-ethyl ether 122(II)
9. 40% Formaldehyde (Formalin). 167(II)
10. Formic acid 188(II)
11. Medicinal uses of colloids 98(II)
12. Co-ordination compounds (166) I

13. Adsorption 75(II)
14. Kohlrausch's law 42(II)
15. Nitro Alkanes
16. Phenol. 131(II)
17. Diboranes 38(II)
18. Glycol and Glycerol. 122(II)

DIFFERENTIATE/DISTINCTION

1. Minerals and Ores. 2(II)
2. Lanthanoids & Actinoids 123(II)
3. 1° , 2° , 3° Amines (Refer to notes) (178) II
4. Crystalline & Amorphous solids
5. Tetrahedral voids & Octahedral voids. (190) (I)
6. Rate & Rate constant 209(II)
7. Order & Molecularity 210(II)
8. Lewis acids & Lewis bases. 5(II)
9. Physical & Chemical adsorption 71(II)
10. Homogeneous & heterogeneous catalysis 77(II)

11. DNA and RNA. 264(II)
12. Hormones and Vitamins 258, 266(II)
13. Disinfectants and Antiseptics. 282(II)
14. Glucose and Fructose 240, 244(II)
15. Double salts & co-ordination compounds 131(II)

PRINCIPLE/THEORY

1. Postulates of Werner's theory. (132) I
2. Valence Bond theory 147(II)
3. Crystal Field theory 153(II)
4. Collision theory. 217(II)
5. Acid - Base theories 2(II)

6. Intermediate compound formation Theory & Adsorption Theory (catalysis) 80(II)

LAWS AND CONCEPTS

1. Ostwald dilution law. 12(II)
2. Faraday's First & Second law 57(II)
3. Kohlrausch's law 41(II)
4. Saytzeff's rule 116(II)

5. Popoff's rule. 159(II)

EQUATIONS/DERIVATIONS

1. Zero & First order reaction 214, 212(II)
- 1) Integrated Rate law 205(II)
- 2) Half-life period 215(II)
3. Henderson equation 13(II)
2. Relation between PH and POH 9, 10(II)
4. Relation between G, E and K 50(II)

5. Nernst equation 51(II)
6. Ostwald's Dilution law 12(II)

PROPERTIES/CHARACTERISTIC

1. Silicones. 48(II)
2. Catalyst. 78(II)
3. Ionic crystals. 179(II)
4. Inter Halogen Compounds 89(II)
5. Enzyme catalysis 83(II)

LIMITATIONS/DISADVANTAGES

1. Ellingham diagram 13(II)
4. Freundlich adsorption (concept) isotherm
2. VB theory 152(II)

3. Arrhenius concept 3(II)

EXPLAIN

1. Mond's process 16(II)
2. Zone - Refining. (66) II
3. Electrochemical extraction of Al 14(II)
11. Molecular solids 179(II)
12. Cathodic / Sacrificial Protection 61(II)
13. Daniel cell 45(II)

21. Factors affecting the reaction rate 202(II)
22. Factors affecting Elec. conductance 37(II)
23. Factors affecting adsorption 72(II)

4. Structure of Di - Borane 37(I)
5. Types of silicones and structure 47(I)
6. Types of silicates and structure 49(I)
7. Electrolytic refining 15(I)
8. Structure of Graphite & Diamond 41(I)
9. Structure of zeolites 50(I)
10. Point defects (Schottky, Frenkel, Metal Excess, Metal Deficiency) 193(I)
14. Leclanche cell 56(II)
15. Lead storage battery 58(II)
16. Lanthanoid contraction 121(II)
17. Mercury button cell. 57(II)
18. Lithium - Ion battery 58(II)
19. Fuel cell (H₂ - O₂). 59(II)
20. Mechanism of aldol & crossed Aldol condensation 161, 162(II)
24. Saytzeff's Rule 116(II)
25. Mechanism of cannizzaro reaction 163(II)
26. Mechanism of Esterification reaction 174(II)
27. Cleansing action of soap 284(II)
28. reduction reactions of nitro benzene 203(II)
29. Peptide Bond formation 252(II)
30. Structure of Glucose & Fructose 241, 245(II)
31. Importance of Carbohydrates, Proteins and Lipids. 256, (II) 258,

NAMING REACTIONS

1. Swern - oxidation. 117(II)
2. Dow's process. 126(II)
3. Schotten - Baumann reaction 124(II)
4. Williamson Ether synthesis. 135(II)
5. Kolbe's reaction. 130(II)
6. Rieme - Tiemann reaction 130(II)
7. Coupling reaction. 131(II)
8. Rosenmund Reduction. 151(II)
9. Stephen's Reaction. 151(II)
10. Gattermann - Koch reaction 152(II)
11. Gomborg reaction 221(II)
12. Thrope nitrile condensation 225(II)
1. Fischer tropsch synthesis 44(I)
13. Etard reaction. 151(II)
14. Friedel - Crafts Acylation. 153(II)
15. Friedel - Crafts Benzoylation. 153(II)
16. Clemmensen reduction 160(II)
17. Wolf - Kishner reduction. 161(II)
18. Haloform reaction. 161(II)
19. Claisen - Schmidt condensation 163(II)
20. Benzoin condensation. 164(II)
21. Perkin's reaction. 165(II)
22. Knoevenagel reaction 165(II)
23. Hoffmann's ammonolysis 209(II)
24. Levine Hauser acetylation 225(II)
2. McAfee process 39(I)
25. HVZ - reaction 176(II)
26. Hoffmann's degradation reaction 188(II)
27. Gabriel Phthalimide synthesis. 209(II)
28. Scotten - Baumann reaction in Aniline. 214(II)
29. Carbylamine reaction. 216(II)
30. Mustard oil reaction. 216(II)
31. Sandmeyer reaction. 220(II)
32. Gattermann reaction. 220(II)
33. Crossed aldol condensation reaction. 162(II)
34. Crossed cannizzaro reaction 164(II)
35. Baltz-Schiemann reaction 221(II)
36. Sabatier - Mailhe method 210(II)
37. Trans Esterification 185(II)

PREPARATION REACTIONS (with uses)

1. Hydroboration 37(I)
2. H₂SO₄ in contact process 77(I)
3. Mechanical Dispersion 88(II)
4. HDPE and LDPE 288(II)
5. Bakelite & Melamine 290, 291(II)
6. Orlan (PAN) 288(II)
7. Phosphine (PH₃) in laboratory 68(II)
8. K₂Cr₂O₇ & KMnO₄ 112, 115(I)
9. Urotropine (158)(II)
10. BUNA - S & BUNA - N. 292(II)
11. PHEV & Teflon 293, 288(II)
12. Benzene diazonium chloride 215(II)
13. Phosphoric acid 69(I), 873(I)
14. Colloids by chemical method 90(II)
15. Nylon - 66 Nylon - 6 289, 293(II)
16. Nylon - 2, Nylon - 6 293, (II)
17. Terylene (Decron) & Neophrene 289(II)
18. Chloro picrin & Picric acid 203(II), 129(II)


TESTS/ESTIMATIONS

1. Identify Borate Radical. 35(I)
2. Sulphate and Sulphuric acid. 80(I)
3. Chromyl Chloride Test. 114(II)
4. Test for Colloids.
5. Differentiate [CO(NH₃)₅Cl]SO₄ and [CO(NH₃)₅SO₄]. 172 (B.B)(II)
6. Carboxylic acid. 177(II)
7. Lucas Test & Victor - Meyer Test. 110(II)
8. Ni²⁺ is identified using DMG 166(II)
9. Differentiate Phenols and Alcohols. 131(I)
10. Test for Aldehyde. 166(II)
11. Test for Primary Amines. 216(II)
1. Ethylene to Ethylene glycol. 110(II)
2. Glycerol to Acrolein. 121(II)
3. Glycerol 1,2,3 to Tri Nitro Glycerin (TNG). 121(II)
4. Cumene to Phenol. 127(II)
5. Phenol to Picric Acid. 129(II)
6. Phenol to Phenolphthalein. 131(II)
7. Benzaldehyde to Malachite green 165(II)
8. Methyl Acetate to Ethyl Acetate.
9. Acetone to Pinacol. 161(II)
10. Acetaldehyde to Lactic Acid
1. HNO₃, H₃PO₄, PCl₅, IF₇ and BrF₅. 88, 72(II)
2. Resonance Structures CO₂ and CO 44, 45(II)
3. Electronic configuration of 4f and 5f elements. 122(II)
4. Cyclic structure of Glucose. (α D & β D) 243(II)
5. Cyclic structure of Fructose. 246(II)
6. Sucrose. 247(II)
7. Lactose. and Maltose 247(II), 247.
8. Mannitol & Sorbitol 245(II)
9. Mannose and Galactose 244(II)
10. Isomers of [CO(en)₂Cl₂] 147(I)

CONVERSIONS

1. Anomalous properties of the first elements of P - block. 29(I)
2. H₂SO₄ is a dehydrating agent. 78(I)
3. Bleaching action of SO₂. 77(II)
4. Gd³⁺ is colourless, why?
5. Fe³⁺ is more stable than Fe²⁺ 108(II)
6. Mn²⁺ is more stable than Mn³⁺
7. Cu²⁺ coloured, Zn²⁺ colourless, why?
8. Cr²⁺ is strong reducing while Mn³⁺ is strongly oxidizing. 107(I), 108(II)
9. Transitional Elements
- 1) Exhibit variable oxidation states 166(II)
- 2) Form interstitial compounds 111(II)
- 3) Form alloys 4) Complex 5) As catalyst 111(II), 112(II), 110(II)
10. Addition of NaCN in Froth Flotation 44(II)
11. Out of Lu(OH)₃ and La(OH)₃ which is more basic and why? 121(II)
12. [Ti(H₂O)₆]³⁺ is coloured, while [Sc(H₂O)₆]³⁺ is colourless 160, (II) 172 (B.B)
13. [Ni(CN)₄]²⁻ is diamagnetic, while [NiCl₄]²⁻ is paramagnetic explain using crystal field theory. 173(II) B.B
14. A solution of [Ni(H₂O)₆]²⁺ is green, whereas a solution of [Ni(CN)₄]²⁻ is colourless explain. 173(II) B.B
15. Ionic crystals are hard and brittle 179(II)
16. Molar conductance of a solution increases with increases in dilution 40(II)
17. Why AC current used instead of DC in measuring the electrolytic conductance. 38(II)
18. Amines are more basicity than amide why? 112(II)
19. Aniline does not under go Fridel - Crafts reaction. why? 218(II)
20. In case of chemisorptions, why adsorption first increase and then decreases with temperature 72(II)
21. Formic acid reduces Tollens and Fehlings solution. 177(II)
22. Role of CaCO₃ in the extraction of Iron from Fe₂O₃ 23(B.B) 9. no. 3 (I)

GIVE REASONS FOR



4. Structure of Di - Borane 37(I)
5. Types of silicones and structure 47(I)
6. Types of silicates and structure 49(I)
7. Electrolytic refining 15(I)
8. Structure of Graphite & Diamond 41(I)
9. Structure of zeolites 50(I)
10. Point defects (Schottky, Frenkel, Metal Excess, Metal Deficiency) 193(I)
14. Leclanche cell 56(II)
15. Lead storage battery 58(II)
16. Lanthanoid contraction 121(II)
17. Mercury button cell. 57(II)
18. Lithium - Ion battery 58(II)
19. Fuel cell (H₂ - O₂). 59(II)
20. Mechanism of aldol & crossed Aldol condensation 161, 162(II)
24. Saytzeff's Rule 116(II)
25. Mechanism of cannizzaro reaction 163(II)
26. Mechanism of Esterification reaction 174(II)
27. Cleansing action of soap 284(II)
28. reduction reactions of nitro benzene 203(II)
29. Peptide Bond formation 252(II)
30. Structure of Glucose & Fructose 241, 245(II)
31. Importance of Carbohydrates, Proteins and Lipids. 256, (II) 258,

NAMING REACTIONS

1. Swern - oxidation. 117(II)
2. Dow's process. 126(II)
3. Schotten - Baumann reaction 124(II)
4. Williamson Ether synthesis. 135(II)
5. Kolbe's reaction. 130(II)
6. Rieme - Tiemann reaction 130(II)
7. Coupling reaction. 131(II)
8. Rosenmund Reduction. 151(II)
9. Stephen's Reaction. 151(II)
10. Gattermann - Koch reaction 152(II)
11. Gomborg reaction 221(II)
12. Thrope nitrile condensation 225(II)
1. Fischer tropsch synthesis 44(I)
13. Etard reaction. 151(II)
14. Friedel - Crafts Acylation. 153(II)
15. Friedel - Crafts Benzylation. 153(II)
16. Clemmensen reduction 160(II)
17. Wolf - Kishner reduction. 161(II)
18. Haloform reaction. 161(II)
19. Claisen - Schmidt condensation 163(II)
20. Benzoin condensation. 164(II)
21. Perkin's reaction. 165(II)
22. Knoevenagel reaction 165(II)
23. Hoffmann's ammonolysis 209(II)
24. Levine Hauser acetylation 225(II)
2. McAfee process 39(I)
25. HVZ - reaction 176(II)
26. Hoffmann's degradation reaction 188(II)
27. Gabriel Phthalimide synthesis. 209(II)
28. Scotten - Baumann reaction in Aniline. 214(II)
29. Carbylamine reaction. 216(II)
30. Mustard oil reaction. 216(II)
31. Sandmeyer reaction. 220(II)
32. Gattermann reaction. 220(II)
33. Crossed aldol condensation reaction. 162(II)
34. Crossed cannizzaro reaction 164(II)
35. Baltz-Schiemann reaction 221(II)
36. Sabatier - Mailhe method 210(II)
37. Trans Esterification 185(II)

PREPARATION REACTIONS (with uses)

1. Hydroboration 37(I)
2. H₂SO₄ in contact process 77(I)
3. Mechanical Dispersion 88(II)
4. HDPE and LDPE 288(II)
5. Bakelite & Melamine 290, 291(II)
6. Orlan (PAN) 288(II)
7. Phosphine (PH₃) in laboratory 68(II)
8. K₂Cr₂O₇ & KMnO₄ 112, 115(I)
9. Urotropine (158)(II)
10. BUNA - S & BUNA - N. 292(II)
11. PHEV & Teflon 293, 288(II)
12. Benzene diazonium chloride 215(II)
13. Phosphoric acid 69(I), 873(I)
14. Colloids by chemical method 90(II)
15. Nylon - 66 Nylon - 6 289, 293(II)
16. Nylon - 2, Nylon - 6 293, (II)
17. Terylene (Decron) & Neophrene 289(II)
18. Chloro picrin & Picric acid 203(II), 129(II)

TESTS/ESTIMATIONS

1. Identify Borate Radical. 35(I)
2. Sulphate and Sulphuric acid. 80(I)
3. Chromyl Chloride Test. 114(II)
4. Test for Colloids.
5. Differentiate [CO(NH₃)₅Cl]SO₄ and [CO(NH₃)₅SO₄]. 172 (B.B)(II)
6. Carboxylic acid. 177(II)
7. Lucas Test & Victor - Meyer Test. 110(II)
8. Ni²⁺ is identified using DMG 166(II)
9. Differentiate Phenols and Alcohols. 131(I)
10. Test for Aldehyde. 166(II)
11. Test for Primary Amines. 216(II)

CONVERSIONS

1. Ethylene to Ethylene glycol. 110(II)
2. Glycerol to Acrolein. 121(II)
3. Glycerol 1,2,3 to Tri Nitro Glycerin (TNG). 121(II)
4. Cumene to Phenol. 127(II)
5. Phenol to Picric Acid. 129(II)
6. Phenol to Phenolphthalein. 131(II)
7. Benzaldehyde to Malachite green 165(II)
8. Methyl Acetate to Ethyl Acetate.
9. Acetone to Pinacol. 161(II)
10. Acetaldehyde to Lactic Acid

STRUCTURES

1. HNO₃, H₃PO₄, PCl₅, IF₇ and BrF₅. 88,
2. Resonance Structures CO₂ and CO 44, 45(II)
3. Electronic configuration of 4f and 5f elements. 122(II)
4. Cyclic structure of Glucose. (α D & β D) 243(II)
5. Cyclic structure of Fructose. 246(II)
6. Sucrose. 247(II)
7. Lactose. and Maltose 247(II), 247.
8. Mannitol & Sorbitol 245(II)
9. Mannose and Galactose 244(II)
10. Isomers of [CO(en)₂Cl₂] 147(I)

GIVE REASONS FOR

1. Anomalous properties of the first elements of P - block. 29(I)
2. H₂SO₄ is a dehydrating agent. 78(I)
3. Bleaching action of SO₂. 77(II)
4. Gd³⁺ is colourless, why?
5. Fe³⁺ is more stable than Fe²⁺ 108(II)
6. Mn²⁺ is more stable than Mn³⁺
7. Cu²⁺ coloured, Zn²⁺ colourless, why?
8. Cr²⁺ is strong reducing while Mn³⁺ is strongly oxidizing. 107(I), 108(II)
9. Transitional Elements
- 1) Exhibit variable oxidation states 166(II)
- 2) Form interstitial compounds 111(II)
- 3) Form alloys 4) Complex 5) As catalyst 111(II), 112(II), 110(II)
10. Addition of NaCN in Froth Flotation 4(II)
11. Out of Lu(OH)₃ and La(OH)₃ which is more basic and why? 121(II)
12. [Ti(H₂O)₆]³⁺ is coloured, while [Sc(H₂O)₆]³⁺ is colourless 160, (II), 172 (B.B)
13. [Ni(CN)₄]²⁻ is diamagnetic, while [NiCl₄]²⁻ is paramagnetic explain using crystal field theory. 173(II), 173(B.B)
14. A solution of [Ni(H₂O)₆]²⁺ is green, whereas a solution of [Ni(CN)₄]²⁻ is colourless explain. 173(II)
15. Ionic crystals are hard and brittle 179(II)
16. Molar conductance of a solution increases with increases in dilution 40(II)
17. Why AC current used instead of DC in measuring the electrolytic conductance. 38(II)
18. Amines are more basicity than amide why? 112(II)
19. Aniline does not under go Fridel - Crafts reaction. why? 218(II)
20. In case of chemisorptions, why adsorption first increase and then decreases with temperature 73(II)
21. Formic acid reduces Tollens and Fehlings solution. 177(II)
22. Role of CaCO₃ in the extraction of Iron from Fe₂O₃ 23(B.B), 9. no. 3 (I)

